New Standards-contd. (N.Z.S.S.) Brass Bars and Sections (suitable for Forgings) and Drop Forgings; being B.S.S. 218-1940. 321 Iron Castings for Gears and Gear Blanks (ordinary, medium, and high grades); being 322 B.S.S. 82Ĭ-1938. 323 Toolmakers' Straightedges; being B.S.S. 852-1939. Wing Nuts: being B.S.S. 856-1939. 324 Safety Glass for Land Transport; being B.S.S. 857-1939. 325 Fuel Fired Furnaces for Heating and Heat Treatment Purposes; being B.S.S. 859-1939. 326 Table of Approximate Comparison of Hardness Scales; being B.S.S. 860-1939. 327 328 Steel Straightedges of Rectangular Section; being B.S.S. 863–1939. Capillary Joints for Copper Tubes-not for Mechanical Work (Internal Dimensions of 329 Sockets); being B.S.S. 864–1939, amended to suit New Zealand conditions. Toolmakers' Flats and High Precision Surface Plates; being B.S.S. 869–1939. 330 331 Abrasive Papers and Cloths for General Purposes; being B.S.S. 871-1939. Abrasive Papers and Cloths (Technical Products); being B.S.S. 872–1939. 332 Micrometers (External); being B.S.S. 870–1939. Hand Hammers; being B.S.S. 876–1939. 333 334 Steel Tubes for Water Well Casing; being B.S.S. 879-1939. 335 336, 337 Seamless Brass Tubes for General Purposes:-Hard Drawn Seamless Brass Tubes (Ultimate Tensile Stress 25 to 30 tons per (1 vol.) square inch); being B.S.S. 885-1940. Annealed Seamless Brass Tubes; being B.S.S. 886-1940. Vernier Callipers; being B.S.S. 887–1940. 338 Engineers' Parallels (Steel); being B.S.S. 906–1940. "Best Yorkshire" Wrought Iron; being B.S.S. 858–1939. 339 340 Leaded Gun-metal Castings and Ingots: 341, 342 341 85/5/5/5 Leaded Gun-metal Ingots; being B.S.S. 897–1940. 342 85/5/5/5 Leaded Gun-metal Castings; being B.S.S. 898–1940. (1 vol.) Round Strand Steel Wire Ropes for Lifts and Hoists; being B.S.S. 329-1939. 343 344 Dimensions of Rivets ($\frac{1}{2}$ in. to 1_4^3 in. diameter) (excluding Boiler Rivets); being B.S.S. 275-1927. Gold Size; being B.S.S. 311–1936. White Oil Pastes for Paints:— 345 346-348 Genuine White Lead Oil Paste; being B.S.S. 241-1935. (1 vol.) Zine Oxide Oil Paste; being B.S.S. 273-1935, amended to suit New Zealand conditions. 348 Lithopone Oil Paste; being B.S.S. 297–1935. *349 Tung Oil, Type F, for Paints; being B.S.S. 391-1936. [†S.A.] Dimensions of Drain Fittings, Salt-glazed Ware and Salt-glazed Glass (Vitreous) Enamelled 350 Fireclay; being B.S.S. 539–1937. Revised Standards. (N.Z.S.S.) 24 Pipe Threads, Part 1: Basic Sizes and Tolerances; being B.S.S. 21-1938. 25 Screw Threads of Whitworth Form; being B.S.S. 84-1940. 30 High Tensile Brass Bars and Sections (Grades A and B); being B.S.S. 250 1940. 31 Naval Brass (Admiralty Mixture) Bars and Sections (suitable for Machining and Forging) and Forgings; being B.S.S. 251-1940. Naval Brass (Special Mixture) Bars and Sections (suitable for Machining and Forging) and Forgings; being B.S.S. 252–1940.

Brass Bars (High Speed Screwing and Turning); being B.S.S. 249 1940. 3249

- 121Zinc Oxide (Types 1 and 2); being B.S.S. 254-1935, amended to swit New Zealand conditions.
- 181 Code of Clauses for Town Planning Schemes.
- 183 General Purpose Laboratory Thermometers; being B.S.S. 593-1940.

Standard withdrawn.

(N.Z.S.S.)

26 Being B.S.S. 92-1919, also withdrawn. (See N.Z.S.S. 25.)

Approximate Cost of Paper. -- Preparation, not given; printing (1,005 copies), £24.