

RETURN OF ANALYSES. (Analytical Laboratory, Dunedin.)—*continued.*

Department or Person from whom Sample received.	Nature of Sample.	Date received.	Adulteration suspected, or for what analysed.	Result.		
				Total Solids. Per Cent.	Fat. Per Cent.	Solids not Fat. Per Cent.
Public Health, Daily Industries Ditto "	Milk	1907. June 8	Adulteration, percentage of fat, purity, &c.	13.3	3.8	9.5
		" 8	Ditto	13.1	3.4	9.7
		" 8	"	13.4	3.7	9.7
		" 10	"	13.0	3.6	9.4
		" 10	"	12.9	3.4	9.5
		" 10	"	13.7	3.2	10.5
		" 11	"	12.1	2.6	9.5
		" 13	"	11.9	2.5	9.4
		" 13	"	12.85	3.1	9.75
		" 13	"	11.34	3.2	8.14
		" 13	"	12.0	3.02	8.98
		" 13	"	14.21	4.25	9.96
		" 25	"	13.25	3.05	10.22
		" 25	"	13.5	3.6	9.9
		" 25	"	11.7	3.0	8.7
Public Health..	Water	" 25	Impurities ..	Mineral matter, 8.4 gr. per gallon; organic matter, 2.8 gr.		
" ..	"	" 22	" ..	Mineral matter, 11.2 gr. per gallon; organic matter, 4.9 gr. Suspicious.		
Police, Oamaru	Milk	" 29	Quality and purity	13.96	4.2	9.76
		" 29	"	11.71	3.4	8.31
		" 29	"	13.3	3.7	9.6
		" 29	"	13.98	4.3	9.68
		" 29	"	12.9	3.1	9.8
		" 29	"	14.2	4.4	9.8
" Dunedin	Tea	Sept. 20	Purity and strength	42.0	6.0	3.4
		" 20	"	37.0	6.0	3.9
		" 20	"	36.0	6.0	3.9
		" 20	"	33.0	5.46	3.3
		" 20	"	34.0	5.8	3.0
		" 20	"	37.0	5.3	3.0
		" 20	"	35.4	5.3	3.0
		" 20	"	44.0	5.4	3.7
		" 20	"	41.0	5.7	3.0
		" 20	"	32.0	5.5	3.0
		" 20	"	31.5	5.3	3.1
		" 20	"	32.0	5.0	3.0
		" 20	"	40.0	5.6	3.4
		" 20	"	37.0	5.0	3.1
		" 20	"	43.0	5.2	3.1
" Milton	Whisky	Aug. 14	"	68.2% proof-spirit. Charge of adding too much water withdrawn.		
" ..	"	" 14	"	89.9% " Conforms with Licensing Act.		
" ..	"	" 14	"	81.7% " Ditto.		
" ..	"	" 14	"	78.6% " " "		
" ..	"	" 14	"	70.5% " Charge of breach or Licensing Act dismissed.		
" ..	"	" 14	"	75.0% " Conforms with provision of Licensing Act.		
Bottles containing these six whiskies had not been quite emptied of the water used in washing them when the constable took the samples; hence the discrepancy of my results and those of the Customs Department. The information and charges of adding too much water were quashed by the Magistrate at Milton.						
Health Department	Water	July 25	Impurities ..	Contains zinc derived from galvanised tank.		
Public Health..	Condensed milk..	Oct. 8	Preservatives ..	No preservatives found except sugar.		
Police " " Lawrence	Whisky	" 14	Strength and purity	79.3	20.7	No adulterants found. Traces of impurity incidental to water while breaking down.
		" 14	"	79.8	20.2	
		" 14	"	79.3	20.7	
		" 14	"	79.3	20.7	
		" 14	"	79.3	20.7	
		" 14	"	75.6	24.4	
		" 14	"	76.0	24.0	