

## LIST B.

*Moisture-content.*

Highest.	Lowest.	Average.
38.8	33.4	36.25
<hr/>		
Range.	No. of Samples.	Per Cent.
33.0 to 34	2	1.90
34.1 to 35	12	11.43
35.1 to 36	30	28.57
36.1 to 37	36	34.29
37.1 to 38	21	20.00
Over 38	4	3.81
	<hr/>	<hr/>
	105	100.00

*Fat-content.*

Highest.	Lowest.	Average.
36.8	30.4	33.78
<hr/>		
Range.	No. of Samples.	Per Cent.
30.0 to 31	2	1.90
31.1 to 32	3	2.86
32.1 to 33	21	20.00
33.1 to 34	42	40.00
34.1 to 35	22	20.95
35.1 to 36	14	13.34
Over 36	1	0.95
	<hr/>	<hr/>
	105	100.00

## LIST C.

*Moisture-content.*

Highest.	Lowest.	Average.
39.5	32.3	36.06
<hr/>		
Range.	No. of Samples.	Per Cent.
32.0 to 33	3	7.32
33.1 to 34	5	12.19
34.1 to 35	3	7.32
35.1 to 36	12	29.27
36.1 to 37	1	2.44
37.1 to 38	14	34.15
38.1 to 39	2	4.87
Over 39	1	2.44
	<hr/>	<hr/>
	41	100.00

*Fat-content.*

Highest.	Lowest.	Average.
36.8	30.8	33.73
<hr/>		
Range.	No. of Samples.	Per Cent.
30.0 to 31	1	2.44
31.1 to 32	7	17.07
32.1 to 33	6	14.63
33.1 to 34	14	34.15
34.1 to 35	11	26.83
35.1 to 36	1	2.44
Over 36	1	2.44
	<hr/>	<hr/>
	41	100.00