## Jersey C.O.R. Bulls-continued.

Miro Meadows Major*	4	0	0	4	Molly's Lad*	 4	0	0	4
Miro Meadows Quick-					Rimu*	 4	2	0	6
shine* ~	4	0	0	4	Royal Tar*	 4	2	0	6
Miro Meadows Toby*	4	0	0	4	Snowshower*	 4	0	0	4

## FRIESIANS.

## Class-leaders.

No change was made this year in the list of Friesian class-leaders as at the end of 1923. The leadership records for the breed have now reached a very high level, and only quite exceptional performances could displace the present leaders. During the year, however, some noteworthy yields have been authenticated. Messrs. C. R. Duncan and Sons' senior two-year-old Mutual Stella de Kol gained a certificate for 720.43 lb. butterfat. In the senior four-year-olds Mr. T. R. Eades's Hinemoa Beauty (see last month's Journal) produced 822.37 lb. fat, and in the mature class Mr. J. Hart's Lady Pauline yielded 850.66 lb., the highest Friesian production of the year.

The class-leadership list holds good for 1924, as follows:—

	m		ge at	t ed for cate.	Yield for Season.			
Name of Cow and Class.	Tested by	Start of Test.		Fat required for Certificate.	Days.	Milk.	Fat.	
Junior Two-year-old. Monavale Queen Bess	T. H. Richards, Cardiff	Yrs 2	.dys	lb. 242·I	36:	lb. 20,501·1	lb. 740·50	
Senior Two-year-old. Netherland Princess 4th	John Donald, Westmere	2	341	274.6	365	19,621-6	805.77	
Junior Three-year-old. Monavale Queen Bess	T. H. Richards, Cardiff	3	56	282.6	36.5	21,609:	800.18	
Senior Three-year-old. Manor Beets Daughter 2nd of Ashlynn	C. A. Hopping, Palmerston North	3	296	306.6	365	18,733.9	863.51	
Junior Four-year-old. Westmere Princess Pietertje	John Donald, Westmere	4	156	329.1	365	24,199.0	939.78	
Senior Four-year-old. Bainfield 27th	C. H. Potter, Pukerau	4	351	348 6	365	23,203 3	910 74	
Mature. Alcartra Clothilde Pietje	Vernon Marx, Manga- toki	7	355	350.0	365	31,312.5	1,145*24	

## Friesian Class-averages.

With the exception of the junior three-year-olds the 1924 Friesian class-averages show decreases as compared with the figures for the previous year. There were 191 Friesians under test in 1924, so that, when divided into the seven classes which the breed recognizes, the