

## GENERAL INDEX.

[The Editor will be obliged if authors and other users of the index will notify him of any errors or omissions discovered, or make any suggestions for improvements.]

- Abbotsford, Pleistocene glaciation (Park), 599.  
*abrida*, *Epichorista*.  
*abditus*, *Crambus*.  
*Abendanon*, E. C., Aequinoctia region (Benson), 106.  
*Abies pectinata* DC., host of *Pucciniastrum pustulatum* (Cunningham), 30.  
*Abieti-Chamaenerii*, *Pucciniastrum*.  
*Abrotanella forsterioides* Hook. f., host of *Aecidium monocystis* (Cunningham), 47.  
*abruptus*, *Conus*.  
*Acacia* sp., host of *Uredo Acaciae* (Cunningham), 47.  
*Acaciae*, *Uredo*.  
*Acacia microphylla* Hook. f., host of *Phragmidium Acaciae* (Cunningham), 18.  
 — *novae-zelandiae* T. Kirk, host of *Phragmidium novae-zelandiae* (Cunningham), 19.  
 — — var. *pallida* T. Kirk, host of *Phragmidium Potentillae* (Cunningham), 20.  
 — — *ovina* A. Cunn., host of *Phragmidium Potentillae* (Cunningham), 20.  
 — — *Sanguisorbae* Vahl., host of *Phragmidium Potentillae* (Cunningham), 19.  
 — — host of *Phragmidium subsimile* (Cunningham), 21.  
 — — var. *pilosa* T. Kirk, host of *Phragmidium subsimile* (Cunningham), 21.  
*Acaciae*, *Phragmidium*.  
*acanthocarpa*, *Aglaophenia*.  
*acanthostoma*, *Stereotheca*.  
 "Acheron," time-signals (Baillie), 705.  
*acinata*, *Zenaria*.  
*Aciphylla squarrosa*, tumataku in north (Rangi Hiroa), 357.  
*Acisella oamarutica* (Sut.), occ. Pukeuri (Finlay), 508.  
 — — variable form (Finlay), 508.  
*Acrocercops zorionella* Huds., not *Parectopa* (Meyrick), 204.  
*Actaeae-Agropyri*, *Puccinia*.  
*Actaeae-Elymi*, *Puccinia*.  
*Actaeon praecursorius* Sut., occ. Ardgowan (Finlay), 509; Awamoa, 510.  
*Acteonella*, occ. (Benson), 121.  
*Actinacis sumatraensis*, occ. (Benson), 116.  
*acuminata*, *Struthiolaria*.  
*acuminatus*, *Otolithus* (*Pleuronectidarum*).  
*acutissima*, *Hamaspora*.  
 Adams, C. E., research grant, 1923, 790.  
 Adams, J., ferns of Te Aroha and Te Moehau Mts., 88.  
*Adamsii*, *Dracophyllum*.  
 Adelbert, Range, geol. (Benson), 117.  
*adhaerens*, *Stenothoe*.
- Admete anomala* M. & M., congen. with *Ptychactractus pukeuriensis* Sut. (Finlay), 501.  
 — — *maorium* Marsh. & Murd., occ. Target Gully (Finlay), 496.  
 — — — is *Merica* n. sp. of Suter (Finlay), 496.  
 — — — possibly a *Svetella* (Finlay), 501.  
 — — *suteri* Marsh. & Murd., occ. Target Gully (Finlay), 496.  
 — — — is *Merica* n. sp. of Suter (Finlay), 496.  
 — — — Neozel. repres. of Aust. *Cancellaria* (Finlay), 501.  
 — — — type of *Oamaruia* (Finlay), 514.  
 Admiralty Islds., geol. (Benson), 120.  
*adspersa*, *Puccinia*.  
*adusta*, *Verconella*.  
*Aecidium* Persoon, characteristics (Cunningham), 32.  
 — — *Anisotomes* Reich., occ. (Cunningham), 46.  
 — — *Aquilegiae* Pers., syn., 1.  
 — — *Celmisiae-discoloris* n. form-sp., with fig. and pl. (Cunningham), 37, 52.  
 — — — in key (Cunningham), 33.  
 — — *Celmisiae-petiolatae* n. form-sp., with fig. and pl. (Cunningham), 37, 52.  
 — — — in key (Cunningham), 33.  
 — — *Celmisiae-Petriei* n. form-sp., with fig. and pl. (Cunningham), 38, 53.  
 — — — in key (Cunningham), 33.  
 — — *Clematidis* DC., syn., 1.  
 — — *Discariae* Cke. belongs to cycle of *Uromyces Discriaria* (Cunningham), 47.  
 — — *disseminatum* Berk. not the uredo of *Melampsora Kusanoi* (Cunningham), 27.  
 — — — occ. (Cunningham), 47.  
 — — *hupiro* n. form-sp., with fig. and pl. (Cunningham), 36, 53.  
 — — — in key (Cunningham), 33.  
 — — *kowhai* n. form-sp., with fig. and pl. (Cunningham), 35, 53.  
 — — — hab. (Cunningham), 392.  
 — — — in key (Cunningham), 33.  
 — — *Laricis* Kleb., syn., 29.  
 — — *Macrodontae* n. form-sp., with fig. and pl. (Cunningham), 38, 53.  
 — — — in key (Cunningham), 33.  
 — — *Milleri* n. form-sp., with fig. and pl. (Cunningham), 35, 54.  
 — — — in key (Cunningham), 33.  
 — — *monocystis* Berk., occ. (Cunningham), 47.  
 — — *Myopori* n. form-sp., with fig. and pl. (Cunningham), 35, 54.  
 — — — in key (Cunningham), 33.

- Aecidium Oleariae* McAlp., diff. from *A. Macro-dontiae* (Cunningham), 40.  
 — *otagense* Lindsay, with fig. (Cunningham), 33.  
 — *Darluca Filum* parasitic on (Cunningham), 49.  
 — *Tuberculina persicina* parasitic on (Cunningham), 50.  
 — *Plantaginis-variae* McAlpine, with fig. (Cunningham), 36.  
 — in key (Cunningham), 33.  
 — *Ranunculacearum* De Candolle, with fig. and pl. (Cunningham), 34.  
 — in key (Cunningham), 33.  
 — *Darluca Filum* parasitic on (Cunningham), 49.  
 — *Rosae* Roehling, syn., 16.  
 — *Sophorae* Kus., hab. (Cunningham), 392.  
*aegrotans*, *Dicranomyia*.  
*aemula*, *Sabatinca*.  
*aequilateralis*, *Spisula*.  
*Aequinocta* of Abendanon (Benson), 106.  
*aerobatis*, *Gelechia*.  
*Aethocola*, partly replaces *Siphonalia* (Finlay), 501.  
 — *costata* (Hutt.) [*Siphonalia*], occ. Awamoa (Finlay), 511.  
 — *spinifera* Finlay and McDowall, occ. Ard-gowan (Finlay), 509; Awamoa, 510; Target Gully, 495, 496.  
 — *taitiae* n. sp., with pl. (Marwick), 197.  
 affiliated societies. See N.Z. Institute.  
*affinis*, *Cyathus*.  
*Agandecca* in Poekillopterae of Kirkaldy (Myers), 321 note.  
*agilis*, *Phlorhizithrus*.  
*Aglaophenia acanthocarpa* Allman, with fig. (Bale), 258, 259.  
 — *banksii* Bale, syn., 263.  
 — *divaricata* var. *acanthocarpa*? Jaederholm, identity, 258.  
 — *filicula* Allman, occ. (Bale), 227.  
 — *Hilgendorf*, identity (Bale), 257.  
 — *formosa* Allman, syn., 261.  
 — *formosa* Bonnevie, identity (Bale), 261.  
 — *gaymardi* Lamouroux, syn., 252.  
 — *huttoni* Coughtrey, identity (Bale), 257.  
 — *huttoni* Kirchenpauer, identity (Bale), 257.  
 — *incisa* Coughtrey, identity (Bale), 257.  
 — *laxa* Allman, with fig. (Bale), 260.  
 — *laxa* Hilgendorf, identity, 258, 259.  
 — *pennatula*? Coughtrey, syn., 257.  
 — *plumosa* Bale, occ. (Bale), 257.  
 — *secunda* Kirchenpauer, syn., 263.  
 — *setacea* Lamouroux, syn., 252.  
 — *tubulifera* Hincks, affin. to *A. filicula* (Bale), 257.  
 — *whiteleggei*, relation to *A. laxa* (Bale), 261.  
 — *zelandica* Stechow, proposed for *A. huttoni* (Bale), 258 note.  
*aglaophenoides*, *Plumularia*.  
*agorastis*, *Melananchra*.  
*Agromyza urticae* n. sp., with pl. (Watt), 685.  
*Agropyri*, *Puccinia*.  
 — *Puccinia Actaeae*.  
 — *Ustilago*.  
*agropyrina*, *Puccinia*.
- Agropyron scabrum* (Lab.) Beauv., host of *Puccinia graminis* (Cunningham), 394.  
 — — — host of *Ustilago bullata* (Cunningham), 413.  
*Agrostidis*, *Puccinia*.  
*Agrostis parviflora* R. Br., occ. Banks Pen. (Laing & Wall), 440.  
 — *vulgaris* With., host of *Tilletia decipiens* (Cunningham), 424.  
 ahi-a nga tane, Te, Maruiwi attacked at (Anderson), 696.  
*ahi-ka-roa*, in land-claims (Rangi Hiroa), 354.  
*Airae-caespitosa*, *Tilletia*.  
 “Airedale,” first interprov. steamer at Queen’s Wharf, Wellington (Baillie), 717.  
*Aka*, charact. (Myers), 316, 321 note.  
 — in key (Myers), 317.  
 — *finitima* Walker, with pl. (Myers), 326.  
 akeake-moth. See *Apatebris melanombra*.  
*Akhurst*, F., Waimate winds, 75–76.  
*alata*, *Protocardia*.  
*albescens*, *Helicopsyche*.  
*albiceps*, *Oxyethira*.  
 — *Phytomyza*.  
*albida*, *Schistophleps*.  
*albifasciata*, *Simaethis*.  
*albomarginata*, *Wahlenbergia*.  
*albula*, *Pleurotoma*.  
*album*, *Chenopodium*.  
*Alcithoe arabica*, progen. of *A. lutea* (Marwick), 200.  
 — *lutea* n. sp., with pl. (Marwick), 200.  
*Alectryon latecostata* Sut., occ. Pukeuri (Finlay), 508; Target Gully, 495.  
*Alectryon excelsum* Gaertn., occ. with *Olearia fragrantissima* (Laing & Wall), 438.  
 algae, fish-foods (Philips), 388.  
*Allan*, H. H., research grant, 1923, 790.  
*Allan*, R. S., Chatham Islds. schists (Benson), 130.  
*allani*, *Natica* (*Carinacca*).  
 “Alligator” sent to N.Z. (Baillie), 700.  
*Allman*, G. J., descrip. of *Sertularella integra* (Bale), 242.  
 “allotype,” use of term (Alexander), 643.  
*alporti*, *Marginella*.  
*alokiza*, *Mitra*.  
*alopecurivora*, *Tilletia*.  
*alpina*, *Celmisia longifolia* var.  
*alpinus*, *Prenaster*.  
*Alsophila Colensoi* Hook. f., occ. (Holloway), 77, 86.  
 — — — occ. Banks Pen. (Laing & Wall), 439.  
*alta*, *Cucullaea*.  
 — — *Leucosyrinx*.  
 — — *Pleurotoma*.  
 — — *Tudicula*.  
 — — subsp. *transenna*, *Leucosyrinx*.  
*alternans*, *Puccinia*.  
*Alucita monospilalis* Walk., strigil, fig. (Philpott), 219.  
*Aluvania suprasculptia* May, rel. to *Linemera* (Finlay), 483.  
 — — *thouinensis* May, rel. to *Linemera* (Finlay), 483.  
*Alveolina*, occ. (Benson), 125 note.

- Amathusia* R. A. Philippi = *Lahillia* Cossm. (Wilckens), 540.  
*ambigua*, *Thuiaria*.  
*ameghinoi*, *Struthiolaria*.  
*ammonite*, Hurunui River bed (Marwick), 615.  
*Amoeba*, trout-food (Phillips), 382.  
*Amouropelta* Chelot (Marwick), 576; in key, 549; range, 546.  
— *major*, with pl. (Marwick), 577; range, 548.  
— *teres*, with pl. (Marwick), 577; range, 548.  
*amphilus*, *Polinices*.  
*Amphidesma subtriangulata* Wood [*Mesodesma*] occ. Awamoa (Finlay), 510.  
*Amphineurus* (*Nesormosia*) *fatus* (Hutton), desc., with fig. (Alexander), 651.  
— *niveinervis* Edwards, prob. a syn. (Alexander), 651.  
— *subfatuus* Alexander, desc., with fig. (Alexander), 651.  
— (*Nothomosia*) *horni* Edwards, desc., with fig. (Alexander), 650.  
*Amphipoda*, N.Z. (Chilton), 269–80, 631–37.  
*Amphithalamus*, in group (Finlay), 481.  
— absent from N.Z. Tert. (Finlay), 482.  
— *inclusa* (Carp.), in group (Finlay), 481.  
*ampla*, *Diplodonta*.  
*Ampullina carinata* (Hutt.), syn., 588.  
— *drewii* (Murdock), syn., 576.  
— *miocaenica* Suter, syn., 575.  
— *spiralis* Marshall, syn., 575.  
— *striata* Gabb, rel. to *Globisimum* (Marwick), 574.  
— *suturalis* Marshall, syn., 554.  
— *suturalis* Sut., syn., 564.  
— *undulata* (Hutt.), syn., 575.  
— *venusta* (Suter), syn., 576.  
— *waihaensis* Marshall, syn., 555.  
— *waihaensis* Suter, type of *Carinacca* (Marwick), 553; syn., 554.  
— (*Megatylotus*) *suturalis* (Hutt.) Suter, syn., 556, 557.  
*Amuri Bluff*, Senonian fossils (Wilckens), 539.  
*Anabathron*, in group (Finlay), 481.  
— absent from N.Z. Tert. (Finlay), 482.  
— *contabulatum* Frfld., in group (Finlay), 481.  
*Anachis cancellaria*, with pl., differs from *A. speighti* (Marwick), 200.  
— *pisanopsis*, with pl., differs from *A. speighti* (Marwick), 200.  
— *speighti* n. sp., with pl. (Marwick), 199.  
*anceps*, *Poa*.  
*Ancilla*, retention of name (Finlay), 502.  
— variable form (Finlay), 508.  
— *depressa* (Sowerby), confused by Suter with *A. opima* (Marwick), 201.  
— (*Baryspira*) *opima* n. sp., with pl. (Marwick), 200.  
— *pseudo-australis* Tate, occ. (Marsh. & Murd.), 156.  
*Andersen*, J. C., elected F.N.Z.Inst. (Inst.), 749.  
*Anemones*, *Urocystis*.  
*angasi*, *Pteronotus*.  
*Angelica geniculata* Hook. f., host of *Aecidium Anisotomes* (Cunningham), 46.  
*angulosa*, *Sertularella*.  
*angustifolia*, *Olearia*.
- Anisotome Enysii* (T. Kirk) Laing, form of Banks Pen. plant (Laing & Wall), 442.  
— *filifolia* (Hook. f.) Cockayne & Laing, host of *Puccinia namua* (Cunningham), 4.  
— *Haastii* (F. v. M.) Cockayne & Laing, host of *Puccinia Anisotomini* (Cunningham), 4.  
— *latifolia* Hook. f. (= *Ligusticum latifolium* Hook. f.), host of *Uredo inflata* (Cunningham), 43.  
*Anisotomes*, *Aecidium*.  
*Anisotomini*, *Puccinia*.  
*annelids*, new (Finlay), 448.  
annual meeting. See N.Z. Institute.  
*anomala*, *Admete*.  
*anomalodonta*, *Barytellina*.  
*anomalum*, *Nothopanax*.  
*Anomia*, occ. (Marsh. & Murd.), 156.  
— subdiv. (Finlay), 506.  
— *huttoni*, aff. with *A. trigonopsis* (Marwick), 191.  
— *trigonopsis* Hutt., aff. with *A. huttoni* (Marwick), 191.  
— occ. Ardgowan (Finlay), 509; Awamoa, 510.  
— undata Hutton, with pl. (Marwick), 191.  
Antarctic continent, existence (Benson), 127.  
*antarctica*, *Seba*.  
— *Uredo*.  
*antarcticus*, *Scirpus*.  
*antecostata*, *Bathytoma*.  
*antennae*, cleaning (Philpott), 215–24.  
*antennatis*, *Calliphora*.  
*Anthoxanthum odoratum* L., host of *Ustilago Readeri* (Cunningham), 414.  
*Anthracoidae* Bref., syn., 420.  
— *Caricis* Bref., syn., 420.  
*Antigona*, occ. (Marsh. & Murd.), 156.  
*Antimitra vexilliformis* M. & M., occ. Pukeuri (Finlay), 508.  
*antipodi*, *Xenocalliphora*.  
ants, and nymphs of plant-hoppers (Myers), 316.  
*aoteensis*, *Eulima*.  
*Apateris melanombra* Meyr., with pls. (Watt), 331.  
*Aphrophila neozelanica* (Edwards), desc., with fig. (Alexander), 652.  
*appressa*, *Carex*.  
*approximata*, *Natica (Magnatica)*.  
*approximatus*, *Turbo (Marmorostoma)*.  
*aquatica*, *Poa*.  
*Aquilegia*, *Aecidium*.  
— *Puccinia*.  
*arabica*, *Alcithoe*.  
*Araeoptera*, strigil (Philpott), 220.  
*Arafura* Bight, geol. (Benson), 111.  
— Sea, stable portion of Pacific region (Benson), 99.  
*arborea*, *Hedycarya*.  
*arborescens*, *Olearia*.  
*arboreum*, *Nothopanax*.  
*arctica*, *Saxicava*.  
*Arctiidae*, strigil, with figs. (Philpott), 222, 223.  
Ardgowan fossil-beds (Finlay), 508.  
*Ardices*, strigil (Philpott), 222.  
— *curvata* Don., strigil, fig. (Philpott), 221.  
*Aregma* Fr., syn., 14.  
— *disciflora* Arth., syn., 16.

- Aregma mucronata* Fr., syn., 16.  
*argentosa*, *Tortrix*.  
*Argina*, strigil, with fig. (Philpott), 220, 221.  
 — *cibraria* Clerck, strigil, fig. (Philpott), 221.  
*Argobuccinum*, in key (Finlay), 463.  
 — *argus* (Gmel.), syn., 462.  
 — *australasia* Suter, syn., 462.  
 — *tumidum* (Dkr.), occ. (Finlay), 462.  
 — — — in key (Finlay), 464.  
*argus*, *Argobuccinum*.  
*arguta*, *Erechites*.  
*Aristotelia racemosa* (A. Cunn.) Hook. f. See  
*Aristotelia serrata*.  
 — *serrata* (Forst.) Oliver [= *A. racemosa* (A. Cunn.) Hook. f.], host of *Aecidium milleri* (Cunningham), 35.  
*armata*, *Struthiolaria*.  
*Armistead*, W. J., deterioration of trout (Phillips), 390.  
*armorica*, *Mitra*.  
*Armstrong*, J. B., ferns on Banks Pen., 80.  
 — flora of Canterbury, 80, 82.  
*Armstrongii*, *Hymenophyllum*.  
*Aro*, Te, reclamation (Baillie), 714.  
*arourahaki*, or *arourakapa*, in song (Andersen), 699.  
*Aroha*, Te, Mount, ferns of (Holloway), 88.  
*Arrhenatherum elatius* (L.) Beauv., host of *Ustilago Avenae* (Cunningham), 405.  
*Arrhoges haustianus* O. Wilck. (Wilckens), 541.  
*Arthur*, J. C., races of *Puccinia Elymi* (Cunningham), 2.  
*arthuria*, *Koroana*.  
*arthuriana*, *Gynoplistia*.  
*Aru Islds.*, on continental massif (Benson), 105.  
*Aruhetawiri*, Te, prehistoric tribe (Andersen), 696.  
*Arundo conspicua* Forst. f., host of *Uredo toetoe* (Cunningham), 41.  
*Ascidioclava parasitica* Kirk, occ. (Bale), 228.  
*Asota*, strigil (Philpott), 220.  
*Asperula perpusilla* Hook. f., host of *Puccinia punctata* (Cunningham), 7.  
*Asperulae*, *Uromyces*.  
*Asperulae-odoratiae*, *Puccinia*.  
*Aspidoleurus* Sars = *Phippisia* Stebbing (Chilton), 633.  
*aspilus*, *Cixius*.  
*Asplenium bulbiferum* Forst. f., occ. (Holloway), 74.  
 — — var. *tripinnatum* Hook. f., occ. Banks Pen. (Leing & Wall), 440.  
 — *flaccidum* Forst. f., occ. (Holloway), 86.  
*assimilis*, *Stenothoe*.  
*Astelia montana* mined by *Charixena iridoxa* (Watt), 328.  
*astelia-moth*. See *Charixena iridoxa*.  
*Astelobia rufa* (Hudson), desc. of female (Alexander), 652.  
*Astraea sulcata* subs. *davisii* Stowe, occ. Dunedin (Finlay), 518.  
*Astrogenes chrysograpta* Meyr., varied marking (Meyrick), 206.  
 astronomical clock and Wellington time-ball (Baillie), 705.  
*asymmetrica*, *Hypantha*.
- Atarba* (*Atarba*) *filicornis* Alexander, desc., with fig. (Alexander), 657.  
 — — *viridiocolor* Alexander, desc. of male with fig. (Alexander), 657.  
*Ataxocerithium huttoni* Cossm., charac. (Finlay), 477.  
 — — — in key (Finlay), 478.  
 — *nodicingulatum* n. sp., with pl. (Finlay), 475.  
 — — — in key (Finlay), 478.  
 — *perplexum* M. & M., charac. (Finlay), 477.  
 — — — syn., 194.  
 — *pyramidalis* n. sp., with pl. (Finlay), 475.  
 — — — in key (Finlay), 478.  
 — — — *subsp. robustum* n. subsp. (Finlay), 475.  
 — — — — — in key (Finlay), 478.  
 — *quadricingulatum* n. sp. (Finlay), 476.  
 — — — in key (Finlay), 478.  
 — *suteri* n. sp., with pl. (Marwick), 195.  
 — — *A. quadricingulatum* included in (Finlay), 477.  
 — — — charac. (Finlay), 477.  
 — — — in key (Finlay), 478.  
*Ati-awa* fly-campaign (Rangi Hiroa), 356.  
*Atkins*, C. G., food of trout (Phillips), 389.  
*atkinsoni*, *Oliarus*.  
*Atomotricha prospiciens* n. sp. (Meyrick), 662.  
*atomus*, *Rissoa*.  
*Atractylidae* (Bale), 227.  
*Atrina zelandica* (Gray), occ. Dunedin (Finlay), 518.  
*atropos*, *Dolichopeza*.  
 — *Tipula*.  
*atrovirens*, *Hymenophyllum*.  
*attenuata*, *Cucullaea*.  
*attenuoides*, *Tubularia*.  
*attenuoides*, *Tubularia*.  
*Aturia*, occ. N. Auck. (Marshall), 618.  
 Auckland and Wellington rivalry (Baillie), 701.  
 — City, rainfall and climate (Holloway), 89.  
 — Isld., climate and vegetation (Holloway), 91.  
 — North, "hydraulic limestone" (Marshall), 617.  
 — — — unconformity in Tertiary (Benson), 130.  
 — penin., post-Tertiary elevation (Henderson), 592-83; depression, 591.  
*auklandicus*, *Scirpus*.  
*aurantiaca*, *Sabatina*.  
*aurea*, *Hyla*.  
*aureonotata*, *Calliphora*.  
*auricoma*, *Hydropsyche*.  
*auriformis*, *Micreschara* (*Macromphalima*).  
*Australasia*, structural features (Benson), 99.  
*australasia*, *Argobuccinum*.  
 — *Mayena*.  
*australasiae*, *Metamimas*.  
*australe*, *Hymenophyllum*.  
 Australian arc, first, of Suess (Benson), 119, 123.  
*australis*, *Cordyligne*.  
 — *Cucullaea*.

- australis Lunaria.*  
 — *Malletia.*  
 — *Modiolus.*  
 — *Murex.*  
 — *Natica.*  
 — *Notoloupus.*  
 — *Obelia.*  
 — *Rubus.*  
 — *Sertularia.*  
 — *Struthiolaria.*  
 — *Symplectoscyphus.*  
 — *Uncinia.*  
 — var. *lyttonensis*, *Myosotis*.  
*Astrotroma* n. subgen. (Finlay), 515.  
*Astrotriton*, in key (Finlay), 463.  
 — *cypoides* n. sp., with pl. (Finlay), 455.  
 — in key (Finlay), 463.  
 — *cypnum* (Tate), rel. to *A. cypoides* (Finlay), 456.  
 — *maorium* n. sp., with pls. (Finlay), 453.  
 — in key (Finlay), 463.  
 — var. *insignitum* n. var., with pl. (Finlay) 454.  
 — in key (Finlay), 463.  
 — *minimum* (Hutt.), with pl. (Finlay), 454.  
 — in key (Finlay), 463.  
 — *neozelanica* M. & M., classific. (Finlay), 454.  
 — occ. Target Gully (Finlay), 496.  
 — *parkinsonianum* (Perry), a *Charonia* (Finlay), 499.  
 — in key (Finlay), 463.  
 — rel. to *A. maorium* (Finlay), 453.  
 — *tortirostre* (Tate), rel. to *A. maorium* (Finlay), 454.  
 — rel. to *A. minimum* (Finlay), 455.  
 — *woodsi* (Tate), rel. to *A. minimum* (Finlay), 455.  
*autocharis*, *Venusia*.  
 automatic light, Barrett Reef (Baillie), 708.  
*avellanooides*, *Trivia*.  
*Avena sativa* L., host of *Ustilago levis* (Cunningham), 406.  
*Avenae*, *Cintractia*.  
 — *Ustilago*.  
 — *segetum* var.  
*avenoides*, *Deyeuxia*.  
*avenniaefolia*, *Olearia*.  
 "awa a te atua, Te," a noted *pumoana* (Ander sen), 696.  
*awamoensis*, *Drillia*.  
 — *Eulimella*.  
 — *Linemera*.  
 — *Turbonilla*.  
 "Awamoan," use of term (Finlay & McD.), 535  
 note 2.  
*axillaris*, *Muehlenbeckia*.  
*Azorella trifoliata* Benth. et Hook. f., host of *Uromyces Azorellae* (Cunningham), 46.  
*Azorellae*, *Uromyces*.
- Babber Is. on geanticinal ridge (Benson), 103, 105.  
*bacca*, *Natica*.  
*bacchus*, *Physiculus*.  
*badia*, *Potamopyrgus*.  
*baguelensis*, *Nummulites*.  
*Baileya*, *Cyathus*.
- bait-rests, shape (Rangi Hiroa), 356.  
 Baker, J. G., humidity shown by fern-growth, 67.  
 Bali, on geanticinal ridge (Benson), 102.  
 Banda arc, E. Indian Archipel. (Benson), 103.  
 Banda Deep, formation (Benson), 112.  
 Banda Sea, geol. phases (Benson), 105, 106-7, 109, 111, 113, 126.  
 Banks Pen. botan. subdist. (Laing & Wall), 438.  
 — — vegetation (Laing & Wall), 438-43.  
 — — veg. and climate (Holloway), 79-80.  
*banksii*, *Hemicarpus*.  
*banksii*, *Aglaphenia*.  
*Banksii*, *Blechnum*.  
 — *Cordyline*.  
 — *Freycinetia*.  
*banksii*, *Plumularia*.  
*barbatus*, *Musculus*.  
 barley, covered smut (Cunningham), 408.  
 — naked smut (Cunningham), 409.  
*Barnea* n. sp., ident. (Finlay), 497.  
 Barrett Reef, automatic light (Baillie), 708.  
*barrierensis*, *Uber* (*Euspira*).  
 Bartrum, J. A., conglomerates in limestone (Benson), 130.  
*Baryspira* See *Ancilla*.  
*Barytellina anomalonota* n. sp., with pl. (Finlay), 473.  
 — *crassidens* Marw., type of *Barytellina* (Finlay), 474.  
*bascarda*, *Tugalia*.  
*Basilissa* n. sp. of Suter. See *Callistoma suteri*  
 var. *fragile*.  
 basketry, Maori (Rangi Hiroa), 344.  
 bathymetric map, E. Indies, N. Guinea, &c. (Benson), 100.  
 — — S.W. Pacific (Benson), 122.  
*Bathytoma antecostata* Sut., assoc. with *Cryptomella* (Finlay), 516.  
 — *excavata* Sut., type of *Astrotroma* (Finlay), 515.  
 — *nodilirata* (M. & S.), an *Epideira* (Finlay), 515.  
 — *sulcata* Hutt., renamed *Pseudotoma suteri* (Cossmann), (Finlay), 503 note.  
 — *transenna* (Sut.) [*Leucosyrinx alta transenna*], occ. Ardgowan (Finlay), 509; Awamoa, 511.  
 — — varying form (Finlay), 508.  
 Baudys, E., effect of smut on animals (Cunningham), 426.  
 "Beach, The," Wellington waterfront (Baillie), 711.  
 Beacon Hill, telephone to pilot-station (Baillie), 705.  
 beacons, Wellington (Baillie), 702-3.  
 Bealey, rainfall (Holloway), 72.  
 Bedot, M., relation of various sp. of *Plumularia* (Bale), 253.  
 beech-nepticulid. See *Nepticula lucida*.  
 beet, food-plant of *Haplomyza chenopodii* (Watt), 684.  
 beet-fly. See *Haplomyza chenopodii*.  
*beethami*, *Pecten*.  
*Bela*, doubtful classific. (Finlay), 499.  
 — *canaliculata* Sut., congen. with *B. infelix*, &c. (Finlay), 499.  
 — *infelix* Sut., congen. with *B. canaliculata* Sut., &c., (Finlay), 499.

- Bela, infelix* occ. Pukeuri (Finlay), 508.  
 — *robusta* Hutt., replace with *Belophos (Austrotoma) minor* (Finlay), 515.  
 — *tenuilirata* (Sut.) [*Ptychatractus*], occ. Target Gully (Finlay), 495.  
 — — — occ. Ardgowan (Finlay), 509; Pukeuri, 508.  
 — — — *woodsi* Tate, one of Turridae (Finlay), 515.
- bellidioides*, *Senecio*.  
*bellula*, *Leda*.  
 — — — *Nucularia*.
- Belophos (Austrotoma) minor*, n. name for *Bela robusta* Hutt. (Finlay), 515 note.
- *sulcata* (Hutton), fig. (Marwick), 161.
- belts, Maori (Rangi Hiroa), 344, 346.
- Benmore coal area (Speight), 619.
- Bennett, G. W., Wellington lighthouse-keeper (Baillie), 706, 708.
- bensoni*, *Solecurtus*.
- Best, E., Maori belts (Rangi Hiroa), 346, 348, 349.  
 — — — Maori names of *Aciphylla* (Rangi Hiroa), 358.  
 — — — Maori sandals (Rangi Hiroa), 357, 360.  
 — — — Maruiwi, flight of (Andersen), 696.
- Betulaceae, host of *Melampsoridium betulinum* (Cunningham), 29.
- Betulae*, *Melampsoridium*.  
 — — *Uredo*.
- betulina*, *Melampsora*.  
*betulinum*, *Melampsoridium*.
- Bewani Range, geol. (Benson), 116.
- bicalycula*, *Hydrallmania*.  
 — — — *Thuiaria*.
- bicarindatus*, *Otolithus (Physiculus)*.
- Bidwillii*, *Libocedrus*.
- bilabiata*, *Campanularia*.  
 — — — *Hypantha*.  
 — — — *Silicularia*.
- Billardieri*, *Polypodium*.
- bimutata*, *Cenospira*.
- bipunctatum*, *Sympetrum*.
- bird-protection, birds for Exhibition, 1923 (Inst.), 736, 756.
- "birds-nest" fungi. See *Nidulariales*.
- Bismarck Archipel. geol. (Benson), 119. See also New Britain, New Ireland.  
 — Range, geol. (Benson), 116.
- bispinosa*, *Odontotheca*.  
 — — — *Sertularia*.
- bivalve*, *Hymenophyllum*.
- blanda*, *Turbonilla*.
- Blechnum*, occ. (Holloway), 77.  
 — — — *Banksii* Hook. f., occ. Banks Pen. (Laing & Wall), 439.
- *capense* (L.) Schlecht., occ. (Holloway), 74.
- *nigrum* (Col.) Mett., occ. (Holloway), 86.
- *Paterisonii* Mett., occ. (Holloway), 78, 86.
- *penna marina* (Poir.) Kuhn., occ. (Holloway), 74, 88.
- *vulcanicum* (Bl.) Kuhn., occ. (Holloway), 74.
- — — occ. Banks Pen. (Laing & Wall), 439.
- bollonsi*, *Venericardia*.
- Borkhausenia idiogama* n. sp. (Meyrick), 661.
- *pallidula* n. sp. (Meyrick), 210.
- Borneo. See Malay Archipel.
- Borsonia* absent from Awamoan (Finlay), 499.  
 — — — doubtful classific. (Finlay), 499.
- — — *cincta* (Hutt.), congen. with *Ptychatractus pukeuriensis* Sut. (Finlay), 501.
- — — *rudis* (Hutt.), occ. only in Waihao greensands (Finlay), 499.
- Bougainville Isld., geol. (Benson), 121.
- Bougainville Range, geol. (Benson), 117.
- Bougainvillidae (Bale), 228.
- Bouallia gigantea* Pfeffer, aff. to *B. monoculooides* (Chilton), 271.
- — — *monoculooides* (Haswell), occ. (Chilton), 270.
- Bowler's Wharf, Wellington (Baillie), 714.
- brachiopods, north New Guinea (Benson), 116.
- Bragg, H., Queen's Wharf, Wellington (Baillie), 718.
- Bragg, W. H., honorary member, 1923 (Inst.), 750.
- breath, length of (Andersen), 698.
- Brefeld, O., classific. of smuts (Cunningham), 401, 408.
- — — germination of *Urocystis* (Cunningham), 430.
- — — infect. of *Arrhenatherum elatius* (Cunningham), 406.
- brevicornis*, *Cryptamorpha*.  
 — — — *Mechorchesia*.
- brevipennis*, *Galaxias*.  
*brevirostris*, *Latirus*.  
 — — — *Turbinella*.
- brevis* var. *laevigata*, *Schismope*.  
*brevispira*, *Marginella (Glabrella)*.
- "Brick House," signals from (Baillie), 704.
- Brizae*, *Tilletia*.
- Broccinia pukeuriensis* (Sut.) should replace *Ptychatractus pukeuriensis* Sut. (Finlay), 501.
- — — occ. Ardgowan (Finlay), 509; Awamo, 510; Pukeuri, 508.
- bromivora*, *Ustilago*.  
 — — — *Ustilago Carbo* var. *vulgaris* d.
- Bromus hordeaceus* L., host of *Ustilago bromivora* (Cunningham), 412.
- — — *unioloides* H. B. K., host of *Ustilago bromivora* (Cunningham), 412.
- — — rust-proof, Hill (Cunningham), 401.
- — — smut-free strain (Cunningham), 401.
- Brookula* and *Liotella*, relations (Finlay), 526.
- — — *corulum* (Hutt.), not typical (Finlay), 526; in key, 531.
- — — *endodonta* n. sp., with pl. (Finlay), 530; in key, 531.
- — — *fossili* n. sp., with pl. (Finlay), 527; in key, 531.
- — — *funiculata* n. sp., with pl. (Finlay), 529; in key, 531.
- — — *iredalei* n. sp., with pl. (Finlay), 527; in key, 531.
- — — *pukeuriensis* n. sp., with pl. (Finlay), 529; in key, 531.
- — — *stibarochila* Iredale, type of group (Finlay), 531.
- — — *tenuilirata* n. sp., with pl. (Finlay), 528; in key, 531.
- Broun, T., final part (8) of Bull. 1 (Inst.), 754.
- Brouwer, H. A., E. Indian Archipel. tectonics, 103, 107, 110, 113.
- — — New Guinea, mountains (Benson), 115.

- Brouwer, H. A., Timor, rock-strata (Benson), 104-5.  
 — vulcanism in Banda Sea region (Benson), 108, 109.  
 Brown, F. D., resol. of sympathy (Inst.), 728, 753.  
*brownii*, *Magadina*.  
 Bruce, W. S., resol. of sympathy (Inst.), 728.  
*Bubakia* Arth., syn., 26.  
*Buccinum coronarium* Solander, syn., 180.  
 — *papulosum* Martyn, in classific. (Marwick), 166, 174.  
 — syn., 180.  
 — *scutulatum* Martyn, charact. (Marwick), 169.  
 — *vernus* Martyn, syn., 187.  
*Buchananii*, *Danthonia*.  
 Buck, P. See Te Rangi Hiroa.  
*bucknilli*, *Epitonium*.  
 building fund, establishment (Inst.), 776.  
 Buka, geol. (Benson), 121.  
*bulbiferum*, *Asplenium*.  
 — var. *tripinnatum*, *Asplenium*.  
*Bulbinella Hookeri* Benth. & Hook., occ. Banks Pen. (Laing & Wall), 441.  
*Bulbophyllum pygmaeum* (Sm.) Lindl., occ. (Holloway), 89.  
*bulbosa*, *Lima*.  
 — *Ustilago*.  
 Buller, W., Maori extinction (Rangi Hiroa), 362.  
*Bullinella enysi* (Hutt.) [Cylchnella], occ. Ardgowan (Finlay), 509.  
 — *soror* (Sut.) [Cylchnella], occ. Ardgowan (Finlay), 509; Awamoa, 510; Pukeuri, 508.  
 — *striata* (Hutt.) [Cylchnella], occ. Pukeuri (Finlay), 508.  
 bully. See *Gobiomorphus gobiooides*.  
 burden-carrier. See *kawe*.  
*burdigalensis*, *Natica*.  
 burial, delayed (Rangi Hiroa), 355.  
 Burmese arc and Malay Aechipel. (Benson), 112-13.  
*burnetti*, *Chlamys*.  
 — *Pecten*.  
 Buru, geol. phases (Benson), 103, 104, 105, 105 note, 106, 107, 111, 112, 113.  
 Buru-Ceram trend-line (Benson), 113.  
 bush sickness, chemistry (Aston), 720.  
*buski*, *Plumularia*.  
 — *Thuiaria*.  
*buskii*, *Desmoclyphus*.
- caddis-flies. See *Trichoptera*.  
*Cadulus delicatulus* Sut., occ. Ardgowan (Finlay), 509; Pukeuri, 508; Target Gully, 495.  
*Caeoma* Tul., in key (Cunningham), 32.  
 — syn., 26.  
 — *Epilobii* Link., syn., 30.  
 — *fallax* Cda., syn., 50.  
 — *miniatum* Schlecht., syn., 16.  
 — *Potentillae* Schlecht., syn., 19.  
 — *Rosae* Schlecht., syn., 16.  
*caeruleus*, *Paraleptamphopus*.  
*caesar*, *Lucilia*.  
*caesaris*, *Eusirodes*.  
*caespitosa*, *Uncinata*.  
*cairona*, *Marginella*.
- calabash-trumpet (Andersen), 689.  
*Calamoceratidae*, key, &c. (Tillyard), 285, 302-3.  
*calcar*, *Struthiolaria*.  
*calcarata*, *Hebella*.  
*caliculata*, *Campanularia*.  
 — *Orthopycis*.  
*californica*, *Plumularia*.  
*Callanaitis speighti* Sut. [*Chione*], occ. Target Gully (Finlay), 495.  
 — *yatei* (Gray), occ. Taieri (Finlay), 517.  
*calliactis*, *Glyptiphytix*.  
*Calostoma cancellatum* Finlay, occ. Ardgowan (Finlay), 509.  
 — new name *C. temporemuta* (Finlay), 509 note.  
*marwicki* Finlay, occ. Ardgowan (Finlay), 509.  
 — *selectum* Chemn., occ. Dunedin (Finlay), 518.  
*suteri* Finlay, occ. Ardgowan (Finlay), 509; Pukeuri, 508; Target Gully, 496.  
 — var. *fragile* Finlay, occ. Ardgowan (Finlay), 509; Pukeuri, 508; Target Gully, 496.  
 — — — is *Basilissea* n. sp. of Suter (Finlay), 496.  
 — *temporemuta* Finlay, proposed for *C. cancellatum* (Finlay), 509 note.  
*tigris* Martyn, occ. Dunedin (Finlay), 518.  
*Caliphora* Linné, in key (Malloch), 638; key to, 640.  
 — *antennatis*, belongs to Anthomyiidae (Malloch), 640.  
 — *aureonotata* Macquart, in key (Malloch) 640.  
 — *erythrocephala* Linné, in key (Malloch), 640.  
 — *quadrimaculatus* Swederus, in key (Malloch), 640.  
*villosa* Rob.-Desv., in key (Malloch), 640.  
*Caliphoridae* of N.Z. (Malloch), 638-40.  
*Callochiton empleurus* (Hutt.), occ. Dunedin (Finlay), 517.  
 — *platessa* Gould, occ. Taieri (Finlay), 517.  
*callosa*, *Natica*.  
 — *Struthiolaria*.  
*callosus*, *Polinices*.  
*Calpe emarginata* Fabr., strigil, fig. (Philpott), 221.  
*Calycella parkeri* n. sp., a typical *Gonothryaea* (Bale), 227.  
*Calyptraea maculata* (Q. & G.) should be *C. novae-zelandiae* (Lesson), (Finlay), 497.  
 — *novae-zelandiae* Less., occ. (Marsh. & Murd.), 156.  
 — *tenuis* (Gray), occ. Pukeuri (Finlay), 508.  
*Campanulaceae*, host of *Puccina Wahlenbergiae* (Cunningham), 8.  
*Campanularia bilabiata* Coughtrey, syn., 233.  
 — *lennoxensis*. Hartlaub's *Eucopella crenata* (Bale), 233.  
 — *tridentata* Bale, syn., 236.  
*campanularia*, *Eucopella*.  
 — *Silicularia*.  
*campanulatus*, *Cyathus*.  
*Campanulina humilis* n. sp., with fig. (Bale), 235.  
*Campanulinidae* (Bale), 235.  
 Campbell Isld., forest only scrub (Holloway), 92.  
*campylocarpum*, *Synthecium*.

- canaliculata*, *Bela*.  
 —— *Corbula*.  
 —— *Rhyssoplax*.  
*cancellaria*, *Anachis*.  
*cancellata*, *Crossea*.  
*cancellatum*, *Callistoma*.  
*candida*, *Nidula*.  
 —— *Nidularia*.  
 —— *Nozeba*.  
 —— var. *effusa*, *Nozeba*.  
*Candollaceae*, host of an *Aecidium* (Cunningham), 47.  
*Candollei*, *Ustilago*.  
*Canterbury College Jubilee*, repres. (Inst.), 751.  
*Cantharidus tenebrosus* A. Ad., wrong ident. (Finlay), 498.  
*capense*, *Blechnum*.  
 —— *Polystichum*.  
*capillaris*, *Sertularia*.  
*capitata*, *Myosotis*.  
*capitalis*, *Cheilosia*.  
*Capua intractana* (Wall.), N.Z. occ. (Philpott), 664.  
*Carbo* var. *vulgaris* d. *bromivora*, *Ustilago*.  
*Carcharodon*, occ. N. Auck. (Marshall), 618.  
*Cardium patulum* Hutt. should be *Protocardia patula* (Hutt.), (Finlay), 498.  
 —— *spatiosum* Hutt., occ. (Marsh. & Murd.), 156.  
*Carex appressa* R. Br., host of *Puccina Caricis* (Cunningham), 394.  
 —— *comans*, used for belt (Rangi Hiroa), 348.  
 —— *dipascea* Berger, host of *Elateromyces niger* (Cunningham), 416.  
 —— host of *E. olivaceus* (Cunningham), 417.  
 —— *flava* Linn. var. *cataractae* R. Br., not on Banks Pen. (Laing & Wall), 444.  
 —— *Gaudichardiana* Kunth., host of *Cintractia Caricis* (Cunningham), 420.  
 —— *lucida* Boott., used for belt (Rangi Hiroa), 348.  
 —— *pseudo-cyperus* L., host of *Ustilago catenata* (Cunningham), 417.  
 —— *Solandri* Boott., occ. Banks Pen. (Laing & Wall), 441.  
 —— *subdola* Boott., host of *Cintractia Caricis* (Cunningham), 420.  
 —— *ternaria* Forst. f., host of *Cintractia Caricis* (Cunningham), 420.  
 —— *parkeri* Hilgendorf, syn., 231.  
 —— *testacea* Sol. ex Boott., occ. Banks Pen. (Laing & Wall), 441.  
 —— *virgata* Sol., host of *Elateromyces olivaceus* (Cunningham), 417.  
*cargo*, rate of discharge at Wellington (Baillie) 716.  
*caricicola*, *Ustilago*.  
*Caricis*, *Anthracoidae*.  
 —— *Cintractia*.  
 —— *Puccinia*.  
 —— *Uredo*.  
 —— *Ustilago*.  
*Caries*, *Tilletia*.  
 —— *Uredo*.  
*Carinacca* n. subg. (Marwick), 553; in key, 548, 554; range, 546.
- Carinacca*. See also *Natica* (*Carinacca*).  
*carinata*, *Ampullina*.  
*carinatum*, *Sinum*.  
*carinatus*, *Sigaretus*.  
*Carpentaria*, Gulf, geol. (Benson), 118.  
*Carsei*, *Schoenus*.  
 —— *Veronica*.  
*Carstensz Top*, geol. (Benson), 118.  
*Carter*, C. R., Wellington lighthouse (Baillie), 705-6; Queen's Wharf, 719; reclamation contracts, 711.  
*Carter Bequest*, erection of observatory with funds (Inst.), 733, 756, 772; erection of brick room for library, 734, 776; statement of accounts, 1922, 736, 759.  
 —— Library, removal from Museum (Inst.), 733.  
*Caryophyllaceae*, infection by rusts (Cunningham), 404, 427.  
*Cass*, altitude, climate, &c. (Holloway), 74.  
*Cassidea labiata* (Perry), diff. from *Phalium labiatum* (Finlay), 524.  
 —— *pyra* (Lamk.), diff. from *Phalium labiatum*, &c. (Finlay), 524.  
 —— should be *Galeodea senex* (Hutt.), (Finlay), 507.  
 —— *stadialis* Hedley, with pl. (Finlay), 525; occ. 518.  
*castanea*, *Ponera*.  
*Castnidae*, strigil, with fig. (Philpott), 219.  
*Castnioidae*, strigil, with fig. (Philpott), 219.  
*Catalogue Committee*. See N.Z. Institute.  
*Catamacta transfixa* n. sp. (Meyrick), 203.  
*cataractae*, *Carex flava* var.  
*catenata*, *Limopsis*.  
 —— *Ustilago*.  
*caudata*, *Siphonalia*.  
 —— *Verconella*.  
*Cecidomyia oleariae* Maskell, prob. host of *Eurytoma oleariae* (Gahan), 688.  
 —— *uredinicola*, parasitic on *Uromyces* (Cunningham), 51.  
*Celakovskiana*, *Puccinia*.  
*Celama*, strigil (Philpott), 222.  
*Celebes*, geol. structure (Benson), 106, 107, 111.  
*Celmisia coriacea* (Forst.) Hook. f., host of *Puccinia Celmisiae* (Cunningham), 9.  
 —— *Dalii* Buch., food-plant of *Apatetris melanombra* (Watt), 332.  
 —— *discolor* Hook. f., host of *Aecidium Celmisiae-discoloris* (Cunningham), 37.  
 —— *Hookeri* Cockayne, host of *Puccinia Celmisiae* (Cunningham), 8.  
 —— *longifolia* Cass., host of *Puccinia Celmisiae* (Cunningham), 8.  
 —— var. *alpina* T. Kirk, host of *Puccinia Celmisiae* (Cunningham), 8.  
 —— *petiolata* Hook. f., host of *Aecidium Celmisiae-petiolatae* (Cunningham), 37.  
 —— *Petriei* Cheesem., host of *Aecidium Celmisiae-Petriei* (Cunningham), 38.  
 —— *proropens* Petrie, host of *Aecidium Celmisiae-discoloris* (Cunningham), 37.  
 —— *Sinclairii* Hook. f., host of *Aecidium Celmisiae-discoloris* (Cunningham), 37.  
 —— *spectabilis* Hook. f., host of *Puccinia fodens* (Cunningham), 395.

- Celmisia verbascifolia*, food-plant of *Apatetris melanombra* (Watt), 332.  
*Celmisiae, Puccinia.*  
 — *Uredo.*  
 — *Uredo Compositarum.*  
*Celmisiae-discoloris, Aecidium.*  
*Celmisiae-petiolatae, Aecidium.*  
*Celmisiae-Petriei, Aecidium.*  
*Cenospora bimutata* n. name proposed for *Hemicorus ornatus* (Hutt.), (Finlay), 498.  
*centrifoliae, Uredo Rosae.*  
*cephalopods*, N. Canterbury (Marshall), 615.  
*Cephanodes janus* Misken, strigil, fig. (Philpott), 223.  
 Ceram, geol. phases (Benson), 103, 104, 105, 106, 107, 111, 112, 113.  
*cerastium, Thuiaria.*  
*Cerastium vulgatum* Linné, food-plant of *Haplomyza chenopodii* (Watt), 684.  
*ceratvnia, Ichneutica.*  
*Cerithidea*, occ. (Marsh. & Murd.), 156.  
 — *perplexa* (Marshall and Murdoch), (Marwick) 194.  
 — — —, *Ataxocerithium perplexum* should stand as (Finlay), 477.  
*Cerithiella fidicula* Sut., occ. Ardgowan (Finlay), 509.  
 — — — varying form (Finlay), 508.  
*Cerithiopsis*, occ. (Marsh. & Murd.), 156.  
*Cerozodia paradisea* Edwards, desc. (Alexander), 654.  
 "Challenger" fig. of *Thuiaria cerastium* (Bale), 237.  
*Chamaenerii, Pucciniastrum Abieti..*  
*Chamastraera* should be *Cleidothaerus* (Finlay), 497.  
 Chance Bros., Somes Isld. light (Baillie), 709.  
 Chapman, F., ident. of *Serpula ouyenensis* (Finlay), 449.  
*chapmani, Ditrupa.*  
*Charagia*, strigil (Philpott), 217, 218.  
 — *virescens* Dbd., strigil, fig. (Philpott), 217.  
*charassa, Lironoba.*  
*chariessa, Cytherea.*  
*Charizena iridoxa* Meyr., with pls. (Watt), 327.  
 Charles Louis Range, geol. (Benson), 123.  
*Charonia*, in key (Finlay), 463.  
 — *cliftonensis* n. sp., with pl. (Finlay), 460.  
 — — — in key (Finlay), 464.  
 — *lampas* (L.), in key (Finlay), 464.  
 — — — (L.), juvenile characters (Finlay), 461.  
 — — — occ. (Finlay), 462.  
 — — — var. *euclia* Hedley, occ. (Finlay), 462, 518.  
 — — — — in key (Finlay), 464.  
 — *neozelanica* (M. & M.), in key (Finlay), 464.  
 — — — (M. & M.), rel. to *C. cliftonensis* (Finlay), 461.  
 — *nodifera* var. *euclia* Hedley, syn., 462.  
 — *tritonis*, in key (Finlay), 464.  
*chartularia, Orthenches.*  
 Chatham Islds., climate and vegetation (Holloway), 90-1.  
 — — — schists (Benson), 130.  
*chathamensis, Chlamys.*  
 — *Pecten.*  
 — *Rissoina.*  
 — *Trochus.*  
*chathamicum, Linum monogynum* var. *chattonianum*, *Solecurtus.*  
 — *Uber.*  
 Cheeseman, T. F., Kermadec Islds. vegetation, 90.  
 — — resol. of sympathy (Inst.), 753.  
*cheesemani, Drilliia.*  
*Chéesema ii, Potamogeton.*  
*Cheilosia capitata* n. sp. (Miller), 282.  
 — *fulvipes* n. sp. (Miller), 282.  
*cheilostoma, Merelina.*  
 Chenopodiaceae, hosts of *Uredo Rhagodiae* (Cunningham), 43.  
*chenopodiæ, Haplomyza.*  
*Chenopodium album* L., food-plant of *Haplomyza chenopodiæ* (Watt), 684.  
 Chevyots, bush sickness in (Aston), 723.  
 chickweed. See *Cerastium vulgatum*, and *Stellaria media*.  
*chilloni, Pycnocentrodes.*  
 — *Theccarpus.*  
*Chiltonia mihiwaka* Chilton, with fig. (Chilton), 271.  
 — *subtenius* Sayce, affin. to *C. mihiwaka* (Chilton), 271.  
*Chione crassistela* n. sp., with pl. (Finlay), 478.  
 — *marshalli* Coss., a nomen nudum (Finlay), 505.  
 — *meridionalis* (Sow.), is *C. vellicata* Hutt. (Finlay), 505.  
 — *speighti*. See *Callanaitis speighti*.  
 — *stuchburyi* (Gray), charact. (Finlay), 478.  
*Chlamys (Pallium) burnetti* (Zitt.), [Pecten], occ. Ardgowan (Finlay), 509.  
 — *chathamensis* (Hutt.) [Pecten], occ. Ardgowan (Finlay), 509; Pukeuri, 508; Target Gully, 495.  
 — *grangei* n. sp., with fig. (Murdoch), 159.  
 — *oamarutica* n. sp., with pl. (Murdoch), 158.  
 — *radiatus* (Hutt.) [Pecten], occ. Ardgowan (Finlay), 509.  
 Choiseul, geol. (Benson), 121.  
*chondroderma, Puccinia.*  
 Chree, C., elected hon. member (Inst.), 775.  
*christiei, Trigonostoma.*  
*christyi, Eulima.*  
*chrysargyra, Sabatinca.*  
*chrysippus petilia, Danaida.*  
*chrysograpta, Astrogenes.*  
*Chrysomyia* Rob.-Desv., in key (Malloch), 638.  
 — *dux* Eschscholz, charac. (Malloch), 639.  
 — *rufifacies* Macquart, only sp. in N.Z. (Malloch), 639.  
*chudeaui, Orthophragmina.*  
 cicada, trout-food (Phillipps), 383, &c.  
*Cicindela tuberculata*, trout-food (Phillipps), 385.  
*ciliatum, Hymenophyllum.*  
*cincta, Borsonia.*  
 — *Struthiolaria.*  
*cinctum, Sinum.*  
 — *Sinum (Eunatacina).*  
*cinctus, Polinices (Euspira).*  
 — *Sigarellus.*  
 — *Sigaretus (Natacina).*  
*cinense, Polygonum.*  
*cinerea, Puccinia.*  
*cingulata, Melampsalta.*  
*Struthiolaria.*

- cingulata* subsp. *monilifera*, *Struthiolaria*.  
 — var. *B*, *Struthiolaria*.  
*cingulatus*, *Circulus*.  
*Cintractia*, characters (Cunningham), 418.  
 — in key (Cunningham), 403.  
*Avenae* Ell. et Tr., syn., 405.  
*Caricis* (Persoon) Magnus, with fig. and pl. (Cunningham), 420.  
 — — in key (Cunningham), 418.  
*patagonica* Cke. et Mass., syn., 412.  
*sclerotiformis* (Cooke and Massee) n. comb., with fig. and pl. (Cunningham), 421.  
 — — in key (Cunningham), 418.  
*Spinifcicis* (Ludwig) McAlpine, with fig. and pl. (Cunningham), 418.  
*circularis*, *Otolithus* (*Scopelus*).  
*Circulus cingulatus* Bartrum, an *Elachorhynchus* (Finlay), 497.  
 — *helicooides* (Hutt.), congen. with *C. subteai* Sut. (Finlay), 497.  
 — *politus* Sut., congen. with *C. tatei* (Angas), (Finlay), 497.  
*Cirsii-lanceolati*, *Gymnoconia*.  
*Citharus*. See also *Otolithus* (*Citharus*).  
*linguatula* Linné, otolith (Frost), 614.  
*ctitiformis*, *Uromyces*.  
*Cixiidae* (Myers), 315–26.  
*Cixius*, classific., &c. (Myers), 317.  
 — of Walker (Myers), 316.  
 — *aspilus* Walker, syn., 318.  
 — *finitimus* Walker, syn., 326.  
 — *interior* Walker, with pl. (Myers), 318.  
 — *kermadecensis* n. sp. (Myers), 319.  
 — *marginalis* Walker, syn., 324.  
 — *nervosus* (Linn.), type (Myers), 317.  
 — *oppositus* Walker, syn., 324.  
 — *punctimargo* Walker, with pl. (Myers), 317.  
 — *rufifrons* Walker (Myers), 319.  
*Cladophora*, trout-food (Phillips), 382.  
*cladostidiis*, *Uromyces*.  
*clarkei*, *Tiriteana*.  
*clathrata*, *Trichotropis*.  
*Clathurella hamiltoni* Hutton, syn., 197.  
*Clavidae* (Bale), 228.  
*Clematidis*, *Aecidium*.  
 — *Dicaeoma*.  
 — *Puccinia*.  
*Clematis Colensoi* Hook. f., host of *Aecidium octagense* (Cunningham), 33.  
 — *hexasepala* DC., recorded host of *Aecidium octagense* (Cunningham), 33.  
 — *indivisa* Willd., host of *Aecidium octagense* (Cunningham), 33.  
 — *marata* Armstr., occ. Banks Pen. (Laing & Wall), 441.  
*Clifden beds*, note on (Finlay & McD.), 534–38.  
 — — list shells from bands 6, 7, and 8 (Finlay & McD.), 538.  
*clifdenensis*, *Charonia*.  
 — *Magadina*.  
*cliffortioides*, *Nothofagus*.  
*climacotus*, *Fusinus*.  
*Clinton*, G. P., classific. of smuts (Cunningham), 403.  
*clypeatus*, *Semo*.  
*Clytia johnstoni* (Alder), occ. (Bale), 227, 232.  
*Cnephasia latomana* (Meyr.), first male record (Philpott), 209.  
*Cockayne*, L., ferns, Tongariro Nat. Park, 88.  
 — vegetation, Chatham Islds., 90.  
 — Arrowsmith dist., 75.  
 — and R. Leing, Cass climate, 75.  
*cockcrofti*, *Malpha*.  
*Colensoi*, *Aecidium*.  
 — *Clematis*.  
 — *Cyathus*.  
 — *Olearia*.  
 — *Phyllachne*.  
 — *Trichomanes*.  
*colensonis*, *Lestes*.  
*Coleosporiaceae*, charact. (Cunningham), 25.  
 — classific. (Cunningham), 26.  
 — occ. of *Uredo* (Cunningham), 40.  
*Coleosporium* Leveille (Cunningham), 25.  
 —, *Peridermium* in cycle of (Cunningham), 32.  
 — *Fuchsiae* Cooke, with fig. and pl. (Cunningham), 25.  
 “College Lane” or “College Passage” (Baillie), 711.  
*Collonista imperforata* (Sut.), no fossil record (Finlay), 497.  
*colonica*, *Hydropsyche*.  
*colorata*, *Lima*.  
*Columbarium maorium* M. & M., occ. Pukeuri (Finlay), 508.  
*columnaria*, *Sertularella*.  
*colza-oil* in N.Z. lighthouses (Baillie), 709.  
*comans*, *Carex*.  
*Comarachis*, strigil (Philpott), 222.  
*comburens*, *Ustilago*.  
*Cominella*, occ. (Marsh. & Murd.), 156.  
 — *drewi* Hutton, syn., 198.  
 — *hamiltoni* (Hutton), with pl. (Marwick), 197.  
 — *huttoni* Kobelt, syn., 197.  
 — *pulchra* Sut., occ. Target Gully (Finlay), 495.  
 — *quoyana* (A. Ad.) diff. from *C. hamiltoni* (Marwick), 198.  
 communal life, Maori (Rangi Hiroa), 367.  
*compacta*, *Pollia*.  
 — *Puccinia*.  
 — *Tritonidea*.  
*complanata*, *Conomitra*.  
*Compositae*, hosts of *Aecidium Celmisiae-discoloris* (Cunningham), 37.  
 — hosts of *Puccinia Celmisiae* (Cunningham), 8.  
 — hosts of *Puccinia* spp (Cunningham), 393, 395.  
 — hosts of *Uredo Oleariae* (Cunningham), 44.  
*Compositarum* var. *Celmisiae*, *Uredo*.  
*compressa*, *Sulconacca*.  
*compta*, *Verconella*.  
*conch-horn*. See *pumoana*.  
*Conchothyra marshalli* Trechmann, with fig. (Marwick), 171.  
 — *parasitica* (McCoy) Hutt., aff. to *Struthiolarrella nordenskjoldi* (Marwick), 165.  
 — — aff. to *Pugnellus marshelli* (Marwick), 170.  
 — — not at Shag Point (Wilckens), 544.  
*concinna*, *Couthouyia*.  
 — *Luvinida*.  
 — *Monalaria*.

- concinna*, *Struthiolaria tuberculata*.  
*confusum*, *Psilochorema*.  
 conglomerates in hydraulic limestone (Benson), 130.  
*conoidea*, *Siphonalia*.  
 — *Verconella*.  
*Conomitra complanata* (Tate), rel. to *C. inconspicua* (Finlay), 468.  
 — *inconspicua* (Hutt.), with pl. (Finlay), 468.  
 — *othone* T.-Woods, similar to *C. othoniana* (Finlay), 468.  
 — *othoniana* n. sp., with pl. (Finlay), 467.  
*consortis*, *Natica*.  
*conspicua*, *Arundo*.  
*constricta*, *Philine*.  
*contabulatum*, *Anabathron*.  
*contraria*, *Ochrogaster*.  
*Conus* (*Lithoconus*) *abruptus* Marshall, occ. (Finlay), 479.  
 — — *dennanti* Tate, rel. to *C. (L.) triangularis* (Finlay), 479.  
 — — — *triangularis* n. sp., with pl. (Finlay), 479.  
*convexa*, *Struthiolaria*.  
*convolvuli*, *Sphinx*.  
 Cook, J., Maori population (Rangi Hiroa), 363.  
 — Strait, early importance (Baillie), 701.  
 cooking-bands, technique (Rangi Hiroa), 350.  
 Coons, G. W. See Potter, A. A., and Coons.  
*Coprosma foetidissima* Forst., host of *Aecidium hupiro* (Cunningham), 37.  
*coracina*. *Monodonta*.  
*coral*, Fly River (Benson), 116.  
*Corallina setacea* Ellis, syn., 252.  
*corbis*, *Venericardia*.  
*Corbula canaliculata* Hutt., same shell as *C. humerosa* Hutt. (Finlay), 499.  
 — *humerosa* Hutt., occ. Awamoia (Finlay), 510.  
 — — same shell as *C. canaliculata* Hutt. (Finlay), 499.  
 — *kaiparaensis* Sut., occ. Awamoia (Finlay), 511.  
 — *pumila* Hutt., occ. Ardgowan (Finlay), 509.  
 — — varying form (Finlay), 508.  
*Cordalia* Gobi, syn., 49.  
 — *persicina* Gobi, syn., 50.  
*Cordyline australis*, used for sandals (Rangi Hiroa), 357, 358.  
 — *Banksii* Hook. f., not on Banks Pen. (Laing & Wall), 438.  
*Corethra*, food of *Libellula pulchella* (Phillipps), 389.  
*coriacea*, *Celmisia*.  
*Corisa*, food of *Libellula pulchella* (Phillipps), 389.  
*cornea* var. *wormbatiensis*, *Ditrupa*.  
*coronarium*, *Buccinum*.  
*coronata*, *Tylospira*.  
*corrugata*, *Plumularia*.  
*corulum*, *Brookula*.  
 — *Lissospira*  
 — *Scalaria*.  
*Corynidae* (Bale), 228.  
 Cossmann, M., *Pelicaria* and *Tylospira* (Marwick), 169.  
 — Struthiolariidae, classific. (Marwick), 161.  
 — *Ptychatractus*, remarks on (Finlay), 500.  
 — *Trophon crispus* named *T. gouldi* (Marwick), 199.
- costata*, *Aethocola*.  
 — — *Crepidula*.  
 — — *Neptunea*.  
 — — *Siphonalia*.  
 — — *Terebra*.  
 Cotton, C. A., Pleistocene crust-warping and block-faulting (Benson), 131.  
*cottreai*, *Otolithus (Percidarum)*.  
*coughreyi*, *Obelia*.  
*Couthouyia concinna* Marsh. & Murd., occ. Ardgowan (Finlay), 509; Target Gully, 496. covered smut of barley (Cunningham), 408.  
*Crambus abditus* n. sp. (Philpott), 212.  
 — *crenæus* Meyr., strigil, fig. (Philpott), 219. crane-flies of N.Z. (Alexander), 641.  
*crenæus*, *Crambus*.  
*crenulata*, *Struthiolaria*.  
*crassa*, *Cypridaria*.  
*Crassatellites obesus* (A. Ad.), ident. (Finlay), 505; occ. Awamoia, 511.  
*crassi*, *Eusiroides*.  
*crassicaudatum*, *Neurochorema*.  
*crassidens*, *Barytellina*.  
*crassitesta*, *Chione*.  
*crassiuscula*, *Sertularella*.  
*crassum*, *Tetradion*.  
 crayfish. See *Paranephrops planifrons*.  
*crenata*, *Eucopella*.  
 — *Orthopyxis*.  
*Crepidula costata* (Sow.) should be expunged (Finlay), 498.  
 — *gregaria* Sow., occ. (Marsh. & Murd.), 156.  
 — *incurva* Zitt. is *C. wilckensi* Finlay (Finlay), 498.  
 — *monoxyla* (Less.), occ. Awamoia (Finlay), 510; Pukeuri, 508.  
 — *striata* (Hutt.) should be *C. radiata* (Hutt.), (Finlay), 498.  
*cribraria*, *Argina*.  
*crinis*, *Sertularella*.  
*crinita*, *Dichelachne*.  
 — *Luzula*.  
*Crinitae*, *Uredo*.  
*crispus*, *Fusus*.  
 — *Trophon*.  
*croceus*, *Fraus*.  
*Cronartiaceae*, classific. (Cunningham), 26. hosts of *Uredo* (Cunningham), 40.  
*Cronartium*, *Peridermium* in cycle of (Cunningham), 32.  
*Crocidosema plebeiana* Zell., strigil, fig. (Philpott), 219.  
*Crossea cancellata* (T.-Woods), occ. Target Gully (Finlay), 495.  
 — *sublabiata* Tate., occ. Awamoia (Finlay), 510.  
*crucibuliforme*, *Crucibulum*.  
*Crucibulum* Tulasne, characteristics (Cunningham), 62.  
 — in key, 61.  
 — — *Cyathus*.  
 — — *Nidularia*.  
 — — *crucibuliforme* (Scop.) White, syn., 63.  
 — — *emodenense* Berk., syn., 62.  
 — — *juglandicolum* De Toni, syn., 63.  
 — — *simile* Mass., syn., 63.  
 — — *vulgare* Tulasne, with figs. (Cunningham), 63.

- cruciferus*, *Molophilus*  
*Cryptamorpha brevicornis* White, with pl. (Hudson), 341.  
*Cryptomella* n. subgen. (Finlay), 516.  
*Cucullaea*, occ. N. Auck. (Marshall), 617.  
 — *alta* Sow., occ. Awamoia (Finlay), 510.  
 — var. B Hutt., occ. Awamoia (Finlay), 510; Target Gully, 495.  
 — *attenuata* Hutt., occ. Target Gully (Finlay), 495.  
 — *australis* (Hutt.), occ. Awamoia (Finlay), 511; Pukeuri, 508.  
*cumingi*, *Divaricella*.  
*cuneata*, *Euphrasia*.  
*cuniculi*, *Puccinia*.  
*Cunninghamii*, *Cyathea*.  
 — *Dendrobium*.  
 — *Gleichenia*.  
 — *Olea*.  
 — *Olearia*.  
 — *Polypodium*.  
*curta*, *Paphia*.  
*curvata*, *Ardices*.  
 Customhouse Wharf, Wellington (Baillie), 715.  
*Cyathea Cunninghamii* Hook. f., not on Banks Pen. (Laing & Wall), 444.  
 — *dealbata* (Forst. f.) Sow., occ. (Holloway), 77.  
 — *kermadecensis* W. R. B. Oliver, *Trichomanes venosum* epiphytic on (Holloway), 90.  
 — *medullaris* (Forst. f.) Sw., grown in the open, Auckland (Holloway), 89.  
 — *lentifera* (L.) White, syn., 65.  
 — *melanosperma* (Schw.) White, syn., 66.  
 — *rufipes* (Ell. et Ev.) White, syn., 66.  
 — *stercorea* (Schw.) White, syn., 66.  
*Cyathus* Haller, characteristics (Cunningham), 63.  
 — in key (Cunningham), 61.  
 — *affinis* Pat., syn., 66.  
 — *Baileyi* Mass., syn., 66.  
 — *campanulatus* Cda., syn., 65.  
 — *Colensoi* Berkeley, with pl. (Cunningham), 64.  
 — *Crucibulum* Pers., syn., 63.  
 — *dimorphus* Cobb., syn., 66.  
 — *modensis* Berk., syn., 62.  
 — *fimicola* Berk., syn., 63.  
 — *Hookeri* Berkley, with pl. (Cunningham), 65.  
 — *novae-zelandiae* Tulasne (Cunningham), 64.  
 — in key, 64.  
 — *laevis* DC., syn., 63.  
 — *Lesuerii* Tul., syn., 66.  
 — *melanospermus* De Toni, syn., 66.  
 — *Olla* Persoon, with pl. (Cunningham), 65.  
 — in key (Cunningham), 64.  
 — *pezizoides* Berk., syn., 63.  
 — *pusio* Berk., syn., 63.  
 — *rufipes* Ell. et Ev., syn., 66.  
 — *similis* Cke., syn., 65.  
 — *stercoreus* (Schw.) De Toni, with pl. (Cunningham), 66.  
 — *vernicosus* DC., syn., 65.  
 — *Wrightii* Berk., syn., 66.  
*Cyclina dispar* Hutton, syn., 193.
- Cyclophorus serpens*, food-plant of *Philocryptica polypodii* (Watt), 337.  
*Cyclostrema*, name to be rejected (Finlay), 497.  
*Cylchinella enysi* Hutt., a *Bullinella* (Finlay), 497.  
 — *soror* Sut., a *Bullinella* (Finlay), 497.  
*Cymatiidae*, key to (Finlay), 463.  
*Cymatium*, in key (Finlay), 463.  
 — of Oamaru loc. (Finlay), 453.  
 — n. sp., undescribed (Finlay), 459.  
 — *decagonium* n. sp., with pl. (Finlay), 460.  
 — in key (Finlay), 464.  
 — *exaratum* (Reeve), in key (Finlay), 464.  
 — — similar to *C. decagonium* (Finlay), 460.  
 — *gemmulum* (Tate), rel. to *C. revolutum* (Finlay), 456.  
 — *intercostale* (Tate), rel. to *C. kaiparaense* (Finlay), 458.  
 — *kaiparaense* n. sp., with pl. (Finlay), 457.  
 — in key (Finlay), 464.  
 — *marwicki* n. sp., with pl. (Finlay), 456.  
 — in key (Finlay), 464.  
 — *minimum* (Hutt.) should be expunged from lists (Finlay), 499.  
 — syn., 453.  
 — *octoserratum* n. sp., with pl. (Finlay), 459.  
 — in key (Finlay), 464.  
 — *pahiense* M. & M., classific. uncertain (Finlay), 462.  
 — *parthenopeum* (von Salis), in key (Finlay), 464.  
 — — use of name (Finlay), 462.  
 — *radiale* (Tate), rel. to *Astrotriton maorium* (Finlay), 454.  
 — *revolutum* n. sp., with pl. (Finlay), 456.  
 — in key (Finlay), 464.  
 — *sculpturatum* n. sp., with pl. (Finlay), 458.  
 — in key (Finlay), 464.  
 — *spengleri* (Perry), in key (Finlay), 464.  
 — fossil in Aust. (Finlay), 465.  
 — unlike other N.Z. species (Finlay), 463.  
 — *suteri* M. & M., a *Xymene* (Finlay), 462, 498.  
 — *transennum* (Sut.), in key (Finlay), 464.  
 — growth form (Finlay), 458.  
*cymodoce*, *Tinea*.  
 Cyperaceae, hosts of *Cintractia* (Cunningham), 418.  
 — host of *Elateromyces* spp. (Cunningham), 414.  
 — host of *Puccinia Caricis* (Cunningham), 394.  
 — host of *Sorosporum* (Cunningham), 427-28, 429.  
 — host of *Uredo Scirpinodosi* (Cunningham), 42.  
 — host of *Ustilago* (Cunningham), 404.  
*cypoides*, *Astrotriton*.  
*cyphum*, *Astrotriton*.  
*Cypridida crassa* Chilton, syn., 631.  
*cystophora*, *Laevilitorina*.  
*Cytherea* should be *Antigona* (Finlay), 497.  
 — *charissa* Sut., a syn. of *Chione vellicata* Hutt. (Finlay), 505.  
 — *oblonga* (Hanley) is *Chione vellicata* Hutt. (Finlay), 505.  
 — *suboblonga* Coss., a *nomen nudum* (Finlay), 505

- Cytherea subsulcata* (Sut.) is *Chione vellicata* Hutt. (Finlay), 505.  
 — *yatei* Gray should be *Callanaitis* (Finlay), 505.
- Dactylidium*, *Uromyces*.  
*Dactylis glomerata* L., host of *Ustilago striae-formis* (Cunningham), 410.  
 daddy-long-legs. See *Tipuloidea*.  
*Dahl*, K., deterioration of trout (Phillipps), 390.  
 "daising" in sheep (Aston), 723.  
*Dall*, W. H., *Natica*, shell (Marwick), 545.  
*Dalii*, *Celmisia*.  
*Dalmasiceras* Djanélidzé, descrip. (Marshall), 615.  
 — *speighti* n. sp., with pls. (Marshall), 615.  
*Dampier* Islds., geol. (Benson), 120.  
 — Strait, geol. (Benson), 119.  
*Danaiida chrysippus petilia* Stoll. (Philpott), 211.  
*Danthonia Buchanani* Hook. f., host of *Ustilago combarens* (Cunningham), 413.  
 — *nuda* Hook., occ. Banks Pen. (Laing & Wall), 440.  
 — *pilosa* R. Br., host of *Ustilago Readeri* (Cunningham), 414.  
 — *semianularis* R. Br., host of *Ustilago Readeri* (Cunningham), 414.  
 — — var. *nigricans* Petrie, occ. Banks Pen. (Laing & Wall), 440.  
 — — var. *setifolia* Hook. f., occ. Banks Pen. (Laing & Wall), 440.  
*Daphnella varicostata* M. & M., a syn. of *Bela canaliculata* Sut. (Finlay), 500, 511.  
*Dardanula*, in group (Finlay), 482; in key, 493.  
 — *limbata* (Hutt.), rel. to *D. rivertonensis* (Finlay), 491.  
 — *olivacea* (Hutt.), in group (Finlay), 482; in key, 494.  
 — — occ. (Finlay), 491.  
 — — rel. to *D. rivertonensis* (Finlay), 491.  
 — *rivertonensis* n. sp., with fig. (Finlay), 491; in key, 494.  
*Darluca Castagne*, characteristics (Cunningham), 47.  
 — *Filum* Castagne, with fig. and pl. (Cunningham), 48.  
 — — infects sori of *Uredo Scirpi-nodosi* (Cunningham), 42.  
*Dartoni*, *Veronica*.  
*Darwin*, C., elevation of shore-lines (Henderson), 581.  
*David*, T. W. E., Banda region tectonics (Benson), 112-13.  
 — New Caledonia, N.E. coast geol. (Benson), 126.  
 — New Guinea, trend-lines (Benson), 118.  
*David Robertson's* wharf, Wellington (Baillie), 715.  
*davisi*, *Astraea sulcata* subsp.  
 dead, delayed burial (Rangi Hiroa), 355.  
*dealbata*, *Cyathea*.  
*De Baryana*, *Tilletia*.  
*decagonium*, *Cymatium*.  
*decens*, *Oeclaeus*.  
*decepta*, *Margarella*.  
*decipiens*, *Tilletia*.  
 — *Uredo segetum* var.
- Declana*; antennae (Philpott), 224.  
 — *junctilinea* Walk., strigil, with figs. (Philpott), 223.  
*decussatum*, *Neurochorema*.  
 "deep-water wharf," Wellington (Baillie), 717.  
*Defrancia excavata* Hutt., assoc. with *Cryptomella* (Finlay), 516.  
*delicatula*, *Halecium*.  
 — *Sertularia*.  
*delicatulum*, *Halecium*.  
*delicatulus*, *Cadulus*.  
*della-vallei*, *Eusiroides*.  
*demissum*, *Hymenophyllum*.  
 — *Sepimentum*.  
*Dendrobium Cunninghamii* Lindl., occ. (Holloway), 89.  
*dennanti*, *Conus*.  
 — *Plesiotriton*.  
*Dentalium*, occ. N. Auck. (Marshall), 617.  
 — used as ornament (Andersen), 692; whiteness of, 692.  
 — *ecostatum* Kirk., occ. Ardgowan (Finlay), 509; Pukeuri, 508.  
 — *morganianum* O. Wilck. (Wilckens), 543.  
 — *solidum* Hutt., occ. (Marsh. & Murd.), 156.  
*Dentex*. See *Otolithus* (*Dentex*).  
*denticulifera*, *Natica*.  
*D'Entrecasteaux* Group, geol. (Benson), 114, 118, 119, 120.  
*depressa*, *Acilla*.  
 depression of N.Z., post-Tertiary (Henderson), 591-96.  
*depresso*, *Ranunculus*.  
*Desmocyphus buskii* Allman, syn., 237.  
*De Toni*, species of *Phragmidium* (Cunningham), 24.  
*Deyeuxia avenoides* Buch., occ. Banks Pen. (Laing & Wall), 440.  
 — *Forsteri* Kunth., host of *Puccinia Elymi* (Cunningham), 2.  
 — *Petriei* Hack., occ. Banks Pen. (Laing & Wall), 440.  
*Dianella intermedia* Endl., host of *Uredo Dianellae* (Cunningham), 42.  
 — — occ. Banks Pen. (Laing & Wall), 441.  
*Dianellae*, *Uredo*.  
*diaphana*, *Elachorhiza*.  
 diatoms, trout-food (Phillipps), 382, 388.  
*Dicaeoma Clematis* Arth., syn., 1.  
 — *Galiorum* Arth., syn., 7.  
 — *Paniculare* Arth., syn., 1.  
 — *punctatum* Link., syn., 7.  
 — *triticeum* Kern., syn., 1.  
*Dichelachne crinita* (Forst. f.) Hook. f., host of *Uredo Crinitae* (Cunningham), 41.  
*dichotoma*, *Ostrea*.  
 — *Selaginopsis*.  
*dichotomum*, *Dictyocladium*.  
*Dicranomyia aegrotans* Edwards, desc., with fig. (Alexander), 644.  
 — *fasciata* Hutton, desc., with fig. (Alexander), 643.  
 — *nigrescens* Hutton, desc., with fig. (Alexander), 645.  
 — *repanda* Edwards, desc. (Alexander), 644.  
*Dictyocladium dichotomum* Allman, syn., 237.

- Dietel, P., species of *Phragmidium* (Cunningham), 24.  
*difficilis*, *Venericardia*.  
*disiformis*, *Puccinia*.  
*digitata*, *Schefflera*.  
*dilata*, *Siphonalia*.  
*dilatata*, *Siphonalia*.  
*dilatum*, *Hymenophyllum*.  
*dillwynni*, *Natica*.  
*dimorphus*, *Cyatthus*.  
*dinodes*, *Porina*.  
*Diplodontia ampla* (Hutt.), occ. (Marsh. & Murd.), 156.  
— *globularis* (Lamk.), occ. Awamoia (Finlay), 511.  
*dipsacea*, *Carex*.  
diptera fauna of N.Z. (Miller), 281-84.  
*Diptychophora parorma* n. sp. (Meyrick), 202.  
*Discariae*, *Aecidium*.  
*disciflora*, *Aregma*.  
*disciflorum*, *Phragmidium*.  
*Discobola gibba* Edwards, desc., with fig. (Alexander), 645.  
*Discocyclina*, occ. (Benson), 125 note  
*discoideum*, *Tubulostium*.  
*discolor*, *Celmisia*.  
*discoloris*, *Aecidium Celmisiae*.  
*discors*, *Macra*.  
*discus*, *Orthophragmina*.  
diseases among Maori (Rangi Hiroa), 367.  
*disjuncta*, *Spirifera*.  
*dispansa*, *Orthophragmina*.  
*dispar*, *Cyclina*.  
— *Lucinida*.  
*dispersa*, *Puccinia*.  
*dissectum*, *Geranium*.  
*disseminatum*, *Aecidium*.  
*disseminis*, *Epigrus*.  
*distanti*, *Hypolepis*.  
— *Pinna*.  
*distracta*, *Melanachra*.  
*Ditrupa chapmani* n. sp., with figs. (Finlay), 449.  
— *cornea* var. *wormbettiensis* (McCoy), diff. from *D. cornea* (Finlay), 449.  
— *parkii* n. sp., with fig. (Finlay), 448.  
*divaricata* var. *acanthocarpa*, *Aglaophenia*.  
*Divaricella cumingi* (Ad. & Ang.), occ. Ardgowan (Finlay), 509 ; Awamoia, 511 ; Pukeuri, 508.  
*dives*, *Ichneutica*.  
Dixon, H. N., N.Z. mosses, printing of bull. (Inst.), 728, 754.  
Djar, Cape, geol. (Benson), 116.  
Dobu, Mt., geol. (Benson), 118.  
*dolichocarpa*, *Thuiaria*.  
*Dolichopeza (Dolichopeza) atropos* (Hudson), desc. of female (Alexander), 658.  
*dollfusi*, *Stenoiohoe*.  
Dominion Museum, erection (Inst.), 757, 758 ; control, 776.  
*doralis*, *Ocyptamus*.  
Dorset Point, light for (Baillie), 706.  
*Dosinia magna* Hutt., occ. Ardgowan (Finlay), 509.  
— *subrosea* (Gray), occ. (Marsh. & Murd.), 156.  
— — syn., 193.  
*Dracophyllum Adamsii* sp. nov. (Petrie), 435.  
dragon-fly nymph, food (Phillipps), 389.  
*drewii*, *Ampullina*.  
— *Cominella*.  
— *Euthria*.  
— *Globisinum*.  
— *Pisania*.  
— *Sigaretus*.  
— *Sinum (Eunaticina)*.  
— *Xymene*.  
*Drillia awamoensis* (Hutt.), occ. Awamoia (Finlay), 511.  
— *cheesemani* Hutt., incl. in *Phenatoma* (Finlay), 516.  
— *laevis* Hutt., occ. Target Gully (Finlay), 496.  
— — ident. erroneous (Finlay), 496.  
— *multiplex* Webster, assoc. with *Cryptomella* (Finlay), 516.  
*Dryopteris pennigera* (Forst. f.) C. Chr., occ. (Holloway), 78.  
*dubia*, *Verconella*.  
Dunedin, Hymenophyllaceae at (Holloway), 83.  
— average rainfall 1911-20 (Holloway), 83.  
*dunedensis*, *Thoristella*.  
*duniana*, *Malpha*.  
*dux*, *Chrysomyia*.  
*Dynamena fasciculata* Kirchenpauer, classific. (Bale), 246.  
— — syn., 246.  
— *pulchella* D'Orbigny, relations (Bale), 246.  
  
*Earina mucronata* Lindl., occ. (Holloway), 89.  
*Earlea Arth.*, syn., 14.  
East Coast, N.Z., post-Tertiary elevation (Henderson), 583 et seq. ; depression, 591 et seq.  
East Indian Archipel., tectonic features (Benson), 103.  
*eatonii*, *Paroxyethira*.  
*ecostatum*, *Dentalium*.  
*edentula*, *Sertularia*.  
*edgari*, *Macoma*.  
Edgecumbe, Mt. See Putauaki.  
Edge-Partington, J. See Partington, J. Edge-  
*Edwardsia tetraptera* (J. Miller) Oliver (= *Sophora tetraptera* J. Mill.), host of *Aecidium kowhai* (Cunningham), 35.  
— — host of *Uromyces Edwardsiae* (Cunningham), 392.  
*Edwardsiae*, *Uromyces*.  
Efate (Sandwich Isld.), geol. (Benson), 121.  
*effusa*, *Nozeba candida* var.  
egg-laying, effect of smut on (Cunningham), 425.  
*Eglanderiae*, *Uredo*.  
*Eglantaria*, *Rosa*.  
Einstein, A., elected hon. member (Inst.), 775.  
*Elachista wattii* n. sp. (Philpott), 213.  
*Elachorhizus* Iredale, includes *Circulus* spp. (Finlay), 497.  
— *diaphana* n. sp., with fig. (Finlay), 518.  
— *helicooides* (Hutt.) [*Circulus*], occ. Ardgowan (Finlay), 509.  
— *politus* (Sut.) [*Circulus*], occ. Ardgowan (Finlay), 509.  
— *substatei* (Sut.), occ. Dunedin (Finlay), 518.  
*Elateromyces*, characters (Cunningham), 414.  
— in key (Cunningham), 403.  
— *endotrichus* (Berkeley), n. comb. (Cunningham), 416.

- Elateromyces endotrichus* in key (Cunningham), 416.  
 — *niger* n. sp., with pl. and figs. (Cunningham), 416, 417.  
 — — in key (Cunningham), 416.  
 — *olivaceus* (De Candolle) Bubak, with pl. and fig. (Cunningham), 417.  
 — — in key (Cunningham), 416.  
 — *Treubii* (Solms.), of Bubak (Cunningham), 414.  
*elatinoides*, *Myriophyllum*.  
*elatior*, *Mitra*.  
 — Tritonidea.  
*elatius*, *Arrhenatherum*.  
*elegans*, *Globisimum*.  
 — *Sertularia*.  
 — *Sinum* (*Eunaticina*).  
 — *Synthecrum*.  
 — var. *sculpta* *Otolithus* (*Gadus*).  
*Elephantomyia zealandica* Edwards, desc. of male, with fig. (Alexander), 658.  
*elevata*, *Uredo*.  
 elevation of N.Z., post-Tertiary (Henderson), 582-91.  
*elongata*, *Sertularia*.  
 — *Stereotheca*.  
*elongatum*, *Trichomanes*.  
*elongatus*, *Otolithus* (*Ophidiidarum*).  
 — — (*Sparidarum*).  
*Elops*. See *Otolithus* (*Elops*).  
*Elymi*, *Puccinia*.  
 — — *Actaeae*.  
 — *Uredo*.  
*emarginata*, *Calpe*.  
 — *Nozeba*.  
 — *Rissoina*.  
*Emarginula striatula* Q. & G., occ. Ardgowan (Finlay), 509; Awamoia, 511.  
*Embodys*, G. C., food of trout (Phillipps), 389.  
*emodense*, *Crucibulum*.  
*emodensis*, *Cyathus*.  
 — *Nidula*.  
 — *Ustilago*.  
*empleurus*, *Callochiton*.  
*endodontia*, *Brookula*.  
*Endophthora tylogramma* n. sp. (Meyrick), 206.  
*Endothlaspis* Sor., syn., 421.  
*endotricha*, *Ustilago*.  
*endotrichus*, *Elateromyces*.  
*Entometa*, strigil, with fig. (Philpott), 219, 220.  
 — *fervens* Walk., strigil, fig. (Philpott), 219.  
*enysii*, *Bullinella*.  
 — *Cylchinella*.  
*Enysii*, *Anisotome*.  
*ephedrioides*, *Muehlenbeckia*.  
*Epicorista abdita* n. sp., with figs. (Philpott), 664.  
*Epicoma tristris* Lewin, strigil, with fig. (Philpott), 222, 223.  
*Epigrus*, in group (Finlay), 481; in key, 493.  
 — *dissimilis* (Wats.), rel. to *E. fossilis* (Finlay), 489.  
 — *fossilis* n. sp., with fig. (Finlay), 489; in key, 494.  
 — *ischna* (Tate), in group (Finlay), 481.  
 — *verconis* (Tate), rel. to *E. fossilis* (Finlay), 489.  
*Epilobii*, *Caeoma*.  
 — *Pucciniastrum*.
- Epilobii Uredo*.  
*Epilobium junceum* Sol., host of *Puccinia pulverulenta* (Cunningham), 395.  
 — *pictum* Petrie, host of *Puccinia pulverulenta* (Cunningham), 395.  
 — *pubens* A. Rich., host of *Puccinia pulverulenta* (Cunningham), 395.  
 — host of *Pucciniastrum pustulatum* (Cunningham), 30.  
*Epiphthora melanombra* Meyr., syn., 331.  
*episcopis*, *Sertularia*.  
 — *Sertularia*.  
*Epitea* Fr., syn., 14.  
*Epitonium bucknilli* n. sp., with pl. (Powell), 138.  
 — *tenellum* probably *E. bucknilli* (Powell), 138.  
 — *zelebori* diff. from *E. bucknilli* (Powell), 138.  
*Erannis Bon.*, syn., 25.  
*Erato neozelanica* Sut., with pl. (Murdoch), 160.  
 — — occ. Ardgowan (Finlay), 509; Pukeuri, 508.  
 — *senectus* n. sp., with pl. (Murdoch), 160.  
*Erechites arguta* DC., food-plant of *Nepticula erechtitus* (Watt.), 687.  
*erectitus*, *Nepticula*.  
*erichrysa*, *Metacrias*.  
*Eristalis tenax*, trout-food (Phillipps), 383.  
*errata*, *Struthiolaria*.  
*Erycina parva* (Desh.), occ. Dunedin (Finlay), 517.  
*erythrocephala*, *Calliphora*.  
*esdalei*, *Uber*.  
*espinosus*, *Hexaplex octagonus* var.  
*Estea*, classic. (Finlay), 480; in group, 481; in key, 493.  
 — *impressa* (Hutt.), occ. (Finlay), 487; in key, 494.  
 — *minor* (Sut.), rel. to *E. impressa* (Finlay), 487.  
 — *polysulcata* n. sp., with fig. (Finlay), 486; in key, 494.  
 — *rugosa* (Hutt.), occ. (Finlay), 487; in key, 494.  
 — *semisulcata* (Hutt.), rel. to *E. polysulcata* (Finlay), 487; in key, 494.  
 — *zosterophila* (Webster), in group (Finlay), 481; in key, 494.  
 — — occ. (Finlay), 487.  
*Ethelton*, ammonite from (Marshall), 615.  
*etremoides*, *Uromitra*.  
*Eublemma strigil* (Philpott), 220.  
*euclia*, *Charonia lampas* var.  
 — — *nodifera* var.  
*Eucopella campanularia* not a syn. of *Campanularia labiata* (Bale), 234.  
 — — syn. of *Silicularia campanularia*, 234.  
 — *crenata* n. sp., occ. (Bale), 227.  
 — — *Hartlaub*, syn., 232.  
 — *reticulata* Hartlaub, syn., 234.  
*Eudolium?* Suter, is *Globisimum spirale* (Marwick), 575.  
*eudypti*, *Xenocalliphora*.  
*eugonia*, *Tellina*.  
*Eulima acteensis* Marsh. & Murd., occ. Target Gully (Finlay), 496.  
 — *christyi* n. sp., with pl. (Marwick), 195.  
 — *obliqua* (Hutt.), occ. Pukeuri (Finlay), 508.  
*Eulimella awamoaensis* M. & M., occ. Awamoia (Finlay), 511.

- Eunaticina* Fischer (Marwick), 572; in key, 549; range, 546.  
 — See also *Sinum* (*Eunatacina*).  
*Euphrasia cuneata* Forst., host of *Puccinia Euphrasiana* (Cunningham), 6.  
 — *Wilsoni* n. sp. (Petrie), 97.  
*Euphrasiana*, *Puccinia*.  
*Eurytoma oleariae* Maskell, identity (Gahan), 687.  
*Eusiroides caesaris* Walker, syn., 270.  
 — *crassii* Stebbing, affin. to *Bovallia monoculoides* (Chilton), 271.  
 — *della-vallei* Chevrenex, affin. to *Bovallia monoculoides* (Chilton), 271.  
 — *monoculoides* Stebbing, syn., 270.  
*Euspira Agassiz* (Marwick), 568; in key, 549; range, 546.  
 — *venusta* Suter, syn., 576.  
 — See also *Uber* (*Euspira*).  
*eusealcata*, *Mitra*.  
*Euthria drewii* (Hutton), syn., 198.  
 — *subcalimorpha* M. & M., occ. Target Gully (Finlay), 496.  
 — — — rel. to *Tritonidea elatior* Sut. (Finlay), 503-4.  
 — — — should provis. be *Pollia compacta* (Sut.), (Finlay), 504.  
*Evalea impolita* (Hutt.), occ. Taieri (Finlay), 517.  
*Evarne strata* (Hutton), resembl. to *Verconella dubia* (Marwick), 196.  
*evecta*, *Pycnocentria*.  
*evolutus*, *Solecurtus*.  
*ewingii*, *Persectania*.  
*exaratum*, *Cymatium*.  
*excavata*, *Bathytoma*.  
 — *Defrancia*.  
 — *Pseudotoma*.  
*excelsa*, *Siphonalia*.  
*excelsum*, *Alectryon*.  
 — *Macropiper*.  
 exchange list, additions. See N.Z. Institute.  
*exorticata*, *Fuchsia*.  
*exigua*, *Lissospira*.  
 — *Ustilago*.  
*extimia*, *Synoryne*.
- fallax*, *Caeoma*.  
*falsa*, *Scoparia*.  
 Farquhar, H., list of N.Z. Hydroidae, 226.  
*farquhari*, *Thuiaria*.  
 Farr, C. C., Hector award, 1921 (Inst.), 728.  
 — research grant, 1923, 790.  
*fasciata*, *Dicranomyia*.  
*fascicularis*, *Nidularia*.  
*fasciculata*, *Dynamena*.  
 — *Sertularia*.  
 fat-hen. See *Chenopodium album*.  
 fats of herring food (Malcolm and Hamilton), 380.  
 "fatus," Malayan term for "klippen" (Benson), 104.  
*fatuus*, *Amphineurus* (*Nesormosia*).  
 Featherston, I. E., Maori extinction (Rangi Hiroa), 362.  
 — Street, Wellington, decided on (Baillie), 713.  
 fellowship elections. See N.Z. Institute.  
*fenestratum*, *Vexillum*.
- Fenton, F. D., Maori population (Rangi Hiroa), 370.  
*fenwicki*, *Mallobathra*.  
*ferox*, *Pseudopanax*.  
*ferrieri*, *Fusus*.  
 — *Struthiolariopsis*.  
*ferruginea*, *Platypilia*.  
*ferrugineum*, *Hymenophyllum*.  
*fervius*, *Entometa*.  
*festiva*, *Pyronata*.  
*Festuca multinoides* Petrie, not on Banks Pen. (Laing & Wall), 444.  
 — *rubra* Linn., occ. Banks Pen. (Laing & Wall), 440.  
*Ficus imperfectus* Marsh. & Murd., occ. Target Gully (Finlay), 496.  
 — *subtransennus* Marsh. & Murd., occ. Target Gully (Finlay), 496.  
 — — — is perhaps *F. transennus* (Finlay), 496.  
 — *transennus* Sut. not a *Ficus* (Finlay), 456.  
 — — — rel. to *Cymatium revolutum* (Finlay), 456.  
 — — — See *F. subtransennus*.  
*fidicula*, *Cerithiella*.  
*fierasper*. See *Otolithus* (*Fierasper*).  
*filicornis*, *Atarba* (*Atarba*).  
*filicula*, *Aglaophenia*.  
*filifolia*, *Anisotome*.  
 fillets, Maori (Rangi Hiroa), 344.  
 filmy fern. See *Hymenophyllaceae*.  
*filicina*, *Rissoa*.  
*Filum*, *Darluca*.  
 — *Phoma*.  
 — *Sphaeria*.  
*fimbriata*, *Hydropsyche*.  
*fimentarius*, *Cyathus*.  
*finicola*, *Cyathus*.  
 Finisterre Range, geol. (Benson), 117, 118, 119.  
*finitima*, *Aka*.  
*finitimus*, *Cixius*.  
 Finlay, H. J., research grant, 1923, 790.  
*finlayi*, *Myllita*.  
 — *Otolithus* (*Parapercis*).  
 — *Uber*.  
 fire, not fanned with breath (Rangi Hiroa), 354.  
 fireblight, control (Inst.), 734.  
 fire-fans, technique (Rangi Hiroa), 353.  
*firmitus*, *Uber* (*Euspira*).  
 fish, N.Z., food values (Malcolm and Hamilton), 375-80.  
 fishes, food of (Malcolm and Hamilton), 380.  
*flabellatum*, *Hymenophyllum*.  
*flaccidum*, *Asplenium*.  
*flammeata*, *Signeta*.  
 Flat-top Hill, geol. (Bartrum), 151.  
*flava* var. *cataractae*, *Carex*.  
*flavescentis*, *Uromyces Sophorae-*.  
*flexile*, *Haleciuum*.  
 Flores, on geanticlinal ridge (Benson), 102.  
 Florida Is., geol. (Benson), 121.  
*fluctuata*, *Leptothrya*.  
 flute, imitated in "porutu" (Andersen), 694.  
 Fly Riv., geol. (Benson), 116.  
 fly-campaign of Ati-awa (Rangi Hiroa), 356.  
 fly-flap, technique (Rangi Hiroa), 354.  
 fly-whisk (Rangi Hiroa), 355.  
*fodiens*, *Puccinia*.

- foetens*, *Tilletia*.  
 — *Ustilago*.  
*foetidissima*, *Coprosma*.  
*folicola*, *Ustilago Tritici* forma.  
 food, chemical change in fish (Malcolm and Hamilton), 380.  
 food values of N.Z. fish (Malcolm and Hamilton), 375–80.  
 forest covering of dividing range, Canterbury and Westland (Holloway), 71.  
*formosa*, *Aglaphenia*.  
 — *Plumularia*.  
*formosus*, *Thecocarpus*.  
*fornicatum*, *Sinum*.  
*Forsterae*, *Uredo*.  
*Forsteri*, *Deyeuxia*.  
*forsterioides*, *Abrotanella*.  
*fortis*, *Struthiolaria*.  
*fossa*, *Struthiolaria*.  
*fossilis*, *Brookula*.  
 — *Epigrus*.  
 Foster, F., research grant, 1923, 790.  
*foveauxiana*, *Subonoba*.  
*Foyana*, *Puccinia*.  
*fragile*, *Callostoma suteri* var.  
*fragrantissima*, *Olearia*.  
*francescae*, *Typhis*.  
*fraseri*, *Struthiolaria*.  
*frater*, *Hydrobiosis*.  
*fraudulenta*, *Marginella*.  
*Fraus* sp., strigil, fig. (Philpott), 217.  
 — *croceus* Luc., strigil (Philpott), 218.  
*frazeri*, *Struthiolaria*.  
 Freeman, E. M., and Johnson, E. C., smut-prevention (Cunningham), 400.  
 French warship "Jules Michelet" (Inst.), 727.  
*Freycinetia Banksii* A. Cunn., root used for binding (Andersen), 693, 696.  
 Friedrich Wilhelm Hafen. See Madang.  
 frog-hopper. See *Oliarus oppositus*.  
*frondosus*, *Scirpus*.  
*frontinalis*, *Salvelinus*.  
*fruticosa*, *Tubiclavata*.  
*Fuchsia exorticata* (Forst. f.) L. f., host of *Coleosporium Fuchsiae* (Cunningham), 26.  
*Fuchsiae*, *Coleosporum*.  
*fue*, technique (Rangi Hiroa), 354–5.  
*fuifui lago*, technique (Rangi Hiroa), 354–55.  
*Fulggoridea* displaced by *Alcithoe* (Marwick), 200; (Finlay), 502.  
 — not at Awamoia (Finlay), 502.  
*Fulggoridea* of N.Z. (Myers), 315.  
*fulva*, *Nepticula*.  
 — *Tiphobiosis*.  
*fulvipes*, *Cheilosia*.  
*fumata*, *Subonoba*.  
*fumosum*, *Pollenia*.  
 — *Sepimentum*.  
 fungi parasitic on Uredinales (Cunningham), 47.  
*funiculata*, *Brookula*.  
*furcata*, *Sertularia*.  
*furfuraceae*, *Olearia*.  
*furtiva*, *Melanchra*.  
*fuscana*, *Nothophila*.  
*fuscoplumbea*, *Gynoplistia*.  
*fusiformis* var. *nana*, *Sertulariella*.  
 — *Sertularia*.  
 — *Turricula*.
- Fusinus climacotus* Sut., occ. at Target Gully doubtful (Finlay), 498.  
 — *spiralis* (A. Ad.), not at Target Gully (Finlay), 498.  
*Fusus crispus*, Gould's name of *Trophon crispus*.  
 — *ferrieri* Philippi, classific. (Marwick), 161.  
*fusei*, *Uber* (*Euspira*).  
  
*Gadus*. See *Otolithus* (*Gadus*).  
*Gahnia*, host of *Elateromyces endotrichus* (Cunningham), 414, 416.  
*Galaxias brevipinnis*, food of (Phillipps), 388.  
 — trout-food (Phillipps), 382.  
 — *huttoni*, food of (Phillipps), 388.  
*Galeoidea senex* (Hutt.), occ. Ardgowan (Finlay), 509; Awamoia, 511; Target Gully, 495.  
 — occ. (Marsh. & Murd.), 156.  
*Galii*, *Puccinia*.  
*Galiorum*, *Dicaeoma*.  
 — *Puccinia*.  
*Galium umbrosum* Sol., host of *Puccinia punctata* (Cunningham), 7.  
*Gari lineolata* Gray [*Psammobia*], occ. Pukeuri (Finlay), 508.  
 gasteropods, Mesozoic, classific. (Trueman), 604.  
*Gastropodium* gen. et sp. indet., with pl. (Wilckens), 542.  
*Gaudalcanar*, geol. (Benson), 121.  
*Gaudichaudiana*, *Carex*.  
*gaymardi*, *Aglaphenia*.  
 — *Tellina*.  
*Gelechia aerobatis* n. sp. (Meyrick), 204.  
 — *lapillosa* n. sp. (Meyrick), 203.  
 — *neglecta* n. sp. (Philpott), 665.  
 — *sparas* Philp., syn., 331.  
*gemmulum*, *Cymatium*.  
*geniculata*, *Angelica*:  
 — *Obelia*.  
 genitalia of Cixiidae, mounting, &c. (Myers), 315.  
 — specific importance (Philpott), 663.  
 geological sections across New Caledonia (Benson), 126.  
*Geometroidea*, strigil, with figs. (Philpott), 223.  
 George, J. R., work on Queen's Wharf, Wellington, &c. (Baillie), 719.  
*georgiana*, *Stenella*.  
*geraniifolius*, *Ranunculus*.  
*Geraniifolium* L. & G., host of *Uromyces scariosus* (Cunningham), 46.  
 — *microphyllum* Hook. f. (= *G. potentilloides*), host of *Uromyces scariosus* (Cunningham), 46.  
 — *potentilloides* Hook. f. See *G. microphyllum*.  
 gestures accompanying song (Andersen), 699.  
*Geum parviflorum* Smith, occ. Banks Pen. (Laing & Wall) 441.  
*gibbera*, *Discobola*.  
*gibbosa*, *Natica*.  
 — *Natica* (*Neverita*).  
 — *Phippisia*.  
*gibbosus*, *Polinices*.  
*gigantea*, *Bovallia*.  
*gigas*, *Oligorus*.  
 — *Struthiolaria*.  
*glabrella*, *Tellina*.  
*Glarella*. See *Marginella* (*Glarella*) *brevispira*.  
 glaciation, Pleistocene (Park), 599.

- Gleichenia Cunninghamii* Hew., occ. (Holloway), 74.  
*Globigerina*, occ. (Bartrum), 141, 142, 149.  
*Globisimum* n. gen. (Marwick), 573; key, 549, 574; range, 546.  
— *drewii* (Murdoch), with pl. (Marwick), 576; in key, 574.  
— *elegans* (Suter), with pl. (Marwick), 574; in key, 574; range, 548.  
— *mioecaenicum* (Suter), with pl. (Marwick), 575; in key, 574; range, 548.  
— *spiraile* (Marshall), with pl. (Marwick), 575; in key, 574; range, 548.  
— *undulatum* (Hutton), with pl. (Marwick), 575; in key, 574; range, 548.  
— *venustum* (Suter), with pl. (Marwick), 576; in key, 574; range, 548.  
*globosa*, *Glycymeris*.  
*globularis*, *Diplodonta*.  
*glomerata*, *Dactylis*.  
*Glycymeris globosa* (Hutt.), occ. (Marsh. & Murd.), 156.  
— *huttoni* Marwick, occ. Awamoia (Finlay), 511.  
*Glyptiphyteryx calliactis* Meyr., desc. of female (Meyrick), 204.  
— *oceanaria* n. sp. (Philpott), 210.  
*Gnaphalium Traversii* Hook. f., occ. Banks Pen. (Laing & Wall), 442.  
*Gnophomyia rufa* Hutton, syn., 652.  
— (*Astelobia*) *rufa* Edwards, syn., 652.  
*gobiooides*, *Gobiomorphus*.  
*Gobiomorphus gobiooides*, food of (Phillipps), 388.  
— trout-food (Phillipps), 382.  
Goldsborough, E. L. See Kendall, W. C., and Goldsborough.  
*Gonomyia (Lipophleps) nigrohalterata* Edwards, desc., with fig. (Alexander), 652.  
*Gonothryaea hyalina* Hincks, identity of *Calycella parkeri* with (Bale), 231–32.  
— *parkeri* (Hilgendorf), occ. (Bale), 231.  
Gordon Point, light for (Baillie), 709.  
*gouldi*, *Trophon*.  
Gourlay, E. S., *Gynoplistia pedestris*, habitat (Alexander), 655.  
“Government wharf,” Queen’s Wharf, Wellington (Baillie), 717.  
Grabau, A., gasteropod sculpture (Marwick), 162.  
*Gracilaria selenitis* Meyr., with pl. and fig. (Watt), 679.  
*gracile*, *Halecium*.  
*gracilis*, *Otolithus (Macrurus)*.  
— *Scoparia*.  
*gradata*, *Rissoa*.  
Graham, G., on *roria* (Andersen), 689.  
— Land and Otago trend-lines (Benson), 132.  
Gramineae, hosts of *Cintractia* (Cunningham), 418.  
— — — *Puccinia Elymi* (Cunningham), 1.  
— — — *graminis* (Cunningham), 394.  
— — — *Sorosporium* (Cunningham), 427.  
— — — *Sphacelothecea* (Cunningham), 423.  
— — — *Tilletia* (Cunningham), 424.  
— — — *Uredo Crinitae* (Cunningham), 41.  
— — — *Urocystis* (Cunningham), 429.  
— — — *Ustilago* (Cunningham), 404, 405.  
*graminis*, *Puccinia*.  
*grammitidis*, *Polypodium*.
- | *grandiflora*, *Libertia*.  
| *Grange*, L. I. Abbotsford glaciation (Park), 599.  
| *grangei*, *Chlamys*.  
| Great Barrier Reef. See N.Z. Institute, G.B.R. Committee.  
| *Green Island*, Senonian fossils (Wilckens), 539.  
| *gregaria*, *Crepidula*.  
| *gregarius*, *Otolithus (Sparidarum)*.  
| Gregory, J. W., Banda region, tectonics (Benson), 111–12.  
| Greymouth forest (Holloway), 84.  
| *Griselinia littoralis* Raoul., occ. (Holloway), 77.  
| groper, food value (Malcolm and Hamilton), 376.  
| Grove, W. B., occ. of *Tuberculina persicina* (Cunningham), 50.  
| Guard, Capt., at Wellington (Baillie), 700.  
| gudgeon. See *Galaxias bervipennis*.  
| gum-lands, Auck., geol. (Bartrum), 139.  
| Guthrie-Smith. See Smith, H. Guthrie.  
| Guttiferæ, hosts of *Melampsora Kusanoi* (Cunningham), 27.  
| *Gymnoconia*, *Caeoma* in cycle of (Cunningham), 32.  
| — *Cirella-lanceolata* Buhak, syn., 10.  
| *Gymnosporangium*, *Roestelia* in cycle of (Cunningham), 32.  
| *Gynoplistia arthuriiana* Edwards, desc. of male, with fig. (Alexander), 657.  
| — *fuscolumbrea* Edwards, desc. of female (Alexander), 656.  
| — *incisa* Edwards, desc. of female (Alexander), 656.  
| — *pedestris* Edwards, desc. of male, with fig. (Alexander), 654–55.  
| — *sackeni* Alexander, desc. of female (Alexander), 656.
- Haast, J., Benmore coal-measures (Speight), 620–21.  
— so-called “Railroad,” Rakaia Gorge (Speight), 627 et seq.  
Haast, *Anisotome*.  
haasti, *Natica (Carinacca)*.  
haastianus, *Arrhoges*.  
haku. See *Seriola Lalandii*.  
Haleciidae (Bale), 235.  
*Halecium delicatula* Coughtrey, syn., 235.  
— *delicatulum* Coughtrey, occ. (Bale), 235.  
— *delicatulum* Ridley, syn., 235.  
— *flexile* includes *H. parvulum* and *H. gracile* (Bale), 235.  
— *gracile*, syn. of *H. flexile* (Bale), 235.  
— *parvulum* Bale, syn. of *H. flexile* (Bale), 235.  
Hales, W. H., Queen’s Wharf, Wellington (Baillie), 718.  
Half-moon Bay, rainfall, 1918–20 (Holloway), 84.  
*Halicornaria rostrata* n. sp., with fig. (Bale), 264.  
*Haliothis iris*, food value (Malcolm and Hamilton), 377.  
Hall, W. H., *Venericardia marshalli* and *V. corbis*, identific. (Marwick), 192.  
*Hallii Podocarpus*.  
Halmahera arc (Benson), 113.  
*Hamaspura* Koern., characteristics (Cunningham), 21.  
— *acutissima* Syd., with figs. and pl. (Cunningham), 21–22.

- Hamaspora longissima* (Theum.) Koern. (Cunningham), 21.  
*Hamilton*, A., calabash-trumpet (Andersen), 689.  
 — Maori sails (Rangi Hiroa), 361.  
 — *pakuru* (Andersen), 691, 692.  
 — Memorial Fund, investment of, 1922 (Inst.), 728, 737.  
 — Memorial Prize, for 1922 (Inst.), 728; for 1923, 750; rules, 729.  
*Hamilton*, H., research grant, 1923, 790.  
*hamiltoni*, *Clathrella*.  
 — *Cominella*.  
 — *Haurakia*.  
 — *Pycnocentrodes*.  
*Hampden* beds, age (Finlay), 448.  
*hapai*, in song (Andersen), 699.  
*Haplomyza chenopodii* n. sp., with pl. (Watt), 683.  
*hapuku*. See *Oligorus gigas*.  
*harbour-lights*, Wellington (Baillie), 710.  
*Hare Hongi*, on minute tones in Maori music (Andersen), 693.  
*Harema*, attack on rebels at (Andersen), 691.  
*Harmologa polypodii* Watt, syn., 336.  
*harmonic* heard in song (Andersen), 699.  
 "Harriet," wreck (Baillie), 700.  
*harrisensis*, *Natica*.  
*harrisii*, *Huttia*.  
*Harlaub*, C., *Sertularia*, classific. (Bale), 240.  
 — *Sertularia fusiformis* and *S. episcopus*, identity (Bale), 246.  
*hartwigiana*, *Nucula*.  
*Hauhungatahai*, Mount, destruction of forest (Inst.), 731.  
*hauhau rango* (Rangi Hiroa), 356.  
*Haurakia*, in group (Finlay), 481; in key, 493.  
 — *hamiltoni* (Sut.), in group (Finlay), 481.  
 — *hattoni* (Sut.), rel. to *H. oamarutica* (Finlay), 483.  
 — *mista* n. sp., with fig. (Finlay), 482; in key, 493.  
 — *oamarutica* n. sp., with fig. (Finlay), 483; in key, 493.  
*haurakiensis*, *Lorica*.  
*Hawaiian* sail (Rangi Hiroa), 360–61.  
*haweraensis*, *Natica*.  
*Hawke's Bay*, Cretaceous rocks (Benson), 131.  
*head-fillet*, Maori (Rangi Hiroa), 344.  
*health* of Maori (Rangi Hiroa), 367.  
*heaphyi*, *Teredo*.  
*heating* of houses, Maori (Rangi Hiroa), 354.  
*Hebberley*, J., first pilot, Wellington (Baillie), 705.  
*Hebella calcarata* Bale, syn., 235.  
 — *calcarata* (L. Agassiz), (Bale), 235.  
 — *scandens* Farquhar, syn., 235.  
*Hector*, J., Chatham Islds. schists (Benson), 130.  
 — award, 1921 (Inst.), 728; amount of prize, 1923, 736; prize for 1923, 749; for 1924, 758; inscription on medal, 758.  
 — — list of recipients, 789.  
 — Memorial Fund, state of, 1922 (Inst.), 737.  
*hectori*, *Helophilus*.  
*Hedley*, C., *Mayena* reduced to syn. (Finlay), 462.  
 — elected hon. member (Inst.), 775.  
*hedleyi*, *Tatea*.  
*Hedycarya arborea* Forst., used for making *pakuru* (Andersen), 691.  
*Heipipi*, Maruiwi at (Andersen), 696.  
*Heke o Maruiwi*, Te, remnant of prehistoric people (Andersen), 696.  
*heketa*, *Puccinia*.  
*Heldring*, O. G., New Guinea, tectonics (Benson), 114.  
*helena*, *Koroana*.  
*Heliacus imperfectus* Sut., should be dropped (Finlay), 506.  
*helicooides*, *Circulus*.  
 — *Elachorhynchus*.  
*Helicopsyche* Hagen, charact. (Tillyard), 312.  
 — *albescens* n. sp., with pl. and fig. (Tillyard), 312–13.  
 — *howesi* n. sp., with pl. and fig. (Tillyard), 312, 313.  
*Helophilus hectori* n. sp. (Miller), 284.  
 — *taruensis* n. sp. (Miller), 283.  
*Helophyllum Colensoi* Hook. f. See *Phyllachne Colensoi* Berggr.  
*hemadelpha*, *Mnesarchaea*.  
*Hemicarpus banksii* (Gray), identity, with fig. (Bale), 263.  
 — *secundus*, affin. to *H. banksii* (Bale), 263.  
*Hemiconus ornatus* (Hutt.) should be *Cenospira bimutata* Finlay (Finlay), 498 note.  
*Hemiteca intermedia* Hilgendorf, occ. (Bale), 227, 228.  
*hendersoni*, *Paroxyethira*.  
*Heipialidae*, strigil, with figs. (Philpott), 216, 224.  
*Heretaunga*, Maruiwi at (Andersen), 696.  
*Hering*, M., note on *Phytomyza albiceps* (Watt), 687.  
*herring*, chemical change of food (Malcolm and Hamilton), 380.  
*Hesperidae*, strigil, with fig. (Philpott), 224.  
*hesperoides*, *Synemon*.  
*heterogona*, *Thecocaulus*.  
*Heteroneura*, strigil, with figs. (Philpott), 218.  
*heterospora*, *Phthorimae*.  
*Heuheu*, Te, and "Te awa a te atua" (Andersen), 696.  
*Hexaplex octogenus* var. *espinosus* (Hutt.) [Murex], occ. Target Gully (Finlay), 495.  
 — — var. *umbilicatus* (T. Woods), [Murex], occ. Target Gully (Finlay), 495.  
*hexasepala*, *Clematis*.  
*hi*, in song (Andersen), 699.  
*Hierochloe*, *Puccinia*.  
*Hierochloe redolens* (Forst. f.) R. Br., host of *Uredo karetu* (Cunningham), 41.  
 — *redolens*, used for belt (Rangi Hiroa), 348.  
*Hilgendorf*, F. W., name *Synthecium elegans* (Bale), 251.  
*Hill*, H., Maori dwindling (Rangi Hiroa), 362, 368.  
*Hill*, S., smut-free grain (Cunningham), 401.  
*hinemoa*, *Orbitestella*.  
*hippiseleyana*, *Thuiaria*.  
*hirsutus*, *Spinifex*.  
*Histiopteridites*, *Milesina*.  
*Histiopteris incisa* (Thunb.) J. Sm. (= *Pteris incisa* Thunb.), host of *Milesina Histiopteridites* (Cunningham), 31.  
*Histrichus*, in trout (Phillipps), 381, 382.  
*Hobson*, Capt., at Wellington in 1837 (Baillie), 700.  
*Hochstetter*, F. von, Maori extinction (Rangi Hiroa), 362–63.

- Hogben, G., submarine origin of N.Z. earthquakes (Benson), 132.  
*Hoheriae, Puccinia.*  
 Hokitika, rainfall, 1911–20 (Holloway), 70.  
 Hokonui Hills, strike of rocks (Benson), 128, 129.  
*Holci, Polycystis.*  
 — *Tilletia.*  
*Holcus lanatus* L., host of *Tilletia Holci* (Cunningham), 427.  
 — host of *Ustilago striaeformis* (Cunningham), 410.  
 Homoneura, strigil, with figs. (Philpott), 216.  
 honorary membership. See N.Z. Institute.  
 Hooker, J. D., allies of *Hymenophyllum minimum* (Holloway), 93.  
*Hookeri, Bulbinella.*  
 — *Celmisia.*  
 — *Cyatthus.*  
*hordeaceus, Bromus.*  
*Hordei forma tecta, Ustilago segetum* var.  
 — var. *tecta*, *Uredo.*  
 — *Ustilagidium.*  
 — *Ustilago.*  
 — *Ustilago segetum* var.  
 — *forma nuda, Ustilago segetum* var.  
 — var. *nuda*, *Ustilago.*  
*Hordeum vulgare* L., host of *Ustilago Jensenii* (Cunningham), 408.  
 — host of *Ustilago Tritici* (Cunningham), 409.  
*horni, Amphineurus (Nothormosia).*  
 horse, iron needed (Aston), 723.  
*hortona, Xenocalliphora.*  
*hotu*, in song (Andersen), 698.  
 houses, heating of, Maori (Rangi Hiroa), 354.  
*howesi, Helicopsyche.*  
 Huamoal Pen., geol. phases (Benson), 105.  
 Hudson, G. V., food of trout (Phillipps), 388.  
 — Hector Medal (Inst.), 749.  
 Humbolt Bay, geol. (Benson), 116.  
*humerosa, Corbula.*  
*humile, Trichomanes.*  
*humilis, Campanulina.*  
 Huon Gulf, geol. (Benson), 116.  
 — Pen., geol. (Benson), 117, 119.  
*huonensis, Tatea.*  
*hupiro, Aecidium.*  
 Hurunui dist., fossil cephalopod (Marshall), 615.  
 — River bed, ammonite (Marshall), 615.  
*hutchinsoni, Pecten.*  
 "Hutchinsonian," use of term (Finlay & McD.), 535 note 2.  
*Huttia* n. gen. (Myers), 321.  
 — in key (Myers), 317.  
 — *harrisi* n. sp. (Myers), 322.  
 — *nigrifrons* n. sp., with pl. (Myers), 321.  
 Hutton, F. W. *Australotriton minimum* and *A. tortirostre* (Finlay), 455.  
 — *Lucina dispar*, wrong identif. (Marwick), 194.  
 — *Struthiolaria spinosa* and *S. tuberculata*, confusion in (Marwick), 177.  
 — Triassic and Maitai of Southland (Benson), 128.  
 — *Xymene oliveri* classific. (Marwick), 199.  
 — Memorial Fund, state of, 1922 (Inst.), 737.  
 — — — Medal, award, 1923 (Inst.), 750; list of recipients, 787.
- Hutton Memorial Research Grant, application from P. Marshall (Inst.), 752; list of recipients, 787; report on grants for ten years ending 1923, 770.  
*huttoni, Aglaophenia.*  
 — *Anomia.*  
 — *Ataxocerithium.*  
 — *Cominella.*  
 — *Galaxias.*  
 — *Glycymeris.*  
 — *Haurakia.*  
 — *Micreschara (Macromphalina).*  
 — *Pecten.*  
 — *Plumularia.*  
 — *Polinices.*  
 — *Polynices.*  
 — *Serularia.*  
 — *Stereotheca.*  
 — *Surcula.*  
 — *Turridula.*  
 — *Uber.*  
*Hyalella*, differences from *Chiltonia* (Chilton), 272–73.  
*hyalina, Gonothyraea.*  
*hyalinus, Uromyces.*  
*Hyalospora* Magn., characteristics, &c. (Cunningham), 31.  
*Hydrammania (?) bicalycula* Coughtrey, syn., 243.  
 — *bicalycula* Farquhar, syn., 243.  
 "hydraulic limestone," characters (Bartrum), 141.  
 — — — composition and age (Marshall), 617.  
*Hydrobiella* n. g., in key, &c. (Tillyard), 286, 288.  
 — *stenocerca* n. sp., with pl. and figs. (Tillyard), 288–89.  
*Hydrobiosis* McL., in key, and charact. with fig. (Tillyard), 286–87.  
 — *frater* McL., genotype (Tillyard), 287.  
 — *ingenua* Hare, occ. (Tillyard), 287.  
 — *occulta* Hare, identity (Tillyard), 287.  
 — *stigma* Ulmer, occ. (Tillyard), 287.  
 — *umbripennis* McL., male wing-venat., with fig. (Tillyard), 287.  
*Hydrochorema* n. g., in key, &c. (Tillyard), 286, 292–93.  
 — *crassicaudatum* n. sp., with pl. and figs. (Tillyard), 293.  
 — *tenuicaudatum* n. sp., with pl. and figs. (Tillyard), 294–95.  
*Hydrodoidea* (Bale), 225.  
 — nomenclature (Bale), 226.  
 hydroids from N.Z. (Bale), 225.  
*Hydropiperis, Sphaelotheca.*  
 — *Uredo.*  
*hydropiperis, Ustilago.*  
*Hydropsyche* Pictet, occ. (Tillyard), 301.  
 — *auricoma* Hare, occ. (Tillyard), 301.  
 — *colonica* McL., occ. (Tillyard), 301.  
 — *fimbriata* McL., occ. (Tillyard), 301.  
 — *occulta* (Hare), occ. (not of g. *Hydrobosis*), (Tillyard), 301.  
 — *philpotti* n. sp., with pl. and fig. (Tillyard), 301–2.  
*Hydropsychidae*, key, &c. (Tillyard), 285.  
*Hydroptilidae*, N.Z. (Mosely), 670–73.  
 — key, &c. (Tillyard), 285, 300.

- Hyla aurea*, food of (Phillipps), 388.  
*Hylobia nigricans*, syn., 342.  
*Hymenophyllaceae* of N.Z. (Holloway), 67.  
*hymenophyllum*, *Leptopteris*.  
*Hymenophyllum-Armstrongii* T. Kirk, hab. (Holloway), 84.  
 —— occ. (Holloway), 74, 87.  
 —— *atrovirens* Col., a specialized form of *H. australe* (Holloway), 93.  
 —— *australe* Willd., occ. (Holloway), 79, 84, 87, 88, 89.  
 —— *bivalve* Sw., hab. (Holloway), 86.  
 —— occ. (Holloway), 74, 82, 87, 90, 91.  
 —— *ciliatum* Sw., single occ. (Holloway), 82.  
 —— *demissum* (Forst. f.) Sw., hab. (Holloway), 84, 86.  
 —— occ. (Holloway), 74, 78, 79, 82, 87, 90, 91.  
 —— occ. Banks Pen. (Laing & Wall), 439.  
 —— *dilatatum* (Forst. f.) Sw., hab. (Holloway), 84.  
 —— occ. (Holloway), 80, 87, 88, 89, 90, 91.  
 —— *ferrugineum* Colla, hab. (Holloway), 86.  
 —— occ. (Holloway), 80, 84, 87.  
 —— *flabellatum* Labill., hab. (Holloway), 84, 86.  
 —— occ. (Holloway), 74, 78, 82, 87, 89, 90, 91.  
 —— pendulous nature (Holloway), 82.  
 —— *Malingii* (Hook.) Mett., northern limit (Holloway), 88, 93.  
 —— occ. (Holloway), 80, 83, 87, 88.  
 —— *minimum* A. Rich., no record from N. Isld. (Holloway), 88.  
 —— occ. (Holloway), 78, 91, 93.  
 —— rel. to *H. tunbridgense*, &c. (Holloway), 93.  
 —— *multifidum* (Forst. f.) Sw., hab. (Holloway), 81, 84, 86, 92.  
 —— occ. (Holloway), 74, 75, 77, 78, 79, 82, 87, 89, 91, 92.  
 —— *peltatum* (Poir.) Desv., hab. (Holloway), 81.  
 —— northern limit of (Holloway), 93.  
 —— occ. (Holloway), 74, 78, 79, 82, 83, 88, 92.  
 —— *pulcherrimum* Col., occ. (Holloway), 74, 78, 84, 87, 88.  
 —— *rarum* R. Br., hab. (Holloway), 84, 86.  
 —— occ. (Holloway), 74, 80, 81, 82, 87, 91.  
 —— pendulous nature (Holloway), 82.  
 —— *rufescens* T. Kirk, occ. (Holloway), 86, 87, 88.  
 —— northern limit of (Holloway), 93.  
 —— specialized form of *H. flabellatum* (Holloway), 93.  
 —— *sanguinolentum* (Forst. f.) Sw., hab. (Holloway), 81, 84.  
 —— occ. (Holloway), 77, 78, 79, 81, 82, 87, 89, 91, 92.  
 —— *scabrum* A. Rich., hab. (Holloway), 84.  
 —— occ. (Holloway), 78, 84, 86, 87, 88, 89.  
 —— *tunbridgense* (L.) Smith, hab. (Holloway), 84, 86.  
 —— occ. (Holloway), 78, 79, 81, 82, 86, 89.  
 —— *villosum* Col., hab. (Holloway), 81, 86, 92.  
 —— northern limit of (Holloway), 93.
- Hymenophyllum villosum* occ. (Holloway), 74, 75, 77, 78, 79, 81, 82, 83, 87, 88, 91, 92.  
 —— specialized form of *H. sanguinolentum* (Holloway), 93.  
*Hyanthea asymmetrica* of Hilgendorf same as *Eucopella campanularia* (Bale), 227, 234, 235.  
 —— syn., 234.  
 —— *bilabiata* Hilgendorf, syn., 233.  
 —— Hilgendorf's account of (Bale), 235.  
*Hypericon japonicum* Thunb., host of *Aecidium disseminatum* (Cunningham), 47.  
*Hypodermin* Link., syn., 14.  
*Hypolepis distans* Hook., occ. Banks Pen. (Laing & Wall), 439.  
*Hypsipleura*, charact. (Trueman), 604.
- Ichneutica*, strigil, with fig. (Philpott), 221, 222.  
 —— *ceravunias* Meyr., strigil, fig. (Philpott), 221.  
 —— *dives* n. sp. (Philpott), 207.  
*Idia pristis* Lamouroux (Bale), 249.  
*Idiella pristis* Stechow, syn., 249.  
*idiogama*, *Borkhausenia*.  
 illustrations in *Trans. (Inst.)*, 733, 734.  
*imperfectus*, *Ficus*.  
 —— *Heliacus*.  
*imperforata*, *Collonista*.  
 —— *Pseudoliotia*.  
*impolita*, *Evalea*.  
*impressa*, *Estea*.  
*inca*, *Rissoina*.  
 incantation. See *karakia*.  
*incertus*, *Uber*.  
*incisa*, *Aglaphenia*.  
 —— *Gynophistia*.  
 —— *Histiopteris*.  
 —— *Plumularia*.  
*Incisia lytteltonensis* (Smith), occ. Taieri (Finlay), 517.  
*incisura*, *Monia*.  
*inclusa*, *Amphithalamus*.  
*inconspicua*, *Conomitra*.  
 —— *Mitra*.  
 "Inconstant," wreck (Baillie), 709.  
 incorporated societies, reports, 1922 (*Inst.*), 728, 733; disposal of revenue, 736.  
*incurva*, *Crepidula*.  
*Indenburg Riv.*, geol. phases (Benson), 114.  
*indivisa*, *Clematis*.  
 —— *Sertularella*.  
 Indo-Australian branch of Mediterranean orogen (Benson), 113.  
*inermis*, *Struthiolaria*.  
*inxpectata*, *Natica*.  
*infelix*, *Bela*.  
*infirmum*, *Sinum*.  
*inflata*, *Uredo*.  
*influenza*, Maori victims (Rangi Hiroa), 365.  
*ingenua*, *Hydrobia*.  
*Inglis*, J. K., research grant, 1923, 790.  
*Inglisella* n. gen. (Finlay), 513.  
 injecting trachea of insects (Kirk), 669.  
*Inoceramus*, occ. (Benson), 116.  
 —— occ. (Trueman), 601.  
*inquinatus*, *Lepidopteurus*.  
*insignis*, *Olearia*.

## General Index.

- insignis Ranunculus.*  
 — *Sertularia.*  
*insignitum, Austrotriton maorium* var.  
*integra, Sertularella.*  
*intercostale, Cymatium.*  
*interior, Cixius.*  
*intermedia, Dianella.*  
 — *Hemithaea.*  
*interrupta, Linemera.*  
*intracrassus, Polinices.*  
 — *Uber.*  
*intracincta, Capua.*  
*inundatus, Scirpus.*  
 Iredale, T., *Cymatium parthenopeum*, use of name (Finlay), 462.  
 — *Mayena*, use of name (Finlay), 462.  
 — *Rissoids*, classific. (Finlay), 480.  
 — shell-nomenclature, corrections (Finlay), 497.  
 — *Solariella*, species congen. (Finlay), 520.  
 — use of northern shell-genera for southern forms (Finlay), 489.  
*iredalei, Brookula.*  
 — *Lepidopleurus.*  
*irideus, Salmo.*  
*iridoxa, Charixena.*  
 — *Philothia.*  
*irirangi*, in song (Andersen), 699.  
*iris, Haliotis.*  
 — *Malpha.*  
 iron in plants at different seasons (Aston), 723.  
 — starvation, chemistry (Aston), 720.  
*ischna, Epigrus.*  
*Isoognomon zelandicum* (Sut.), prior to *Melina zelandica* (Finlay), 496.
- Jamdena, geol. phases (Benscn), 108.  
*janus, Cephanodes.*  
*japonicae, Uromyces Sophorae-*  
*japonicum, Hypericum.*  
 Java. See Malay Archipel.  
*Javana* var. *minor, Orthophragmina.*  
 Jensen, J. L., smut-prevention (Cunningham), 400.  
 — *Ustilago segetum*, subdiv. (Cunningham), 408.  
*Jensenii, Ustilago.*  
 jews'-harp. See *roria.*  
*jocosa, Porina.*  
*jogjakartae, Nummulites.*  
 Johnson, E. C. See Freeman, E. M., and Johnson.  
*christoni, Clytia.*  
 — *Sertularella.*  
 — *Sertularia.*  
 Joseph and Co., Wellington recla. (Baillie), 713.  
*josephinia, Neverita.*  
*juglandicola, Nidularia.*  
*juglandicolum, Crucibulum.*  
 "Jules Michelet," *Transactions* presented (Inst.), 727.  
*juncatum, Epilobium.*  
*juncitinea, Declana.*  
*Juncus prismatocarpus* R. Br., occ. Banks Pen. (Laing & Wall), 441.
- kaauaensis, Uber.*  
 Kae, beguiling of, with song (Andersen), 692.  
*kafa*, a Niuean belt (Rangi Hiroa), 350.  
*kai-karanga*, Maori crier (Andersen), 689.  
 Kaikoura Mts., strike (Benson), 129.  
*kaiparaense, Cymatium.*  
*kaiparaensis, Corbula.*  
 Kaiserin Augusta Riv., geol. phases (Benson), 114.  
 Kaiwara Crk., Hurunui, *Nautilus* (Marshall), 616.  
*kaiwheri*. See *Hedycarya arborea*.  
*kao*, brought to N.Z. (Rangi Hiroa), 348.  
 Kapiti Isld., report advisory comm. (Inst.), 730.  
*karakia* used in girding on belt (Rangi Hiroa), 346.  
 kareao (supplejack). See *Rhipogonum scandens*.  
*karetu*. See *Hierochloe redolens*.  
*karetu, Uredo.*  
 Karori Stream, wreck of "Maria" (Baillie), 705.  
 Kartigi beds, age (Finlay), 449.  
*Katosira obliquestriata* n. sp., with fig. (Trueman), 601.  
 Kaukapakapa, geol. (Bartrum), 139.  
*kawai*, strands of *tu-karetu* (Rangi Hiroa), 348.  
*kawaka*. See *Libocedrus Bidwillii*.  
*kawakawa*. See *Macropiper excelsum*.  
*kave* used as belt (Rangi Hiroa), 346.  
*kawekawe*, strands of *tu-karetu* (Rangi Hiroa), 348.  
 Kawerau, prehistoric tribe (Andersen), 696.  
*ka whati*, in song (Andersen), 699.  
 Kedong Valley, Nairobi, bush sickness in (Aston), 723.  
 Kei Islds., on geantilinal ridge (Benson), 103, 107, 108, 111-12.  
 Kellerman, W. A., and Swingle, W. T., classific. of *Ustilago Hordei* and *U. nuda* (Cunningham), 408.  
 Kelseys Valley, ferns in (Holloway), 79.  
 Kendall, W. C., food of trout (Phillipps), 389.  
 — and Goldsborough, E. L., food of rainbow trout (Phillipps), 388.  
 Kennard Bros., Queen's Wharf, Wellington, (Baillie), 718-19.  
 Kermadec Islds., climate and vegetation (Holloway), 89-90.  
 — plants are chance ocean-migrants, Cheesem. (Holloway), 90.  
 Kermadec-Tonga trench, the foredeep of Vitu Levu segment (Benson), 99.  
*kermadecensis, Cixius.*  
 — *Cyathea*.  
 kerosene for lighthouses (Baillie), 709.  
 Kesteven, H. L., *Astrotriton* group and *Cymatium parkinsonianum* (Finlay), 454.  
 kiekie root, binding of *putorino* (Andersen), 693 ; of *pumoana*, 696.  
 King Edward VII Land and Otago trend-lines (Benson), 132.  
 King Isld., Tasmania, bush sickness (Aston), 723.  
 kingfish, food value (Malcolm and Hamilton), 376.  
 Kirk, T., humidity of Auck. scoria land, 89.  
 — Hymenophyllaceae on Stewart Isld., 84.  
 — *Hymenophyllum villosum* and *H. ciliatum*, confusion of, 82.

- Kirkaldy, G. W., incl. of *Aka* and *Agandecca* in Poekillopteridae (Myers), 321 note.  
*kirki*, *Marginella*.  
*Kirkii Pou.*  
— *Senecio*.  
Kniep, H., germination of *Urocystis* (Cunningham), 430.  
*koanoa*, *Olivarus*.  
*koaro*. See *Galaxias huttoni*.  
*koauan*, making and playing of (Andersen), 694; historic instruments, 695.  
*Koeleria Kurtzii* Hack., occ. Banks Pen. (Laing & Wall), 440.  
Koernicke, species of *Phragmidium* (Cunningham), 24.  
*konae*, technique (Rangi Hiroa), 350.  
*koneke*, twist of thread (Rangi Hiroa), 350.  
*kopae*, *kopaepea*, technique (Rangi Hiroa), 350.  
*kopare*, a fillet (Rangi Hiroa), 344.  
*Koroana* n. gen., charact. of (Myers), 319.  
— in key (Myers), 317.  
— *arthuria* n. sp., with pl., hab., &c. (Myers), 316, 320.  
— *helena* n. sp., with pl. (Myers), 319.  
*koronae*, technique (Rangi Hiroa), 350.  
*koropae*, *koropaepea*, technique (Rangi Hiroa), 350.  
Korova Creek, geol. (Benson), 116.  
*koura*. See *Paranephrops planifrons*.  
*kowhai*, *Aecidium*.  
Kowhai Creek Gully, ferns in (Holloway), 78.  
*kowhiti*, plaiting-design (Rangi Hiroa), 347.  
*kowhuiwhui*, fire-fan (Rangi Hiroa), 354.  
*kuara*, sandal (Rangi Hiroa), 360.  
*Kurtzii*, *Koeleria*.  
*Kusanoi*, *Melampsora*.
- labellata*, *Natica*.  
*labiata*, *Cassidea*.  
*labiatum*, *Phalium*.  
— subsp. *pyrum*, *Phalium*.  
*lacustris*, *Phalaris*.  
*Laelia*, strigil, with fig. (Philpott), 220, 221.  
— *obsoleta* Fabr., strigil, with figs. (Philpott), 220, 221.  
*laeta*, *Lapothyra*.  
*laetum*, *Myoporum*.  
*laevigata*, *Schismope brevis* var.  
*Laevilitorina cystophora* n. sp., with figs. (Finlay), 523.  
— *micra* n. sp., with fig. (Finlay), 522.  
*laevis*, *Cyathus*.  
— *Drillia*.  
— *Natica*.  
— — *(Ampullina)*.  
— *Polinices*.  
*Lafoea scandens* Bale, syn., 235.  
*Lafoeidae* (Bale), 235.  
*lagenifera*, *Plumularia*.  
*Lahillia*, hist. remarks (Wilckens), 540.  
— *luisa* O. Wilck. sp., with pl. (Wilckens), 539.  
Laing, R., Armstrong's identifications, 80.  
— See also Cockayne, L., and R. Laing.  
*Lalandii*, *Seriola*.  
“Lambton Quay,” extent (Baillie), 710.  
*laminata*, *Lucinida*.
- lampas*, *Charonia*.  
— var. *euelia*, *Charonia*.  
*lanatus*, *Holcus*.  
*lanceolata*, *Orthophragmina*.  
*lanceolati*, *Gymnoconia Cirsii*.  
land claims, *ahi-ka-roa* in (Rangi Hiroa), 354.  
— in Wellington, prices (Baillie), 701, 710, 711, 712, 714.  
*Laomedea simplex* Lamouroux, syn., 236.  
*lapillosa*, *Gelechia*.  
*Laricis*, *Aecidium*.  
— *Peridermium*.  
*Lasiocampidae*, strigil (Philpott), 220.  
*Lasiocampoidea*, strigil (Philpott), 220.  
*lata*, *Pinna*.  
*lateapertus*, *Uber* (*Euspira*).  
*latecostata*, *Alectron*.  
*latifolia*, *Anisotome*.  
Latimodjong Range, vulcanism (Benson), 108.  
*Latirus brevirostris* (Hutt.), Suter's *Merica* (*Aphera*) n. sp. a juvenile of (Finlay), 496.  
*latisulcatus*, *Otolithus* (*Citharus*).  
*latomana*, *Cnephasia*.  
*laxa*, *Aglaophenia*.  
*laxus*, *Thecocarpus*.  
leaf-mining insects (Watt), 327, 674.  
*Lecythea* Lev., syn., 14.  
*Leda* should be *Nuculana* (Finlay), 497.  
— *bellula*. See *Nuculana bellula*.  
leggings, Maori (Rangi Hiroa), 360.  
*legrandi*, *Solecurtus*.  
Leguminosae, hosts of *Aecidium kowhai* (Cunningham), 35.  
— *Uromyces Edwardsiae* (Cunningham), 392.  
Lendenfeld, R. von, descrip. of *Silicularia campanularia* (Bale), 235.  
*lennoxensis*, *Campanularia*.  
*lentisfera*, *Cyathia*.  
Leonard Darwin, Mt., geol. (Benson), 118.  
*Leperina sobrina* White, with pl. (Hudson), 341.  
*Lepidocyclina*, occ. (Benson), 117.  
*Lepidopleurus inquinatus* See *L. iredalei*.  
— *iredalei* Ashby [*L. inquinatus*], occ. Target Gully (Finlay), 496.  
*Lepidoptera*, N.Z. (Meyrick), 202, 661.  
— — (Philpott), 207, 663.  
— tibial strigil (Philpott), 215-24.  
*lepidus*, *Xymene*.  
— *Zymene*.  
*Lepsiella scobia* (Q. & G.), occ. Dunedin (Finlay), 518.  
Leptoceridae, key, &c. (Tillyard), 285, 306.  
*Leptopteris hymenophylloides* (A. Rich.), Presl. occ. (Holloway), 78, 84, 86.  
— *superba* (Col.) Presl., occ. (Holloway), 84, 86.  
*leptostachya*, *Uncinia*.  
*Leptothyra fluctuata* (Hutt.), an *Argalista*, not *Tiburnus* (Finlay), 497.  
— *laeta* Montrouzier, a *Collonista* (Finlay), 497.  
— *picta* Pease, a *Collonista* (Finlay), 497.  
*Lestes colensonis*, trout-food (Phillipps), 383.  
*lesterata*, *Tatosoma*.  
*Lesuerii*, *Cyathus*.  
*Leto staceyn*, no strigil (Philpott), 218.  
*Letti*, geol. phases (Benson), 103, 104.

- Leucosyrinx alta* (Harris), occ. Ardgowan (Finlay), 509.  
 —— subsp. *transenna* Sut., a *Bathytoma* (Finlay), 503.  
 —— *subalta* M. & M., incl. in *Parasyrinx* (Finlay), 514.  
 —— *transenna* Sut., type of *Cryptomella* (Finlay), 516.  
*Levat*, geol. (Benson), 121.  
*levifolia*, *Lucinida*.  
*Levinsen*, G. M. R., divisions of *Sertulariidae* (Bale), 236.  
*levis*, *Tilletia*.  
 —— *Ustilago*.  
 —— *Avenae* var.  
*Libellula pulchella*, food of (Phillipps), 389.  
*Libertia grandiflora* Sweet, not on Banks Pen. (Laing & Wall), 444.  
*Libocedrus Bidwillii* Hook. f., in Westland (Holloway), 72.  
 —— northern limit the same as for *Hymenophyllum Malingii* (Holloway), 88.  
 library of Inst. See N.Z. Inst.  
*Liebenberg*, von, *Tilletia* spores, viability of (Cunningham), 426.  
 —— *Ustilago Avenae*, spores of (Cunningham), 406.  
 life-histories, N.Z. insects (Hudson), 341.  
 lighthouse, Wellington, first (Baillie), 703, 705.  
 lights. See harbour-lights.  
*Ligusticum latifolium* Hook. f. See *Anisotome latifolia*.  
*Liliaceae*, hosts of *Uredo Dianellae* (Cunningham), 42.  
 —— *Urocystis* (Cunningham), 429.  
 —— *Ustilago* (Cunningham), 404.  
*liliana*, *Tellina*.  
*lilicina*, *Uredo*.  
*Lima*, occ. (Marsh. & Murd.), 156.  
 —— *bullata* Born, occ. Awamoa (Finlay), 511.  
 —— *colorata* Hutt., occ. Awamoa (Finlay), 511.  
 —— *mestayerae* n. sp., with pl. (Marwick), 192.  
 —— *paleata* (Hutt.), occ. (Marsh. & Murd.), 156.  
*Limacodidae*, no strigil (Philpott), 220.  
*limbata*, *Dardanula*.  
*Limea transenna* Tate, occ. Ardgowan (Finlay), 509.  
*Limnephila nigrocincta* Edwards, syn., 653.  
*Limnophilella serotina* (Alexander), desc. of male, with fig. (Alexander), 654.  
*Limopsis catenata* Sut., juvenile of *L. zitteli* Iher (Finlay), 498.  
 —— *zealandica* Hutt. [*L. aurita* Brocchi], occ. Awamoa (Finlay), 511.  
 —— *zitelli* Iher, occ. Ardgowan (Finlay), 509.  
 —— occ. (Marsh. & Murd.), 156.  
*Linaceae*, hosts of *Melampsora Lini* (Cunningham), 27.  
 Lincoln, mean rainfall, 1911–20 (Holloway), 70.  
*linctum*, *Vexillum*.  
*Lindera tessallatella* Blanch. (Philpott), 214.  
*Lindsay*, *Poa*.  
*Linemera*, n. gen., charact. (Finlay), 483.  
 —— in group (Finlay), 481; in key, 493.  
 —— *awamoaensis* n. sp., with fig. (Finlay), 485; in key, 493.  
*Linemera, interrupta* nom. nov. (*Rissoa gradata* Hutt.), charact. (Finlay), 483.  
 —— Finlay, in group (Finlay), 481; in key, 493.  
 —— *minuta* n. sp., with fig. (Finlay), 483; in key, 493.  
 —— *pingue* (Webster), rel. to *L. minuta* and *L. interrupta* (Finlay), 484.  
 —— *pukeuriensis* n. sp., with fig. (Finlay), 484; in key, 493.  
*lineolata*, *Gari*.  
 —— *Psammobia*.  
*linguatula*, *Citharus*.  
*Lini*, *Melampsora*.  
 —— *Podocystis*.  
 —— *Podosporium*.  
 —— *Uredo*.  
*liniperda*, *Melampsora*.  
*Linum monogynum* Forst., host of *Melampsora Kusanoi* (Cunningham), 28.  
 —— var. *chathamicum* Cockayne, host of *Melampsora Kusanoi* (Cunningham), 28.  
*Liotaella* and *Brookula*, relations (Finlay), 526.  
 —— *polypleura* (Hedley), prob. ident. with *Brookula funiculata* (Finlay), 529.  
*Liottiidae* in N.Z. Tertiary (Finlay), 526.  
*Liparidae*, strigil, with figs. (Philpott), 220, 221.  
*Lipophleps*. See *Genomyia* (*Lipophleps*).  
*litara*, *Struthiolaria*.  
*Lironoba*, in group (Finlay), 481; in key, 493.  
 —— *charassa* n. sp., with fig. (Finlay), 486; in key, 493.  
 —— *polyvincta* n. sp., with fig. (Finlay), 485; in key, 493.  
 —— *suteri* (Hedley), in group (Finlay), 481.  
 —— rel. to *L. polyvincta* (Finlay), 485–96.  
*Lissospira corulata* (Hutt.), incl. in *Brookula Iredale* (Finlay), 526.  
 —— *exigua* Sut., a *Lissotesta* congen. with *L. micra* (Finlay), 497.  
*Lithoconus abruptus*. See *Conus*.  
 —— *dennanti*. See *Conus*.  
 —— *triangularis*. See *Conus*.  
*Lithothamnium nummuliticum*, occ. (Benson), 125 note.  
*litoralis*, *Griselinia*.  
*Lloyd*, C. G., fibrils of *Nidula emodensis* (Cunningham), 62.  
*lobatus*, *Uher*.  
*Lomas*, E. K., research grant, 1923, 790.  
 Lombok, on geanticinal ridge (Benson), 102.  
*longicornis*, *Montaguia*.  
*longicosta*, *Sertularia*.  
*longifolia*, *Celmisia*.  
*longissima*, *Hamaspora*.  
*longissimum*, *Phragmidium*.  
*Lord Howe Isld.*, geol. (Benson), 127.  
*Lorica haurakiensis* Mestayer, occ. Taieri (Finlay), 517.  
*Loripes* should be *Lucinida* (Finlay), 497.  
*Louisiana Islds.*, geol. (Benson), 113, 118, 119.  
*Loyalty Islds.*, geol. (Benson), 118, 123.  
*lucida*, *Carex*.  
 —— *Metrosideros*.  
 —— *Nepticula*.  
*Lucilia* Linné, in key (Malloch), 638.  
 —— *caesar* Linné, the only sp. (Malloch), 639.

- Lucinida concinna* (Hutt.) [*Loripes*], occ. Ard-gowan (Finlay), 509.  
 —— *dispar* (Hutton), with pl. (Marwick), 193.  
 —— *laminata* (Hutt.) [*Loripes*], occ. Awamoia (Finlay), 511; Pukeuri, 508.  
 —— *levifolata* Marshall and Murdoch, syn., 193.  
*luisa*, *Lahillia*.  
*Lunatia* Gray, syn., 568.  
 —— *australis* Hutt., syn., 552.  
 —— *suturalis* Hutt., syn., 557.  
 —— *vitrea*, syn., 570.  
*lutea*, *Alcithaea*.  
 —— *Venericardia*.  
*Luzula crinita* Hook. f., host of *Uredo antarctica* (Cunningham), 47.  
*Lyallia*, *Olearia*.  
 —— *Ranunculus*.  
 —— *Senecio*.  
 —— *Trichomanes*.  
 Lyell, W., asst. lighthouse-keeper, Wellington (Baillie), 708.  
*Lyria zelandica* n. sp., with pl. (Finlay), 470.  
*Lytocarpus phoenicius*, rel. to *Thecocarpus chiltoni* (Bale), 262–63.  
 —— *secundus* Allman, syn., 263.  
 Lyttelton Wharf, Wellington (Baillie), 714.  
*lytteltonensis*, *Incisura*.  
 —— *Myosotis australis* var.
- McAlpine, D., effect of smut on egg-laying (Cunningham), 425.  
 —— *Aecidium monocystis*, on host of (Cunningham), 47.  
 —— *Phragmidium* spp. (Cunningham), 24.  
 —— rusts, occ. of (Cunningham), 8.  
 —— *Ustilago bromivora*, control (Cunningham), 412.  
*mc callumii*, *Sertularia*.  
 McCarthy, D., first Government pilot, Wellington (Baillie), 705.  
 MacCluer Gulf, geol. phases (Benson), 114.  
*maccoyi*, *Typhis*.  
 Macfarlane Str., coal area (Speight), 619; glaciation in, 624.  
*McKays*, *Terebellina*.  
 McLaggan and Thompson, contractors, Queen's Wharf, Wellington (Baillie), 716.  
*macleayanus*, *Papilio*.  
*Macoma edgari* Iredale [*Tellina glabrella*], occ. Ardgowan (Finlay), 510; Awamoia, 511; Pukeuri, 508.  
 —— rel. to *M. robini* (Finlay), 474.  
 —— *robini* n. sp., with pl. (Finlay), 474.  
 Macquarie Isld., no woody plants on (Holloway), 92.  
*Macrocallista*, occ. (Marsh. & Murd.), 156.  
*macrocarpa*, *Odontotheca*.  
 —— *Sertularia*.  
*macrodonta*, *Olearia*.  
*Macrodonae*, *Aecidium*.  
*macrogona*, *Orthopyxis*.  
*Macromastix submontana* Edwards, desc. of male, (Alexander), 659.  
*Macrompalina* Cossman, charact. (Marwick), 577.  
*Macromphalina*. See *Microschara* (*Macromphalina*).
- Macropiper excelsum*, host of *Cixius kermadecensis* (Myers), 319.  
*macrotrema*, *Natica*.  
*Macrurus*. See *Otolithus* (*Macrurus*).  
*Macra diacons* Gray, occ. Awamoia (Finlay), 511; Pukeuri, 508.  
 —— *ovata* var. *rudis* Hutt., occ. Dunedin (Finlay), 517.  
 —— *scalpellum* Reeve, occ. Awamoia (Finlay), 511; Pukeuri, 508.  
 —— occ. (Marsh. & Murd.), 156.  
*maculata*, *Calyptrea*.  
 Madang (Friedrich Wilhelm Hafen), geol. (Benson), 117.  
*maesta*, *Natica*.  
*Majadina browni* Thomson, similar to *M. clifdenensis* (Finlay), 532.  
 —— *clifdenensis* n. sp., with fig. (Finlay), 532.  
 —— *thomsoni* n. sp., with fig. (Finlay), 533.  
*magellanicum*, *Taraxacum*.  
*magna*, *Dosinia*.  
*Magnatica* n. subg. (Marwick), 553; in key, 548, 554; range, 546.  
 —— See also *Natica* (*Magnatica*).  
*Magnisiana*, *Puccinia*.  
 Mair, G., notes on *kouau* (Andersen), 694–95; on *nguru*, 695; on *pahu*, 690–91; on the *pakuru*, 691, 692; on the *pukaea* or *pumoana*, 696; on the *putara*, 696; on the *putorino*, 693.  
*maire*. See *Olea Cunninghamii*.  
 Maitai series, range of (Benson), 128.  
*major*, *Anauropsella*.  
 —— *Nucleopsis*.  
*Malaita*, geol. (Benson), 121.  
*Malay Archipel.*, geol. formation (Benson), 101–2, 107.  
 —— Wallace's biological division also tectonic (Benson), 99.  
*Malingii*, *Hymenophylleum*.  
*Malletia australis* (Q. & G.), occ. Awamoia (Finlay), 511.  
 —— occ. (Marsh. & Murd.), 156.  
*Maltobathra fenwicki* n. sp. (Philpott), 214.  
 —— *strigulata* n. sp. (Philpott), 214.  
*Malpha* n. gen., charact. (Myers), 322.  
 —— in key (Myers), 317.  
 —— *cockrofti* n. sp. (Myers), 323.  
 —— *duniiana* n. sp., with pl. (Myers), 323.  
 —— *iris* n. sp. (Myers), 323.  
*Malvern Hills* coal area (Speight), 619.  
 —— Senonian fossils (Wilckens), 539.  
*mamaru*, technique (Rangi Hiroa), 360.  
*Mamberamo Riv.*, in geol. phases (Benson), 114.  
*Mamilla*. See *Natica* (*Mamilla*).  
*Mamma*. See *Polinices* (*Mamma*).  
*mammilla*, *Nerita*.  
*Mangarua Creek* fossils (Truemar), 601.  
*Mangilia morganii* n. sp., with pl. (Marwick), 201.  
*Manipa* Is., geol. phases (Benson), 105.  
 —— Str., geol. features (Benson), 105, 110.  
*Maori* basketry and plaitwork (Rangi Hiroa), 344.  
 —— extinction (Rangi Hiroa), 362–75.  
 —— intermixing with whites (Rangi Hiroa), 373.  
 —— modernization (Rangi Hiroa), 367–68.  
 —— music (Andersen), 689.  
 —— population (Rangi Hiroa), 363.  
 —— proverb on *roria* (Andersen), 689.

- Maori saying, by slighted *rangatira* (Rangi Hiroa), 354.  
 —— of gesture in song (Andersen), 699;  
 of *te reo irirangi*, 699.
- mauria*, *Natica*.
- maorianus*, *Pleurodon*.
- maorium*, *Admete*.  
 —— *Astrotriton*.  
 —— *Columbarium*.  
 —— var. *insignitum*, *Astrotriton*.
- Maorivictia* n. gen. (Finlay), 513.
- map of N.Z., contoured topographical (Inst.), 757.
- Maps—
- Botany—
    - N.Z. biol. region (Holloway), 68.
    - N.Z. botan. dists., proposed (Holloway), 85.
    - Outlying mountain region (Holloway), 76.
  - Geology—
    - E. Indies and N. Guinea, bathymetric (Benson), 100.  
 —— &c., tectonic features (Benson), 100.
    - Malvern Hills, main fault-lines (Speight), 620.
    - Pacific, S.W., bathymetric and structural (Benson), 122.
    - Riverhead-Kaukapakapa dist. (Bartrum), 140.
  - Meteorology—
    - Rainfall of S. Island, N.Z. (Holloway), 73.
  - Statistics—
    - Maori populn., density (Rangi Hiroa), 372.
    - Marangaranga, Te, prehistoric tribe (Andersen), 696.
    - marata*, *Clematis*.
    - Maré Isld., geol. (Benson), 123.
    - Marett, R. R., influences on evolution (Rangi Hiroa), 369.
    - Margarella decepta* Iredale, occ. Taieri (Finlay), 517.
    - marginalis*, *Cixius*.  
 —— *Oliarus*.
    - Marginella allporti* Ten.-Woods allied to *M. cairoma* (Brookes), 154.  
 —— (*Glabrella*) *brevispira* n. sp., with pl. (Marwick), 201.  
 —— *cairona* n. sp., with pl. (Brookes), 154.  
 —— *fraudulenta* Sut., occ. Ardgowan (Finlay), 510.  
 —— *kirki* Marwick, rel. to *M. brevispira* (Marwick), 201.
    - "Maria," wreck, Wellington (Baillie), 705.
    - Markham Riv., in geological phases (Benson), 114.
    - Marmorostoma*. See *Turbo* (*Marmorostoma*).
    - Marsden, E., research grant, 1923, 790.
    - Marshall, P., Clifden and other beds, correl. (Finlay & McD.), 534-35 and note.  
 —— Hampden beds, age (Finlay), 448.  
 —— Hokonui schists metamorphosed grey-wacke (Benson), 129.  
 —— Hutton grant (Inst.), 752, 765.  
 —— research grant, 1923, 790.  
 —— and Murdoch, R., *Rissoina obliquecostata*, identity (Finlay), 490.
    - Marshall Islands, sails (Rangi Hiroa), 360.
- marshalli*, *Chione*.  
 —— *Conchothyra*.  
 —— *Pugnellus*.  
 —— *Venericardia* (*Pleuromeris*).  
 —— *Verconella*.
- Maruiwi. See *Te Heke o Maruiwi*.
- Marwick, J., *Ataxocerithium huttoni*, locality (Finlay), 477.  
 —— *Barytellina*, n. gen. (Finlay), 474.  
*marwicki*, *Calliostoma*.  
 —— *Cymatium*.
- Massee, —, species of *Phragmidium* (Cunningham), 24.
- matai*. See *Podocarpus spicatus*.
- Mattheusii*, *Senecio*.
- Maungapohatu, war-gong (Andersen), 691.
- maurea*. See *Carex lucida* and *C. comans*.
- mawhiti*, plaiting-design (Rangi Hiroa), 347.
- Mawson, D., New Hebrides, geol. (Benson), 121.
- maximus*, *Megalatractus*.
- May, W. L., *Mayena*, use of name (Finlay), 462.
- Maydis*, *Ustilago*.
- Mayena*, in key (Finlay), 463.  
 —— use of name (Finlay), 462.  
 —— *australasia* (Perry), classific. (Finlay), 462.  
 —— —— in key (Finlay), 464.  
 —— —— not fossil in Aust. (Finlay), 465.
- Mecorchesia brevicornis* Broun, with pl. (Hudson), 342.
- media*, *Stellaria*.  
 —— *Struthiolaria*.
- mediterranea*, *Sertularia*.
- medullaris*, *Cyathea*.
- Megalatractus maximus* (Tryon), is *Verconella dilatata* Q. & G. (Finlay), 501.
- Megatylotus*. See *Ampullina* (*Megatylotus*).
- mekameka*, plait of fillet (Rangi Hiroa), 344.
- Melampelta cingulata*, trout-food (Phillipps), 385.
- Melampsora Castagne* (Cunningham), 26.  
 —— *Caeoma* in cycle of (Cunningham), 32.  
 —— *betulina* Tul., syn., 29.  
 —— *liniperda* Koern., syn., 27.  
 —— *Kusanoi Dietel* (Cunningham), 27.  
 —— *Lini Desmazieres*, with fig. and pl. (Cunningham), 27.  
 —— *pustulata* Schroet., syn., 30.
- Melampsoraceae*, charact. (Cunningham), 26.  
 —— hosts of *Uredo* (Cunningham), 40.
- Melampsoridium Klebahn*, characteristics (Cunningham), 28; in key, 26.  
 —— *Betulae Arth.*, syn., 29.  
 —— *betulinum* Klebahn, with fig. (Cunningham), 29.  
 —— *Peridermium* in cycle of (Cunningham), 32.
- Melanchra agorastis* Meyr., strigil, with fig. (Philpott), 221.  
 —— *distracta* n. sp. (Meyrick), 202.  
 —— *furtiva* n. sp., with fig. (Philpott), 663.  
 —— *mutans* (Walk.), diff. from *M. furtiva* (Philpott), 664.
- Melanchrinae*, strigil, with fig. (Philpott), 220.
- melanombra*, *Apatebris*.  
 —— *Epiphthora*.
- melanosperma*, *Cyathia*.  
 —— *Nidularia*.
- melanospermus*, *Cyathus*.

- Melicope ternata* Forst., not on Banks Pen. (Laing & Wall), 438.  
*Melicytus micranthus* Hook. f. var. *microphyllus* Cheesem., occ. Banks Pen. (Laing & Wall), 441.  
*Melina zelandica* Suter, occ. Target Gully (Finlay), 496.  
 —— should be *Ieognomon zealandicum* (Sut.), (Finlay), 496.  
 melody, old and new (Andersen), 698.  
 Mentawai Group on anticlinal ridge (Benson), 102.  
*Menziesii*, *Nothofagus*.  
 Mercer St., formerly "College Lane" (Baillie), 711.  
*Merelina*, absent from N.Z. Tert. (Finlay), 482.  
 —— in group (Finlay), 481; in key, 493.  
*cheilostoma* (Ten.-Woods), in group (Finlay), 481.  
 —— *sculptilis* May, rel. to *Linemera* (Finlay), 483.  
*Mericia* n. spp. of Suter. See *Admete maorium* and *A. suteri*.  
 —— (*Aphera*) n. sp. of Suter. See *Latirus brevirostris*.  
 —— *wannanensis* (Tate), rel. to *Trigonostoma waikaiensis* (Finlay), 466.  
*meridionalis*, *Chione*.  
*Merluccius*. See also *Otolithus* (*Merluccius*).  
 —— *vulgaris* charact. (Frost), 609.  
*Mesalia striolata* (Hutt.), occ. Ardgowan (Finlay), 510; Pukeuri, 508.  
 —— varying form (Finlay), 508.  
*Mesozoic* gasteropods, classific. (Trueman), 604.  
 —— rocks, Malay Archipel. (Benson), 101.  
 Mestayer, M., Hutton research grant (Inst.), 734., 765.  
*mestayerae*, *Lima*.  
*Metacassis*, charact. (Gahan), 687.  
*Metacrias*, strigil (Philpott), 222.  
 —— *erichrysa* Meyr., strigil, fig. (Philpott), 221.  
*Metamimas australasiae* Don., strigil, with pl. (Philpott), 222.  
 meteorology, as affecting fern-growth (Holloway), 68.  
 meteorology—  
 climate, Canterbury, outlying mountains (Holloway), 76–77.  
 —— Waimate (Holloway), 76–77.  
 rainfall, Cass (Holloway), 75.  
 —— Dunedin (Holloway), 83.  
 —— Hokitika and Lincoln (Holloway), 70.  
 —— map of S. Isld., N.Z., 73.  
 —— Midland Railway tunnel (Holloway), 71–72.  
 —— Nelson (Holloway), 87.  
 —— Reefton (Holloway), 86.  
 —— Stewart Ild. (Holloway), 84.  
 —— and climate, Auckland City (Holloway), 89.  
 —— —— Auckland Islds. (Holloway), 91.  
 —— —— Chatham Islds. (Holloway), 90–91.  
 —— —— Raoul (Kermadec Islds.), (Holloway), 90.  
*Metrosideros lucida* (Forst. f.) A. Rich., in Westland (Holloway), 72.  
 —— *villosa* Smith, *Hymenophyllum flabellatum* on (Holloway), 90.
- micans*, *Notosetia*.  
*micra*, *Laevilitiorina*.  
*micranthus* var. *microphyllus*, *Melicytus*.  
*Mireschara* Cossman, charact. (Marwick), 577.  
 —— (*Macromphalina*) *huttoni* n. mut., with pl. (Marwick), 578.  
 —— —— *auriformis* n. sp., with pl. (Marwick), 578.  
*microcarpa*, *Nidula*.  
 —— var. *rugispora*; *Nidula*.  
*microgna*, *Sertularella*.  
*microphylla*, *Acaena*.  
*microphyllum*, *Geranium*.  
*microphyllus*, *Melicytus micranthus* var.  
*Micropterygidae*, strigil, with figs. (Philpott), 216.  
*microspora*, *Ustilago*.  
 Midland Railway tunnel, rainfall (Holloway), 71–72.  
*miersii*, *Montaguana*.  
 —— *Montaguana*.  
 —— *Probolium*.  
 —— *Stenothoe*.  
*mihiwaka*, *Chiltonia*.  
*Milesina Magnus*, characteristics (Cunningham), 30; in key, 26.  
 —— *Histiopteridis* n. sp., with fig. and pl. (Cunningham), 31, 52.  
*Miliu*, *Tilletia*.  
*Miliola* (*Pentellina*), occ. (Benson), 125 note.  
 milk, iron in various kinds (Aston), 722.  
*Milleri*, *Aecidium*.  
 Milne, J. A., deterioration of trout (Phillipps), 390–91.  
*mimicum*, *Psiloclochorema*.  
*miniatia*, *Uredo*.  
*miniatum*, *Caeoma*.  
*minima*, *Odontotheca*.  
 —— *Sertularella*.  
 —— *Venericardia*.  
*minimum*, *Astrotriton*.  
 —— *Cymatium*.  
 —— *Hymenophyllum*.  
*minor*, *Belophos*.  
 —— *Estea*.  
 —— *Monalaria*.  
 —— *Orthophragmina javana* var.  
 —— *Struthiolaria*.  
*minuta*, *Linemera*.  
*miocaenica*, *Ampullina*.  
*miocaenicum*, *Globisimum*.  
 —— *Sinum*.  
*miocaenus*, *Otolithus* (*Elops*).  
*Miodonticus*. See *Venericardia* (*Miodonticus*) *minima*.  
*Miolania*, occ. (Benson), 124, 127.  
*Miomelon parki* (Sut.), not syn. of *M. corrugata* (Hutt.), (Finlay), 502.  
*mirabilis*, *Struthiolaria*.  
*miraculosa*, *Ochetarcha*.  
*miro*, twist of thread (Rangi Hiroa), 350.  
 miscegenation of Maori and white (Rangi Hiroa), 373–74.  
*misera*, *Rissoa*.  
 Misol, geol. phases (Benson), 104, 106, 113.  
 Misol-Obi-Sula chain of islands, Tertiary rocks (Benson), 105.  
 Misotti, geol. (Benson), 116.

- missouriensis*, *Puccina*.  
*mitocera*, *Oncopera*.  
*Mitra alokiza* T.-Woods, allied to *M. eusulcata* (Finlay), 469.  
— *armorica*, ident. by Suter (Finlay), 468.  
— — *Sut.*, syn., 467.  
— — not at Target Gully (Finlay), 498.  
— — *elatoir* n. sp., with pl. (Finlay), 469.  
— — *eusulcata* n. sp., with pl. (Finlay), 468.  
— — *inconspicua* Hutton, syn., 468.  
— — *multisulcata* Harris, allied to *M. eusulcata* (Finlay), 469.  
*mixta*, *Haurakia*.  
*Mnesarchaeidae hemadelphe* Meyr., strigil, fig. (Philpott), 217.  
— *similis* n. sp., with fig. (Philpott), 667.  
*Mnesarchaeidae*, strigil, with figs. (Philpott), 216.  
*modestus*, *Uber*.  
*Modiolus australis* (Gray), occ. Target Gully doubtful (Finlay), 497.  
*Moehau*, Te, Mount, ferns on (Holloway), 88.  
*Moeller*, A., classific. of smuts (Cunningham), 401.  
*Moeraki beds*, age (Finlay), 449.  
*Molengraaff*, G. A., Java, anticlinal ridge S.W. of (Benson), 102 note.  
— Malay Archipel. submergence (Benson), 101.  
— — — tectonics (Benson), 111.  
*Mollusca*, Tertiary, stratigraphical range of *Struthiolariidae* (Marwick), 171–72.  
*molluscan fauna* of N.Z., gradual development (Finlay & McD.), 537 and note.  
— — Recent (Finlay), 517–26.  
*Molophilus cruciferus* Alexander, desc., with fig. (Alexander), 648.  
— *multicinctus* Edwards, desc., (Alexander), 648.  
— *parvulus* Alexander, desc., with fig. (Alexander), 649.  
— *philpotti* Alexander, desc., with fig. (Alexander), 650.  
— *pulcherrimus* Edwards, desc., with fig. (Alexander), 649.  
*Molucca Islds*, geol. (Benson), 123.  
*moluccanus*, *Rubus*.  
*Monalaria* n. g., in classific. (Marwick), 162, 163, 173.  
— affin. to *Conchothyra* (Marwick), 171.  
— *concinna* (Suter), with fig. and pl. (Marwick), 164, 165, 173.  
— — group diag. (Marwick), 168.  
— — stratigraphical range (Marwick), 172.  
— *minor* (Marshall), in classific., with pl. (Marwick), 164, 165, 174.  
— — affin. to *Conchothyra marshalli* (Marwick), 171.  
— — group diag. (Marwick), 168.  
— — stratigraphical range (Marwick), 172.  
*Monia incisa* (Hutt.) [Placunonomia], occ. Awamoa (Finlay), 511; Pukeuri, 508.  
— — the only valid sp. (Finlay), 506.  
*monilifera*, *Selaginopsis*.  
— *Sertularia*.  
— *Struthiolaria*.  
— *Struthiolaria cingulata* subsp.  
— *Thuiaria*.  
*monoculoides*, *Bovallia*.  
— *Eusirodes*.
- monocystis*, *Aecidium*.  
*Monodontia coracina* (Troschel), occ. Target Gully doubtful (Finlay), 497.  
*monogynum*, *Linum*.  
*Monomorium* sp. and plant-hoppers (Myers), 316.  
*monospilalis*, *Alucita*.  
*monoxyla*, *Crepidula*.  
*Montaguia longicornis* Haswell, syn., 270.  
— *miersii* Haswell, syn., 270.  
*Montaguana miersii* Chilton, syn., 270.  
*montana*, *Astelia*.  
— *Trophobiosis*.  
*Monumbo* (Potsdamhafen), geol. (Benson), 117.  
*Morgan*, P. G., Kaikoura Mts., strike of (Benson), 129.  
*morgani*, *Mangilia*.  
*morganianum*, *Dentalium*.  
*moseleyi*, *Zelandoptila*.  
*Moser*, T., sound of calabash-trumpet (Ander- sen), 689.  
*mosses*, N.Z., printing Dixon's bull. (Inst.), 728.  
*Mougeotia*, trout-food (Phillipps), 386.  
*mountain southern-beech*. See *Nothofagus cliffortioides*.  
*mountain-totara*. See *Podocarpus Hallii*.  
*mouse-ear chickweed*. See *Cerastium vulgatum*.  
*mucronata*, *Aregma*.  
— *Earina*.  
*mucronatum*, *Phragmidium*.  
*mucronatus*, *Uber*.  
*Muehlenbeckia axillaris* (Hook. f.) Walp., host of *Puccinia tiritea* (Cunningham), 394.  
— *ephedrioides* Hook. f., occ. Banks Pen. (Laing & Wall), 441.  
*Muir*, F., *Cixiidae*, key (Myers), 317.  
— *Cixius interior*, desc. (Myers), 318.  
— — *punctimargo*, desc. (Myers), 318.  
— — *rufifrons*, desc. (Myers), 319.  
*muiri*, *Malpha*.  
*muka* used for belt (Rangi Hiroa), 348.  
*Mulder*, J. F., and Trebilcock, R. E., varieties of *Sertularia minima* (Bale), 249.  
*multicinctus*, *Molophilus*.  
*multifidum*, *Hymenophyllum*.  
*multinoda*, *Plumularia*.  
*multinodis*, *Festuca*.  
*multiple*, *Drillia*.  
*multiplicata*, *Orthophragmina*.  
*multisulcata*, *Mitra*.  
*Municipal Corporations Act*, 1842, reasons why disallowed (Baillie), 707–8.  
*Murdoch*, R., resol. of sympathy (Inst.), 753.  
— See also Marshall, P., and Murdoch.  
*murdochi*, *Trophon*.  
*Murex angasi*, a *Pteronotus* (Finlay), 497.  
— *australis* Gmelin, syn., 187.  
— — *octogonus* Q. & G., a *Hexaplex* (Finlay), 497.  
— — *pes-struthiocamelii* Chemnitz, syn., 180.  
— — *stramineus* Gmelin, syn., 180.  
— — *zelanicus* Q. & G., occ. Ardgowan (Finlay), 510; Pukeuri, 508; Target Gully, 496.  
“Murirangaranga, Te,” the *koauau* of Tutanekai (Andersen), 695.  
*Murua*. See Woodlark Isld.  
*Musculus barbatus* (Reeve), occ. Taieri, &c. (Finlay), 517.  
*music*, Maori (Andersen), 689.  
*Mussau*. See St. Matthias Isld.

- mutabilis*, *Otolithus* (*Trachinus*).  
*mutans*, *Melanachra*.  
 Muttikowski, R. A., the term "allotype" (Alexander), 643.  
 Myers, J. G., Hamilton prize (Inst.), 750.  
 — research grant, 1923, 790.  
*myersii*, *Paragus*.  
*Mytilia finlayi* n. sp., with pl. (Marwick), 194.  
*Myndus radicis*, hab. (Myers), 316.  
 Myoporaceae, hosts of *Aecidium Myopori* (Cunningham), 35.  
*Myopori*, *Aecidium*.  
*Myoporum laetum* Forst. f., host of *Aecidium Myopori* (Cunningham), 36.  
*Myosotis australis* R. Br. var. *lytteltonensis* var. nov., with fig. (Laing & Wall), 442.  
 — *capitata* Hook. f., host of *Puccinia novozelandica* (Cunningham), 46.  
*Myriophyllum elatinooides*, trout-food (Phillipps), 382, 386.  
 naked smut on barley and wheat (Cunningham), 409.  
 Namatanai ridge, geol. (Benson), 121.  
*namua*, *Puccinia*.  
*nana*, *Rissoa*.  
 — *Sertularia fusiformis* var. *nanggoulini*, *Nummulites*.  
 Naricidae of N.Z. (Marwick), 545, 577.  
*Nassicola* n. sec. (Finlay), 514.  
*Natacina*. See *Sigaretus* (*Natacina*).  
*Natica* Scopoli, in key (Marwick), 548; shell-nomenclature, 548; key to species, 549; range, 546.  
 — *australis* Bartrum, ident. with *Uber kaawaensis* (Marwick), 566.  
 — *australis* Hutt., syn., 552.  
 — *australis* Sut., syn., 551, 571.  
 — *bacca* n. sp., with pl. (Marwick), 550; in key, 549; range, 547.  
 — *burdigalensis* Mayer, rel. to *Carinacca* (Marwick), 553.  
 — *callosa* Hutt., syn., 561.  
 — *consortis* n. sp., with pl. (Finlay), 451.  
 — — with pl. (Marwick), 551; in key, 549; range, 547.  
 — *denticulifera* n. sp., with pl. Marwick), 552; in key, 549; range, 547.  
 — *dillwynni* Payr., operculum (Marwick), 545.  
 — *gibbosa* Hutt., occ. (Marsh. & Murd.), 156.  
 — — occ. in Aust. (Marwick), 561.  
 — *harricensis* n. sp., with pl. (Marwick), 551; in key, 549; range, 547.  
 — *haweraensis* n. sp., with pl. (Marwick), 551; in key, 549; range, 547.  
 — *inexpectata* n. sp. (Finlay), 452.  
 — — with pl. (Marwick), 550; in key, 549; range, 547.  
 — *labelata* Lamk., type (Marwick), 568.  
 — *laevis* Hutt., syn., 575.  
 — *macrotrema* Ad. & Reeve, rel. to *Carinacea* (Marwick), 553.  
 — *maesta* n. sp., with pl. (Marwick), 553; in key, 549; range, 547.  
 — *maoria* Finlay, not at Target Gully (Finlay), 504.  
*Natica maoria*, with pl. (Marwick), 552; in key, 549; range, 547.  
 — — *notocenica* n. sp., with pl. (Finlay), 450.  
 — — — with pl. (Marwick), 550; in key, 549; range, 547.  
 — — *ovata* Hector, syn., 565.  
 — — *planisuturalis* n. sp., with pl. (Marwick), 550; in key, 549; range, 547.  
 — — *praecursors* n. sp., (Finlay), 451.  
 — — — with fig. (Marwick), 551; in key, 549; range, 547.  
 — — *solida* Sowerby, syn., 560.  
 — — *spirala* Lamk., type (Marwick), 576.  
 — — *sublata* n. sp., with pl. (Marwick), 551; in key, 549; range, 547.  
 — — *vitellus* Linné, type (Marwick), 549.  
 — — *vitrea* Hutt., syn., 570.  
 — — *zelandica* M. & M., syn., 551.  
 — — *zelandica* Q. & G., with pl. (Marwick), 549; in key, 549; range, 547.  
 — — — diff. from *N. notocenica* (Finlay), 450.  
 — — — not at Target Gully (Finlay), 504.  
 — — *zelandica* Sut., syn., 450, 551.  
 — — (*Ampullina*) *laevis* Hutt., syn., 575.  
 — — (*Carinacca*) n. subg. (Marwick), 553; in key, 548; range, 547.  
 — — — *allani* n. sp., with pl. (Marwick), 554; in key, 554; range, 547.  
 — — — *haasti* n. sp., with pl. (Marwick), 554; in key, 554; range, 547.  
 — — — (*Magnatica*) *approximata* (Suter), with pl. (Marwick), 555; in key, 554; range, 547.  
 — — — *muda* n. sp., with pl. (Marwick), 556; in key, 554; range, 547.  
 — — — *suteri* nom. mut., with pl. (Marwick), 555; in key, 554; range, 547.  
 — — — *sutherlandi* n. sp., with pl. (Marwick), 555; in key, 554; range, 547.  
 — — — (*Mamilla*) *ovata* Hutt., syn., 565, 567.  
 — — — (*Neverita*) *gibbosa* Hutt., syn., 560.  
 Naticidae of N.Z. (Marwick), 545.  
 National Research Council, formation (Inst.), 776.  
*Nautilus* sp. aff. *succiensis* Whiteaves, with pl. (Marshall), 616.  
*nebulosa*, *Nothophila*.  
 Needham, J. G., food of trout (Phillipps), 388-89.  
*neglecta*, *Gelechia*.  
*neglectus*, *Onithochiton*.  
*Neillii*, *Sorosporium*.  
 Nelson, climate and ferns (Holloway), 87.  
*Neotibetites*, occ. (Benson), 105 note.  
*neozelanica*, *Aphrophila*.  
 — *Austrotriton*.  
 — *Charonia*.  
 — *Erato*.  
 — *Notosetia*.  
 — *Pholadomya*.  
*Nephrodium velutinum* Raoul, occ. Banks Pen. (Laing & Wall), 440.  
*Nepticula erexitus* n. sp., with pl. and fig. (Watt), 679, 686.  
 — *fulva*, with pl. and fig. (Watt), 678, 679, 686.  
 — — *lucida* Philp., with pl. and figs. (Watt), 674; charact., 679.  
 — — *ogygia*, with figs. (Watt), 679, 686.

- Nepticula perissopa*, with pl. and figs. (Watt), 679.  
 — *progama* n. sp. (Meyrick), 662.  
 — *progonopsis* Meyr. (Watt), 686.  
 — *tricentra* should be *N. erectitus* (Watt), 686-87.
- Neptunaea costata* Hutt., type of *Nassicola* (Finlay), 514.
- Nerita mammilla* Linné, type (Marwick), 559.
- Neritopsis?* sp., with pl. (Wilckens), 542.  
 — *speighti* Trechmann, syn., 541.
- Nertera setulosa* Hook. f., occ. Banks Pen. (Laing & Wall), 441.
- nervosus*, *Cixius*.
- Nesormosia*. See *Amphineurus* (*Nesormosia*).
- nettle. See *Urtica ferox*.
- nettle-fly. See *Agromyza urticae*.
- Neurochorema* n. g., females and males, with figs. (Tillyard), 286, 290-91.  
 — *decussatum* n. sp., with pl. and figs. (Tillyard), 291-92.
- Neverita* Risso (Marwick), 571; in key, 549; range, 546.  
 — *josephina* Risso, type (Marwick), 571.  
 — See also *Natica* (*Neverita*), *Polinices* (*Neverita*), *Uber* (*Neverita*).
- New Britain, geol. (Benson), 119, 120.
- New Caledonia, geol. (Benson), 119, 123, 124, 126.
- New Guinea, geol. (Benson), 103, 105, 107, 112, 113 *et seq.*
- New Hanover, geol. (Benson), 120, 121.
- New Hebrides, geol. (Benson), 119, 123, 126, 133.
- New Ireland, geol. (Benson), 120, 121.
- Newman, A. K., disappearance of Maori (Rangi Hiroa), 362, 370.
- Newtoniella* n. sp. of Suter = *Ataxocerithium quadricingulatum* (Finlay), 477.  
 — distinct from *Ataxocerithium suteri* (Marwick), 194.
- N.Z.-Kermadec ridge (Benson), 132.
- N.Z. rocks (Benson), 127.
- N.Z. Institute, affiliated societies' reports, 1922 (Inst.), 728; 1923, 753; levy for vol. 55, 762.  
 — annual meeting, 1923, minutes, 727; *ib.*, 1924, 753.  
 — Catalogue Committee, Report, 1922 (Inst.), 750; report, 1923, 775.  
 — exchange list, additions, 1921 (Inst.), 728; in 1922, 754.  
 — fellowship elections, 1922, gazetted, 729; election, 1923, 749; vacancies, 750; 1923 elections gazetted, 755; election, 1924, 775.  
 — Great Barrier Reef Committee, report, 1922, 732; report, 1923, 775.  
 — honorary-membership qualifications (Inst.), 750; deaths reported, 751; election, 1924, 775.  
 — library, removal (Inst.), 732, 734-35; report, 1923, and housing agreement, 773.  
 — officers for 1923 (Inst.), 751; for 1924, 776.  
 — publications, storage (Inst.), 757, 758.
- Publication Committee, report, 1922 (Inst.), 741; delay in publishing *Trans.* and amalg. of vols. for 1922-23, 770; report, 1923, 771.
- N.Z. Institute, Regulations Committee, report, 1923 (Inst.), 744.  
 — Research Grant Committee, report, 1922, 741; for 1923, 762; for ten years ending 1923, 766; property-list, 770.  
 — Standing Committee, report, 1922 (Inst.), 728; dates of meetings, reconstitution, 751; report, 1923, 754; resolutions not in 1923 report, 757.  
 — Samoan Observatory Committee, report, 1923 (Inst.), 774.  
 — Tongariro Nat. Park Committee, report, 1922 (Inst.), 731; report, 1923, 772.  
 — travelling-expenses of members, 1923 (Inst.), 733, 740; 1924, 756, 758.  
 "Ngarangikakapiti," a noted *koauau* (Andersen), 695.
- Ngaruroro-Waipawa dist., palaeontology (Marwick), 191-201.
- Ngata, A. T., on song (Andersen), 699.
- Ngati-Hotu, an ancient tribe (Andersen), 696.
- Ngati-Porou, sheep-farming (Rangi Hiroa), 372.  
 — song-technique (Andersen), 698-99.
- Ngati-Ruanui, fly-afflicted (Rangi Hiroa), 356.
- Ngati-Tama, members of (Rangi Hiroa), 364.
- Ngatitutanekei, descendants of Tutanekai (Andersen), 695.
- nguru*, music of (Andersen), 695-96.
- Nidula* White, characteristics (Cunningham), 61.  
 — in key, 61.  
 — *candida* (Peck) White, with figs. (Cunningham), 61.  
 — *emodenensis* (Berk.) Lloyd, with figs. (Cunningham), 62.  
 — *microcarpa* Peck, syn., 62.  
 — var. *rugispora* White, syn., 62.
- Nidularia*, in key (Cunningham), 61.  
 — *candida* Peck, syn., 61.  
 — *Crucibulum* Secret., syn., 63.  
 — *fascicularis* Schw., syn., 65.  
 — *juglandicola* Schw., syn., 63.  
 — *melanosperma* Schw., syn., 66.  
 — *plumbea* Pers., syn., 65.  
 — *stercorea* Schw., syn., 66.
- Nidulariales of N.Z. (Cunningham), 59.
- niger*, *Elateromyces*.
- nigrescens*, *Dicranomyia*.
- nigricans*, *Danhonia semiannularis* var.  
 — *Hylobia*.
- nigrifrons*, *Huttia*.
- nigrocaulus*, *Obelia*.
- nigrocincta*, *Limnophila*.
- *Polymoria*.
- nigrohalterata*, *Gonomyia* (*Lipophleps*).
- nigrum*, *Blechnum*.
- Nitella*, trout-food (Phillipps), 382.
- nitida*, *Olearia*.
- Niue nose-flute playing (Andersen), 694.
- Niuean belt (Rangi Hiroa), 350.
- niveinervis*, *Amphineurus* (*Nesormosia*).
- nivicola*, *Ranunculus*.
- nivipicta*, *Tarache*.
- "Noah's Ark." Plimmer's (Baillie), 709.
- Noctuidae, strigil, with fig. (Philpott), 220, 221.
- Noctuoidea, strigil (Philpott), 220.
- nodicingulatum*, *Ataxocerithium*.
- nodifera* var. *euclia*, *Charonia*.

- nodilirata*, *Rathytoma*.  
*nodosa*, *Obelia*.  
 — *Struthiolaria*.  
 — *Verconella*.  
 — *zittelii*, *Siphonalia*.  
*nodosi*, *Uredo Scirpi*.  
*nodosoliratus*, *Ptychotrichus*.  
*nodosus*, *Scirpus*.  
*nodulosa*, *Struthiolaria*.  
*noetlingi*, *Otolithus (Serranus)*.  
 nomenclature, Finlay's revisions, Target Gully, &c., 512.  
 — Naticidae and Naricidae, changes (Marwick), 578-79.  
*nordenskjoldi*, *Struthiolaria*.  
 Norfolk ridge, geol. (Benson), 127.  
 Norway trout deterioration (Phillipps), 390.  
 nose-flute, playing of (Andersen), 694.  
*Nostoc*, trout-food (Phillipps), 383.  
*Nothofagus cliffortioides* (Hook. f.) Oerst., forest on divide, Canterbury (Holloway), 72.  
 — *Menziesii* (Hook. f.) Oerst., food-plant of *Gracilaria selenitis* (Watt), 681.  
 — food-plant of *Nepticula lucida* (Watt), 675.  
 — *Solanderi* (Hook. f.) Oerst., occ. (Holloway), 76.  
*Nothopanax anomalum* (Hook. f.) Seem., on Banks Pen. (Laing & Wall), 438.  
 — *arboreum* (Forst. f.) Seem., occ. (Holloway), 77.  
*Nothormosia*. See *Amphineurus (Nothormosia)*.  
*Nothophila fuscana* (Edwards), desc. of female (Alexander), 653.  
 — *nebulosa* (Edwards), desc. of female (Alexander), 653.  
*notocenica*, *Natica*.  
 Notodontidae, strigil, with fig. (Philpott), 222, 223.  
 Notodontoidea, strigil (Philpott), 222, 223.  
*Notoloupus*, strigil (Philpott), 220.  
 — *australis* Walk., strigil (Philpott), 220.  
*Notoreas*, strigil (Philpott), 224.  
*Notosetia*, in group (Finlay), 481; in key, 493.  
 — *micans* (Webster), occ. Taieri (Finlay), 517.  
 — *neozelanica* (Sut.), in group (Finlay), 481.  
 — *prisca* n. sp., with fig. (Finlay), 488; in key (Finlay), 494.  
 — subsp. *paroeca* n. subsp. (Finlay), 488; in key, 494.  
 — sp. cf. *subflavescens* Iredale, occ. Castlecliff (Finlay), 488; Taieri, 517; in key (Finlay), 494.  
 — *vulgaris* (Webster), rel. to *N. prisca* (Finlay), 488.  
*novae-zelandiae*, *Otolithus (Raniceps) planus* n. var.  
 — *novae-zelandiae*, *Acaena*.  
 — *Calyptraea*.  
 — *Cyathus*.  
 — *Phragmidium*.  
 — *Pleurotoma*.  
 — *Puccinia*.  
 — var. *pallida*, *Acaena*.  
*novo-zelandica*, *Puccinia*.  
*Nozeba*, in group (Finlay), 482; in key, 493.  
*Nozeba candida* n. sp., with fig. (Finlay), 490; in key, 494.  
 — var. *effusa* n. var. (Finlay), 491; in key, 494.  
 — *coulthardi* (Webster), rel. to *N. candida* (Finlay), 491.  
 — *emarginata* (Hutt.), in group (Finlay), 482; in key, 494.  
*Nucleopsis major* Marshall, syn., 577.  
*Nucula hartvigiana* Pfr., occ. Ardgowan (Finlay), 510.  
 — *simplex* (A. Ad.) [*N. strangei*], occ. Ardgowan (Finlay), 510.  
 — *strangei* A. Ad., occ. Ardgowan (Finlay), 510.  
*Nuculana bellula* (A. Ad.) [*Leda*], occ. Target Gully (Finlay), 496.  
 — *semiteres* (Hutt.) [*Leda*], occ. Ardgowan (Finlay), 510; Pukeuri, 508.  
*nuda*, *Danthonia*.  
 — *Natica (Magnatica)*.  
 — *Ustilago*.  
 — *Ustilago Hordei*, var.  
 — *Ustilago segetum* var. *Hordei forma*  
*Nummulites baquensis*, occ. (Benson), 125 note.  
 — *jogjakartae*, occ. (Benson), 125 note.  
 — *nanggoulini*, occ. (Benson), 125 note.  
 — *striatus*, occ. (Benson), 125 note.  
 — *variolarius-herberti*, occ. (Benson), 125 note.  
*nummuliticum*, *Lithothamnium*.  
*Orthophragmina*.  
*nuntius*, *Otolithus (Fierasfer)*.  
*nutans*, *Rhagodia*.  
*Nyctalemon orontes* Linn., strigil (Philpott), 224.  
*Oamaruia* n. gen. (Finlay), 514.  
*oamarutica*, *Acirsella*.  
 — *Chlamys*.  
 — *Haurakia*.  
 — *Surcula*.  
 — *Turricula*.  
*Obelia australis* v. Lendenfeld, occ. (Bale), 231.  
 — *coughreyi* n. sp., with fig. (Bale), 230.  
 — *geniculata* (Lin.), occ., &c. (Bale), 230.  
 — *nigrocaulus* Hilgendorf, occ. (Bale), 227, 230.  
 — *nodosa* n. sp., with fig. (Bale), 230.  
*obesa*, *Struthiolaria*.  
*obesus*, *Crassatellites*.  
*Obi*, geol. phases (Benson), 106, 113.  
*obliqua*, *Eulima*.  
*obliquecostata*, *Rissoina*.  
*obliquestriata*, *Katosira*.  
*obliterata*, *Puccinia*.  
*oblonga*, *Cytherea*.  
*oblongum*, *Phragmidium*.  
*obsoleta*, *Laelia*.  
*obstructus*, *Uber*.  
*obtusatum*, *Phragmidium*.  
*occulta*, *Hydrobiiosis*.  
 — *Hydropsyche*.  
*Ochetarcha* n. g. (Meyrick), 661.  
 — *miraculosa* Meyr., type n. g. (Meyrick), 661.  
*Ochrogaster contraria* Walk., strigil (Philpott), 222.

- October Riv.*, geol. (Benson), 117.  
*octogonus*, *Murex*.  
 — var. *espinosus*, *Hexaplex*.  
 — var. *umbilicatus*, *Hexaplex*.  
*octoraria*, *Glyptopteryx*.  
*octoserratum*, *Cymatium*.  
*Ocyptamus doralis* n. sp. (Miller), 284.  
 Oddfellows' Hall, Wellington, foundation-stone (Baillie), 713.  
 — reclamation, Lambton Quay (Baillie), 713.  
*Odontotheca bispinosa* Levinson, syn., 248.  
 — *macrocarpa* Levinson = *Sertularia macrocarpa* (Bale), 245.  
 — *minima* Levinson, syn., 248.  
 — *operculata* Levinson, syn., 246.  
 — *trispinosa* Levinson, syn., 248.  
*Odontria*, trout-food (Phillipps), 386.  
*odoratae*, *Puccinia Asperulae*.  
*odoratum*, *Anthoxanthum*.  
*Odostomia*, divided by Iredale (Finlay), 498.  
 — *pseudorugata*, Marsh. & Murd., occ. Target Gully (Finlay), 496.  
 — — — should be *Pyrgulina rugata* (Hutt.), (Finlay), 498.  
 — *rugata* Hutt. should be *Pyrgulina rugata* (Hutt.), (Finlay), 498.  
*Oecelus decens*, hab. (Myers), 316.  
*Oenopota*, sugg. by Iredale for *Bela* (Finlay), 499.  
 officers of Institute. See N.Z. Institute.  
*ogygia*, *Nepticula*.  
 oil, Pintsch, analysis (Finlay), 444.  
 — used in lighthouses (Baillie), 709.  
*Olea Cunninghamii* Hook f., not on Banks Pen. (Laing & Wall), 438.  
 — — — beater of war-gong (Andersen), 690.  
*Olearia* spp., food-plants of *Apatebris melanombra* (Watt), 332.  
 — *angustifolia* Hook. f., host of *Uredo southlandicus* (Cunningham), 44.  
 — *arborescens* (Forst. f.) Cockayne and Laing (= *nitida*), host of *Puccinia novae-zelandiae* (Cunningham), 395.  
 — — — food-plant of *Nepticula ogygia* (Watt), 686.  
 — *avicennaeifolia* (Raoul) Hook. f., host of *Puccinia novae-zelandiae* (Cunningham), 395.  
 — *Colensoi* Hook. f., host of *Uredo tupare* (Cunningham), 44.  
 — *Cunninghamii* Hook. f., host of *Puccinia heketara* (Cunningham), 393.  
 — *fragrantissima* Petrie, occ. with *Alectryon excelsum* (Laing & Wall), 438.  
 — *furfuracea* Hook. f., host of *Eurytoma oleariae* (Gahan), 687.  
 — *insignis* Hook. f., host of *Uredo wharanui* (Cunningham), 46.  
 — *Lyalli* Hook. f., host of *Uredo Oleariae* (Cunningham), 44.  
 — *macrodonta* Baker, host of *Aecidium Macrodoniae* (Cunningham), 40.  
 — *nitida* Hook. f. See *Olearia arborescens*.  
*Oleariae*, *Aecidium*.  
 — *Uredo*.  
 — *Cecidomyia*.  
 — *Eurytoma*.  
*oleraceus*, *Sonchus*.
- Oliarus*, in key (Myers), 317.  
 — of White (Myers), 316.  
 — *Atkinsoni* n. sp., with pl. (Myers), 325.  
 — *koanoa* Kirkaldy, develop. (Myers), 316.  
 — *marginalis* (Walker), syn., 324.  
 — *oppositus* Walker, with pl. (Hudson), 343.  
 — — — with pl. (Myers), 324.  
 — — — reared by Hudson (Myers), 315.  
 — *walkeri* (Stål.), type (Myers), 324.  
*Oliganthes*, *Puccinia*.  
*Oligonoides*, *Pycnocentrodes*.  
*oliracea*, *Uredo*.  
 — *Ustilago*.  
*olivaceae*, *Dardanula*.  
*olivaceus*, *Elateromyces*.  
Oliver, W. R. B., *Anomia huttoni* and *A. trigonopsis*, affin. (Marwick), 191.  
 — Great Barrier Reef Committee (Inst.), 732.  
 — Kermadec Islds. ferns, 90.  
 — *Hymenophyllum rarum* on Lord Howe Is., 88.  
 — *Onithochiton subantarcticus*, ident. (Finlay), 521.  
*oliveri*, *Xymene*.  
*Olla*, *Cyathus*.  
“Olympus” in gale (Baillie), 705.  
Omori, Fusakichi, resol. of sympathy (Inst.), 753.  
Onagraceae, hosts of *Coleosporium Fuchsiae* (Cunningham), 25.  
 — — — *Pucciniastrum pustulatum* (Cunningham), 30.  
 — — — *Puccinia pulverulenta* (Cunningham), 395.  
 — — — *Ustilago* (Cunningham), 404.  
Onairo series, fossils (Marsh. & Murd.), 156.  
 $Oncopera mitocera$  Turn., strigil, with fig., 217, 218.  
Onerahi series of rocks (Bartrum), 141, 142, 150.  
 $Onithochiton neglectus$  (Rochebrune), ident. and occ. (Finlay), 521.  
 — — — *subantarcticus* Sut., ident. (Finlay), 521–22.  
*Onoba*, in group (Finlay), 481.  
 — — — absent from N.Z. Tert. (Finlay), 482.  
 — *striata* (Montague), in group (Finlay), 481.  
Ontong Java, geol. (Benson), 121.  
Opato, a famous *pahu* (Andersen), 691.  
*operculata*, *Odontotheca*.  
 — *Sertularia*.  
*Operculina*, occ. (Benson), 125 note.  
*Ophididiarum*. See *Otolithus* (*Ophididiarum*).  
*Ophidium*. See *Otolithus* (*Ophidium*).  
*ophiodes*, *Vermicularia*.  
*opima*, *Ancilla* (*Baryspira*).  
 — *Plumularia setacea* var.  
*oppositus*, *Cixius*.  
 — *Olsarus*.  
*Orbitestella hinemoa* Mestayer, occ. Bluff (Finlay), 517.  
*oreolimnetes*, *Triplectides*.  
Orewa Stream, dolerite (Bartrum), 152.  
*ornata*, *Struthiolarella*.  
*ornatus*, *Hemiconus*.  
*oro*, in song (Andersen), 698.  
*orontes*, *Nyctalemon*.

- Orthenches chartularia* n. sp. (Meyrick), 205.  
 — *similis* n. sp. (Philpott), 211.  
*orthocopa*, *Tortrix*.  
*orthogonia*, *Sertularia*.  
 — *Synthecium*.  
*orthogonium*, *Synthecium*.  
*Orthophragmina* cf. *chudeauri*, occ. (Benson), 125 note.  
 — *discus*, occ. (Benson), 125 note.  
 — *dispansa*, occ. (Benson), 125 note.  
 — *javana* var. *minor*, occ. (Benson), 125 note.  
 — *lanceolata*, occ. (Benson), 125 note.  
 — *cf. multiplicata*, occ. (Benson), 125 note.  
 — *nummulitica*? occ. (Benson), 125 note.  
 — *pentagonalis*, occ. (Benson), 125 note.  
 — *cf. pratti*, occ. (Benson), 125 note.  
 — *cf. sella*, occ. (Benson), 125 note.  
 — *stella*, occ. (Benson), 125 note.  
 — *stellata*, occ. (Benson), 125 note.  
 — *umbilicata*, occ. (Benson), 125 note.  
 — *cf. varians*, occ. (Benson), 125 note.  
*Orthopyxis caliculata* Bale, syn. 232.  
 — *caliculata* (Hincks), identity (Bale), 232.  
 — *crenata* (Hartlaub), with fig. (Bale), 232.  
 — *crenata* Nutting, syn. 232.  
 — *macrogona* (v. Lendenfeld) differs from *O. crenata* (Bale), 232.  
*Oruru pa karangatahi* (Rangi Hiroa), 363.  
*orycta*, *Terebra*.  
*Osborn*, H., hab. of *Myndus radicis* (Myers), 316.  
*Osner*, G. A., classific. &c., of *Ustilago striaeformis* (Cunningham), 412.  
*Ostrea*, occ. (Marsh. & Murd.), 156.  
 — *dichotoma* Bayle, occ. Benmore (Speight), 621.  
 — *wuellerstorfi* Zitt., occ. Target Gully (Finlay), 496.  
*otagense*, *Aecidium*.  
*otagoensis*, *Pleurotoma*.  
*othone*, *Conomitra*.  
*othoniana*, *Conomitra*.  
*Otiake* fossil-beds (Finlay), 508.  
*Otira*, rainfall (Holloway), 71.  
 ooliths of Tertiary fishes (Frost), 605.  
*Otolithus* (inc. sedis) *umbonatus* Koken, with pl. (Frost), 613.  
 — (*Citharus*) *latisulcatus* n. sp., with pl. (Frost), 614.  
 — (*Dentex*) aff. *subnobilis* Schubert, with pl. (Frost), 613.  
 — (*Elops*) *miocaenicus* n. sp., with pl. (Frost), 612.  
 — (*Fierasper*) *nuntius* Koken, with pl. (Frost), 611.  
 — (*Gadus*) *elegans* Koken var. *sculpta*, with pl. (Frost), 610.  
 — (*Macrurus*) *gracilis* Schubert, with pl. (Frost), 608; range, 607.  
 — — *toulai* Schubert, with pl. (Frost), 608; range, 606, 607.  
 — (*Merluccius*) *pukeuriensis* n. sp., with pl. (Frost), 609.  
 — (*Ophidiidium*) *elongatus*, n. sp., with pl. (Frost), 611.  
 — (*Ophidium*) *pantanelli* Bassoli and Schubert, with pl. (Frost), 610.  
 — (*Parapercis*) *finlayi* n. sp., with pl. (Frost), 613.
- Otolithus (Percidarum) cottreaui* Priem, with pl. (Frost), 614.  
 — — *rectus* Priem, with pl. (Frost), 612.  
 — (*Physiculus*) *bicaudatus* n. sp., with pl. (Frost), 608; range, 607.  
 — (*Pleuronecidarum*) *acuminatus* Koken, with pl. (Frost), 611.  
 — (*Raniceps*) *planus* Koken n. var. *novaezealandiae*, with pl. (Frost), 609.  
 — (*Scopelus*) *circularis* n. sp., with pl. (Frost), 608; range, 607.  
 — — *sulcatus* Bassoli, with pl. (Frost), 607; range, 606–7.  
 — (*Serranus*) *noellingi* Koken, with pl. (Frost), 611.  
 — (*Sparidarum*) *elongatus* Priem, with pl. (Frost), 612.  
 — — *gregarius* Koken, with pl. (Frost), 613.  
 — (*Trachinus*) *mutabilis* Koken, with pl. (Frost), 610.  
*Ototaran* limestones, fossils (Finlay & McD.), 535.  
*ouyanensis*, *Serpula*.  
*ovata*, *Natica*.  
 — — (*Mamilla*).  
 — var. *rudis*, *Mactra*.  
*ovatus*, *Polinices*.  
 — — (*Mamma*).  
*ovina*, *Acaena*.  
*ovuloides*, *Uber*.  
*Oxalidaceae*, hosts of *Ustilago* (Cunningham), 404.  
*Oxford*, Mount, climate and forest (Holloway), 76–77.  
*Oxyethira*, trout-food (Phillipps), 385.  
 — *albiceps* McL., with figs. (Mosely), 673.
- pachyrrhizus*, *Ranunculus*.  
*Pacific*, bathymetric map of S.W. Pacific (Benson), 122.  
 — — E. Indies (Benson), 100.  
 — geol. (Benson), 99 et seq.  
*pae*, in plaiting (Rangi Hiroa), 347.  
*paenaena*, foot-gear (Rangi Hiroa), 360.  
*paepae raraanga*, technique (Rangi Hiroa), 350.  
 — *umu*, oven-band (Rangi Hiroa), 351.  
 — *whakatu*, oven-band (Rangi Hiroa), 351.  
 — *whiri*, technique (Rangi Hiroa), 352.  
*pae umu*, oven-band (Rangi Hiroa), 352.  
*Pagodula vegetans* M. & M., occ. Pukeuri (Finlay), 508.  
*pahiense*, *Cymatium*.  
*pahu*, war-gong, varieties (Andersen), 690–91.  
*pahuhu*, twist of thread (Rangi Hiroa), 350.  
*pakuru*, musical instrument (Andersen), 691.  
*pakuru* song (Andersen), 692.  
*paleata*, *Lima*.  
*pallida*, *Acaena novae-zelandiae* var.  
*pallidula*, *Borkhausenia*.  
*Pallium*. See *Chlamys* (*Pallium*).  
*palmeri*, *Plumularia*.  
*Paniculare*, *Diceoma*.  
*Panicularie*, *Puccinia*.  
*Pan-Pacific Congress*, 1923, meeting in N.Z., 730; repres. (Inst.), 751; report of repres., 771.  
*pantanelli*, *Otolithus (Ophidium)*.

- paradisea*, *Cerozodia*.  
*Parapercis*. See *Otolithus* (*Parapercis*).  
*papari*, foot-gear (Rangi Hiroa), 360.  
*Paphia curta* (Hutt.), occ. (Marsh. & Murd.), 156.  
*Papilio macleayanus* Leach, strigil, fig. (Philpott), 223.  
*Papilionoidea*, strigil with figs. (Philpott), 224.  
*papillaria*, *Struthiolaria*.  
*papillosa*, *Struthiolaria*.  
*papulosa*, *Struthiolaria*.  
*papulosum*, *Buccinum*.  
*paraerae*, technique (Rangi Hiroa), 357.  
*Paragus myersii* n. sp. (Miller), 281.  
*Paraleptamphopus*, char. of genus (Chilton), 273.  
— *caeruleus* (G. M. Thomson), with figs. (Chilton), 273-74.  
— *subterraneus* (Chilton), with figs. (Chilton), 275-80.  
*Paramoecium*, trout-food (Phillipps), 382.  
*Paranephrops planifrons*, food of (Phillipps), 388,  
— trout-food (Phillipps), 382.  
*Paraphylax varius* Broun, with pl. (Hudson), 342.  
*Parascyphus simplex* Ritchie, syn., 236.  
*parasitica*, *Ascidioclava*.  
— *Conchothyra*.  
*Parasyrinx* n. gen. (Finlay), 514.  
*Paratene Ngata*, use of sail (Rangi Hiroa), 361.  
*pare*, feather in fillet (Rangi Hiroa), 344.  
*parekereke*, sandals (Rangi Hiroa), 357, 360.  
*parengarenga*, leggings (Rangi Hiroa), 360.  
*Park*, J., Clifden beds, grouping (Finlay & McD.), 534.  
*parkeri*, *Calycella*.  
— *Gonothyræa*.  
*parki*, *Ditrupa*.  
— *Miomelon*.  
*parkinsonianum*, *Astrotriton*.  
*paroeca*, *Notosetia prisca* subsp.  
*parorma*, *Diptychophora*.  
*Pavoxethira* n. g. (Moseley), 670.  
— *eatoni* n. sp., with figs. (Moseley), 673.  
— *hendersoni* n. sp., with figs. (Moseley), 673.  
— *tillyardi* n. sp., with figs. (Moseley), 670.  
*parthenopeum*, *Cymatium*.  
*Partington*, J. Edge-, Maori sail (Rangi Hiroa), 361.  
*parva*, *Erycina*.  
— *Zalipais*.  
— *Struthiolaria*.  
*parviflora*, *Agrostis*.  
*parviflorum*, *Geum*.  
— *Teucriidium*.  
*parvulum*, *Halecium*.  
*parvulus*, *Molophilus*.  
*patagonica*, *Cintractia*.  
*pateensis*, *Uber*.  
*Patelloida stellata* (Lesson), occ. Dunedin (Finlay), 518.  
*Patersoni*, *Blechnum*.  
*pato*, war-gong. See *pahu*.  
*Patouillard*, N., classific. of smuts (Cunningham), 401.  
*patulum*, *Cardium*.  
— *Pittosporum*.  
— *Syntheticum*.  
*patungaro*, motive in house-panels (Rangi Hiroa), 356.  
*patungaro* technique (Rangi Hiroa), 354.  
*paua*, composition (Malcolm and Hamilton), 377.  
*Pearse*, A. S., food of trout (Phillipps), 388.  
*Pecten aff. sectus* Hutt., occ. (Marsh. & Murd.), 156.  
— *beethami* Hutt., occ. Target Gully (Finlay), 496.  
— *burnetti* Zitt., a *Chlamys* (Finlay), 497.  
— *chathamensis*. See *Chlamys chathamensis*.  
— *kutchinsoni* Hutt., occ. Target Gully (Finlay), 496.  
— *huttoni* Park, occ. Awamoia (Finlay), 511; Pukeuri, 508.  
— *radiatus* Hutt., a *Chlamys* (Finlay), 497.  
*pectinata*, *Abies*.  
*pedestris*, *Gynoplistia*.  
*Peel Forest*, ferns (Holloway), 78.  
— Mount, climate (Holloway), 76.  
*Peka te Makarini*, *koauau* from leg-bone of (Andersen), 695.  
*Pelev Islands*, geol. phases (Benson), 113.  
*Pelicaria Gray*, syn. 169.  
— See *Struthiolaria* (*Pelicaria*) *obesa*.  
*peltatum*, *Hymenophyllum*.  
*Pencarrow*, early report on light (Baillie), 706; change to fixed light, 708.  
*penna marina*, *Blechnum*.  
*pennatula*, *Plumularia*.  
*pennigera*, *Dryopteris*.  
*pentagonalis*, *Orthophragmina*.  
*Pentellina*. See *Milliota* (*Pentellina*).  
*Percidarum*. See *Otolithus* (*Percidarum*).  
*perennans*, *Ustilago*.  
*Peridermium* Chev., in key (Cunningham), 32.  
— syn., 25.  
— *Laricis* Arth., syn., 29.  
*Perigonimus* sp. Hartlaub, occ. (Bale), 227.  
*Perisphinctes*, occ. (Benson), 116.  
*Perissectis*, strigil (Philpott), 218.  
*perioppa*, *Nepticula*.  
*Perissoptera waiparaensis* (Hector) O. Wilck., (Wilckens), 541.  
*perplexa*, *Cerithidea*.  
— *Rissina*.  
*perplexans*, *Puccinia*.  
*perplexum*, *Ataxocerithium*.  
*perpusilla*, *Asperula*.  
*Persectania ewingii* Westw., strigil, fig. (Philpott), 221.  
— *similis* n. sp. (Philpott), 207.  
*persicina*, *Cordaria*.  
— *Tubularia*.  
— *Tuberculina*.  
*persistens*, *Puccina*.  
*perspersa*, *Rhathamictis*.  
*pes-struthiocamelii*, *Murex*.  
*Petane*, Maruiwi at (Andersen), 696.  
*petilia*, *Danaida chrysippus*.  
*petiolata*, *Celmisia*.  
*petiolatae*, *Aecidium Celmisiae*.  
*Petrie*, D., Hector award (Inst.), 758.  
*Petriei*, *Aecidium Celmisiae*.  
— *Celmisia*.  
— *Deyeuxia*.  
*pezizoides*, *Cyathus*.  
*Pfeffer*, W., iron in plants (Aston), 722.  
*pfefferi*, *Skenella*.

- Phalium labiatum* (Perry), validity of name (Finlay), 524.  
 —— subsp. *pyrum* (Lamk.) should have spec. rank (Finlay), 524.  
 —— *pyrum* (Lamk.), ident. (Finlay), 506–7.  
*Phenatoma* n. gen. (Finlay), 515.  
*Philine constricta* M. & S., occ. Pukeuri (Finlay), 508.  
*Philippine Archipel.*, trend-lines (Benson), 103.  
*Philocryptica polypodii* Watt, with pls. (Watt), 336.  
*Philarheithous* Hare, syn., 303.  
*Philarheithrus* Hare, nom. emend., with figs. (Tillyard), 303–4.  
 —— *agilis* (Hudson), with pl. and figs. (Tillyard), 304–5.  
 —— *lacustris* n. sp., with pl. (Tillyard), 305–6.  
*Philpott*, A., genitalia, specific importance, 663.  
*philpotti*, *Hydropsyche*.  
 —— *Molophilus*.  
*Philpottia iridoxa* Meyr., syn., 327.  
*Phippisia gibbosa* (Sars), mouth-parts like *Tetradeion crassum* (Chilton), 631.  
*pheniceus*, *Lytocarpus*.  
*Pholadomyia neozelanica* Hutt., occ. Pukeuri (Finlay), 508.  
*Phoma Filum* Fr., syn., 48  
*Phormii*, *Uredo*.  
*Phormium Colensoi* Hook. f., host of *Uredo Phormii* (Cunningham), 43.  
 —— *tenax* Forst., hab. of *Oliarus atkinsoni* (Myers), 325.  
 —— host of *Uredo Phormii* (Cunningham), 43.  
*Phragmidae*, characters (Cunningham), 14.  
*Phragmidium* Link., characters (Cunningham), 14, 15.  
 —— *Caeoma* in cycle of (Cunningham), 32.  
 —— *Acaenae* n. sp., with fig. and pl. (Cunningham), 18, 51; in key, 15.  
 —— *disciflorum* James, syn., 16.  
 —— *longissimum* of Thuemen (Cunningham), 24.  
 —— *mucronatum* Schlechtendal, with fig. (Cunningham), 16; in key, 15.  
 —— *norae-zelandiae* n. sp., with fig. and pl. (Cunningham), 18, 51; in key, 15.  
 —— *Darluca Filum* parasitic on (Cunningham), 48.  
 —— *oblongum* Bon., syn., 16.  
 —— *obtusatum* Schmidt, syn., 19.  
 —— *Potentillae* P. Karsten, with fig. and pl. (Cunningham), 19; in key, 15.  
 —— *Darluca Filum* parasitic on (Cunningham), 48.  
 —— *Rosae-pimpinellifoliae* Diet., syn., 16.  
 —— *Rosarum* Fcl., syn., 16.  
 —— *subcorticinum* Wint., syn., 16.  
 —— *subainae* n. sp., with fig. (Cunningham), 20, 52; in key, 15.  
*Phragmopsora* Magn., syn., 29.  
*Phthorimaea heterospora* n. sp. (Meyrick), 204.  
*Phyllachne Colensoi* Berggr. (= *Helophyllum Colensoi* Hook. f.), host of *Aecidium monocytioides* (Cunningham), 47.  
*Physiculus*. See also *Otolithus* (*Physiculus*).  
 —— *bacchus* Forster, similar to *Otolithus* (*Physiculus*) *bicaudatus* (Frost), 609.
- Physonema* Lev., syn., 26.  
*Phytomyza albiceps* Mg., does not pupate in mine (Watt), 687.  
 —— —— should be *P. atricornis* (Watt), 687.  
 —— *atricornis* Mg., occ. in Europe (Watt), 687.  
*picta*, *Leptothrya*.  
*pictum*, *Epilobium*.  
*pig*, rate of growth, and diet needed (Aston), 722.  
*pilosa*, *Acaena Sanguisorbae* var.  
 —— *Danthonia*.  
*pilot*, first Govt. appt., Wellington (Baillie), 705.  
*pilulariformis*, *Sorosporium*.  
*pimpinellifoliae*, *Phragmidium*, *Rosae*.  
*Pines*, Isle of, coral-limestone (Benson), 125.  
*pingao*. See *Scirpus frondosus*.  
*pingue*, *Linemera*.  
 —— *Rissoa*.  
 “pining” in sheep (Aston), 723.  
*Pinnia distans* Hutton, with pl. (Murdoch), 158.  
 —— *lata* Hutton, with pl. (Murdoch), 157.  
 —— *plicata* Hutt., a fucoid (Murdoch), 157.  
*Pintsch oil*, analysis (Finlay), 444.  
*Pirutet*, M., New Caledonia, geol. (Benson), 124.  
*Pisania drewi* Hutton, syn., 198.  
*pisaniotopsis*, *Anachis*.  
*Pittosporum patulum* Hook. f., juvenile state not yet described (Petrie), 95.  
 —— *Turneri* n. sp. (Petrie), 95.  
*piupiu ahi*, technique (Rangi Hiroa), 353.  
*Placunanomia zelandica* (Gray), ident. (Finlay), 505–6.  
*plaitwork*, Maori (Rangi Hiroa), 344.  
*Planet Deep* (Benson), 123.  
*planifrons*, *Paranephrops*.  
*planispirus*, *Polinices*.  
*planisuturalis*, *Natica*.  
*Plantaginaceae*, hosts of *Aecidium Plantaginis-variae* (Cunningham), 36.  
*Plantaginis-variae*, *Aecidium*.  
*Plantago spathulata* Hook. f., host of *Aecidium Plantaginis-variae*.  
 —— —— not on Banks Pen. (Laing & Wall), 444.  
*plant-hoppers* (Cixiidae) (Myers), 315–26.  
*plantae* n. var. *novae-zelandiae*, *Otolithus* (*Raniceps*).  
*plateissa*, *Callochiton*.  
*Platt*, J. T., ship-signals (Baillie), 704.  
*Platyptilia ferruginea* Philp., first male record (Philpott), 209.  
*plebeiana*, *Crosidosema*.  
*Pleistocene* glaciation, Abbotsford (Park), 599.  
*Plesiotriton dennanti* Tate, resemb. to *Cymatium* spp. (Finlay), 459.  
*Pleurococcus*, trout-food (Phillipps), 382.  
*Pleurodon maorianus* Hedley, occ. Ardgowan (Finlay), 510; Target Gully, 496.  
*Pleuromeris*. See *Venericardia* (*Pleuromeris*) *marshalli*.  
*Pleuronectidarum*. See *Otolithus* (*Pleuronectidarum*).  
*Pleurotoma albula* Hutt., assoc. with *Cryptomella* (Finlay), 516.  
 —— *alta* Harris, type of *Parasyrinx* (Finlay), 514.

- Pleurotoma novae-zelandiae* Reeve, type of *Phenatoma* (Finlay), 515.  
 — *otagoensis* O. Wilck. (Wilckens), 541.  
 — *subalbula* Murd., assoc. with *Cryptomella* (Finlay), 516.  
*picata*, *Pinnia*.  
 Plimmer, J., "Noah's Ark" (Baillie), 709.  
 Plimmer's Wharf (Baillie), 710.  
 Plowright, C. B., *Tuberculina persicina*, occ. (Cunningham), 50.  
 — *Urocytis Anemones*, infection by (Cunningham), 430.  
*plumbea*, *Nidularia*.  
*plumosa*, *Aglaphenia*.  
*Plumularia aglaophenoides* v. Lendenfeld, same as *P. setacea* (Bale), 254.  
 — *banksii* Gray, syn., 263.  
 — *banksii* Hutton (not Gray), syn., 257.  
 — *buski*, resembl. of *Thecocaulus heterogona* (Bale), 256.  
 — *californica* Marktanner-Turneretscher, same as *P. setacea* (Bale), 253.  
 — *corrugata* Nutting, syn., 252.  
 — *formosa* Busk, syn., 261.  
 — *huttoni* Coughtrey, syn., 257.  
 — *incisa* Coughtrey, affin. to *Halicornaria rostrata* (Bale), 265.  
 — syn., 257.  
 — *lagenifera* Allman, rel. to *P. setacea*, &c. (Bale), 253.  
 — *multinoda* Allman, diff. from *P. setacea* (Bale), 253.  
 — syn., 252.  
 — *palmeri* Nutting, syn., 252.  
 — *pennula* Hutton (not Ellis and Solander), syn., 257.  
 — *setacea* (Ellis), with fig. (Bale), 252–53.  
 — *setacea* Lamarck, syn., 252.  
 — var. *opima* n. var., with fig. (Bale), 253, 254.  
 — *tripartita* v. Lendenfeld, syn., 252.  
 — *turgida* Bale, syn., 252.  
 — *wattsi* Bale, with fig. (Bale), 254–55.  
*Plumulariidae* (Bale), 252.  
*Poa anceps* Forst. f., occ. Banks Pen. (Laing & Wall), 440.  
 — *aquatica* L., host of *Puccinia graminis* (Cunningham), 394.  
 — *Kirkii* Buch., occ. Banks Pen. (Laing & Wall), 440.  
 — *Lindsayi* Hook. f., occ. Banks Pen. (Laing & Wall), 440.  
*Poaceae*, hosts of *Puccinia Elymi* (Cunningham), 2.  
*Poae*, *Uromyces*.  
*Poarum*, *Ustilago*.  
*Podocarpus Hallii* T. Kirk, in Westland (Holloway), 72.  
 — *spicatus* R. Br., used for making war-gong (Andersen), 690; for making *pakuru*, 691.  
 — *totara* A. Cunn., used for making war-gong (Andersen), 690.  
*Podocystis* Fr., syn., 26.  
 — *Lina* Fr., syn., 27.  
*Podosporium* Lev., syn., 26.  
 — *Lina* Lev., syn., 27.  
*Poekillopteraidae*, incl. of *Aka* and *Agandecca* by Kirkaldy (Myers), 321 note.
- Pohue, Te, Maruiwi perished at (Andersen), 696.  
*Polinices Montfort*. See *Uber Humphreys*.  
 — *amphialus* Bartrum, ident. with *Uber kaawaensis* (Marwick), 566.  
 — *amphialus* Sut., syn., 552, 569, 571.  
 — *amphialus* Watson, syn., 452, 570.  
 — *callous* (Hutt.), syn., 561.  
 — *gibbosus* (Hutt.), syn., 560.  
 — *gibbosus* Sut., syn., 562, 563, 567.  
 — *huttoni* Sut., syn., 555, 564.  
 — *intracrassus* Finlay, syn., 561.  
 — *laevis* (Hutt.), syn., 575.  
 — *ovatus* Sut., syn., 555, 563, 567.  
 — *planispinus* Suter (= *Natica suteri* Marwick), type (Marwick), 553.  
 — syn., 555.  
 — *pseudovitreus* n. sp., with pl. (Finlay), 452.  
 — *vitreus* (Hutt.) (= *P. amphialus* Wats.), rel. to *P. pseudovitreus* (Finlay), 452.  
 — — not at Target Gully (Finlay), 504–5.  
 — — syn., 570.  
 — (*Euspira*) *cinctus* (Hutton), syn., 574.  
 — (*Mamma*) *ovatus* (Hutton), syn., 567.  
 — (*Neverita*) *sagenus* Sut., syn., 563.  
*politus*, *Circulus*.  
*Elachorbis*.  
*Pollanisus*, no strigil (Philpott), 220.  
*Pollenia* Rob.-Desv., in key (Malloch), 638.  
 — *fumosum* (Hutton), common (Malloch), 639.  
*Pollia compacta* (Sut.), occ. Ardgowan (Finlay), 510.  
 — — varying form (Finlay), 507.  
*Polycentropidae*, in table (Tillyard), 285.  
*Polycystis* Lev., syn., 429.  
 — *Holei* Westnd., syn., 427.  
*Polygonaceae*, hosts of *Puccinia tiritea* (Cunningham), 394.  
 — — *Sphacelotheca* (Cunningham), 423.  
 — — *Ustilago* (Cunningham), 404.  
*Polygonum cinense*, host of *Elateromyces Treubii* (Cunningham), 416.  
 — *prostratum* (= *P. serrulatum*).  
 — *serrulatum* Lag., host of *Sphacelotheca Hydropiperis* (Cunningham), 423.  
*Polytmoria nigrocincta* (Edwards), desc. of female, with fig. (Alexander), 653.  
*Polyvinces huttoni* v. Iher., syn., 560.  
*polypleura*, *Liottella*.  
*Polyopidiaceae*, hosts of *Milesina Histiopteridis* (Cunningham), 31.  
*polypodiid*, *Harmologa*.  
 — *Philocryptica*.  
*Polypondium Billardieri* (Willd.) C. Chr., occ. (Holloway), 74.  
 — *Cunninghamii* Hook., occ. Banks Pen. (Laing & Wall) 440.  
 — *grammitidis* R. Br., occ. (Holloway), 78.  
 — *serpens* = *Cyclophorus serpens*.  
*polypodium-moth*. See *Philocryptica polypodiid*.  
*Polystichum capense* J. Sm., occ. Banks Pen. (Laing & Wall), 440.  
 — *vestitum* (Forst. f.) Presl., occ. (Holloway), 74, 88.  
*polysulcata*, *Estea*.  
*polyvincta*, *Lironoba*.  
*polyzonias*, *Sertularia*.  
*Ponera castanea* ?? assoc. with *Oliarus oppositus* (Hudson), 343.

- pontis*, *Uber* (*Neverita*).  
*Poperang* Isld., geol. (Benson), 121.  
*poporokaiwhiri*. See *Hedycarya arborea*.  
*population*, Maori (*Rangi Hiroa*), 363.  
*Pora Taki*, seller of *putorino* (Andersen), 693.  
*Porela*, strigil (Philpott), 220.  
*porera* used as sails (*Rangi Hiroa*), 361.  
*Porina*, strigil (Philpott), 217, 218.  
— *dinodes* Meyr., strigil (Philpott), 218.  
— *jocosa* Meyr., strigil, pl. (Philpott), face p. 224.  
— *signata* Walk., strigil, fig. (Philpott), 217.  
*poro*, toggle for flute (Andersen), 694.  
*poro-toroa*, toggle (Andersen), 695.  
*Porthesia*, strigil (Philpott), 220.  
*Portulaceae*, hosts of *Sorosporium* (Cunningham), 427.  
*porutu*, musical instrument (Andersen), 694.  
post-Tertiary history of N.Z. (Henderson), 580-99.  
*Potamogeton Cheesemanii*, trout-food (Phillipps), 382, 386.  
*Potamopyrus*, trout-food (Phillipps), 382.  
— *badia* Gould, occ. as semi-fossil (Finlay), 491.  
— *speleus* (Frauenfeld), sub-fossil occ. (Finlay), 492.  
*Potentillae*, *Phragmidium*.  
— *Caeoma*.  
— *Puccinia*.  
— *Uredo*.  
*Potsdamhafen*. See *Monumbo*.  
*Potter*, A. A., and Coons, G. W., diff. in *Tilletia Tritici* and *T. levis* (Cunningham), 426.  
*Potts*, T. H., *Hymenophyllum Malingii*, occ. 83.  
*pouraka*, a bait-rest (*Rangi Hiroa*), 356.  
*Poverty Bay Institute* no longer incorporated (Inst.), 753.  
*pouwaiwai*, fire-fan (*Rangi Hiroa*), 354.  
*pouwhiri*, fire-fan (*Rangi Hiroa*), 354.  
*praecursors*, *Natica*.  
*praecursorius*, *Actaeon*.  
*pratti*, *Orthophragmina*.  
precipice of 10,000 ft. (Benson), 118.  
prehistoric people, names of (Andersen), 696. .  
*Prenaster* cf. *alpinus*, occ. (Benson), 125 note.  
Price's Valley, forest (Laing & Wall), 438.  
*Priene*, in key (Finlay), 463.  
— *reticulum* Hedley, occ. (Finlay), 462, 517.  
— in key (Finlay), 464.  
*prisca*, *Notosetia*.  
— *Sulconacca*.  
— *Turbonilla*.  
— subsp. *paroeca*, *Notosetia*.  
*prismatocarpus*, *Juncus*.  
*pristis*, *Idia*.  
— *Idiella*.  
*problematicus*, *Sigaretus*.  
*Probolium miersii* Chilton, syn., 270.  
*Procordulia smithii*, trout-food (Phillipps), 385.  
*progama*, *Nepticula*.  
*progonopsis*, *Nepticula*.  
*propeovatus*, *Uber*.  
property-list, from research grants (Inst.), 770.  
*prorepens*, *Celmisia*.  
*prospiciens*, *Atomotricha*.
- Protocardia alata* Sut. should be *P. patula* (Hutt.), (Finlay), 498.  
— *puschella* (Gray), occ. Ardgowan (Finlay), 510; Awamoia, 511.  
— *sera* Hutt., prob. a syn. of *P. patula* (Hutt.), (Finlay), 498.  
*Protodolium speighti* (Treichmann sp.) (Wilckens), 541.  
*Protosynaema quaestuosa* n. sp. (Meyrick), 205.  
protozoa, fish-foods (Phillipps), 388.  
*protransenna*, *Sarcula*.  
proverb, Maori. See Maori proverb.  
proverbial saying, Maori (*Rangi Hiroa*), 354.  
*Psammobia* should be *Gari* (Finlay), 497.  
— *lineolata* Grey, occ. (Marsh. & Murd.), 156.  
*pseudo-australis*, *Ancilla*.  
*pseudo-cyperus*, *Carex*.  
*Pseudoliotia imperforata* Sut., a *Collonista* (Finlay), 497.  
*Pseudopanax ferox* T. Kirk, on Banks Pen. (Laing & Wall), 498.  
*pseudorugata*, *Odostomia*.  
— *Pyrgulina*.  
*Pseudotoma* Bell, rejectn. of name (Finlay), 515.  
— *excavata* (Sut.) [*Bathytoma*], occ. Ardgowan (Finlay), 510.  
— *suteri* Cossm. [*Bathytoma sulcata*], occ. Pukeuri (Finlay), 508.  
*pseudovitreus*, *Polinices*.  
— *Uber* (*Euspira*).  
*pseutes*, *Venericardia*.  
*Psilochorema McL.*, in key, &c. (Tillyard), 286, 287.  
— *confusum* McL., female-wing venat. (Tillyard), 288.  
— *mimicum* McL., genotype (Tillyard), 288.  
*Psilothrum triquetrum* Sw., occ. (Holloway), 89.  
*Pteris incisa*. See *Histiopteris incisa*.  
— *tremula* R. Br., occ. Banks Pen. (Laing & Wall), 440.  
*Pteronotus angasi* (Crosse) [*Murex*], occ. Ardgowan (Finlay), 510.  
*Ptychatractus*, doubtful classific. (Finlay), 499.  
— *nodosoliratus* Sut. not congen. with *P. pukeuriensis* Sut. (Finlay), 500.  
— *pukeuriensis* Sut. not congen. with *P. nodosoliratus* Sut. (Finlay), 500.  
— — — should be named *Broccchina pukeuriensis* (Sut.) (Finlay), 501.  
— — — type of n. gen. *Inglisella* (Finlay), 513.  
— — — *tenuilirata* Sut. congen. with *Bela infelix* Sut., &c. (Finlay), 499.  
— — — type of *Rugobela* (Finlay), 514.  
— — — *tenuilirata*. See *Bela tenuilirata*.  
*pubens*, *Epilobium*.  
Publication Committee. See N.Z. Institute.  
publications fund, members circularized (Inst.), 733.  
— of Inst. See N.Z. Institute.  
*Puccinia* on *Angelica* and *Anisotome* (Cunningham), 6.  
— *Actaeae-Agropyri* Ed. Fisch., syn., 1.  
— *Actaeae-Elymi* Mayor, syn., 1.  
— *adspersa* Diet. et Holw., syn., 1.  
— *Agropyri* Ell. et Ev., syn., 1.  
— *agropyrina* Erikss., syn., 1.  
— Arthur's classific. (Cunningham), 2.

- Puccinia Agrostidis* Plowr., syn., 1.  
 — *alternans* Arth., syn., 1.  
 — *Anisotominius* n. sp., with fig. (Cunningham), 4, 12.  
 — *Aquilegiae* Lagerh., syn., 1.  
 — *Asperulae-odoratae* Wurth, occ. (Cunningham), 7.  
 — *Caricis* Schroet., add. host (Cunningham), 394.  
 — — —, *Darluca Filum* parasitic on (Cunningham), 48.  
 — *Celakovskiana* Bubak, occ. (Cunningham), 7.  
 — *Celmisiae* n. sp., with figs. (Cunningham), 8, 13.  
 — *chondroderma* Lindr., syn., 7.  
 — *Chrysanthemi* Roze, *Darluca Filum* parasitic on (Cunningham), 48.  
 — *cinerea* Arth., syn., 1.  
 — *Clematis* Lagerh., syn., 1.  
 — *compacta* Berk., syn., 46.  
 — *Coprosmae* Cke., *Darluca Filum* parasitic on (Cunningham), 48.  
 — *cuniculi* G. H. Cunn. possible occ. (Cunningham), 46.  
 — *diformis* K. et S., occ. (Cunningham), 7.  
 — *dispersa* Erikss. et Henn. inclusion of *P. agropyrina* and *P. triticina* (Cunningham), 2.  
 — *Elymi* Westendorp, with fig. (Cunningham), 1.  
 — — —, *Darluca Filum* parasitic on (Cunningham), 48.  
 — *Euphrasiana* n. sp., with fig. (Cunningham), 6, 12.  
 — *fodiens* G. H. Cunn., add. host. (Cunningham), 395.  
 — — — characteristics (Cunningham), 9.  
 — *Foyana* n. sp., with fig. (Cunningham), 3, 10.  
 — *Galii* Schw., syn., 7.  
 — *Gaiorum* Link., syn., 7.  
 — *graminis* Pers., add. hosts (Cunningham), 394.  
 — *heketa* n. sp., with fig. (Cunningham), 393, 396.  
 — *Hierochloae* S. Ito differs from *Uredo karetu* (Cunningham), 41.  
 — *Hoheriae* G. H. Cunn. is *P. Hoheriae* Wakef. (Cunningham), 395.  
 — *Hoheriae* Wakef., *Darluca Filum* parasitic on (Cunningham), 48.  
 — *Hydrocytus* Cke., *Darluca Filum* parasitic on (Cunningham), 48.  
 — *juncophyla* Cke. et Mass., *Darluca Filum* parasitic on (Cunningham), 48.  
 — *Magnisiana* Koern. aecidium of *Aecidium Ranunculacearum* in cycle of. (Cunningham), 34.  
 — *missouriensis* Arth., syn., 1.  
 — *Morrisoni* McAlp., *Darluca Filum* parasitic on (Cunningham), 48.  
 — *namua* n. sp., with fig. and pl. (Cunningham), 3, 11.  
 — *novae-zelandiae* G. H. Cunn., add. hosts (Cunningham), 395.  
 — *novo-zelandica* Bubak, occ. (Cunningham), 46.  
 — *obliterata* Arth., syn., 1.
- Puccinia Oligantha* McAlp., occ. (Cunningham), 8.  
 — *Paniculae* Arth., syn., 1.  
 — *perplexans* Plowr., syn., 1.  
 — *persistent* Plowr., syn., 1.  
 — *Plagianthi* McAlp., *Darluca Filum* parasitic on (Cunningham), 48.  
 — *Poarum* Niels., *Darluca Filum* parasitic on (Cunningham), 48.  
 — *Potentillae* Pers., syn., 19.  
 — *pulverulenta* Grev., add. hosts (Cunningham), 395.  
 — — —, *Darluca Filum* parasitic on (Cunningham), 48.  
 — *punctata* Link., with fig. (Cunningham), 7.  
 — — —, *Darluca Filum* parasitic on (Cunningham), 48.  
 — *Rosae* Schum., syn., 16.  
 — *Sonchi* Roberge, with fig. (Cunningham), 10.  
 — *titinea* G. H. Cunn., add. host (Cunningham), 394.  
 — *tomipara* Trel., syn., 1.  
 — *triarticulata* Berk. et Curt., syn., 1.  
 — *triticina* Erikss., Arthur's classific. (Cunningham), 2.  
 — — —, syn., 1.  
 — *Triticorum* Speg., syn., 1.  
 — *Unciniarum* Diet. et Neg., add. host (Cunningham), 394.  
 — — —, *Darluca Filum* parasitic on (Cunningham), 48.  
 — *Valantiae* Pers., occ. (Cunningham), 7.  
 — *Wahlenbergiae* n. sp., with fig. (Cunningham), 8, 13.  
 — *whakatipu* n. sp., with fig. (Cunningham), 4, 11.  
 — — —, *Darluca Filum* parasitic on (Cunningham), 48.  
 — *wyomingensis* Arth., syn., 1.  
*Pucciniaceae*, classific. (Cunningham), 14.  
 — hosts of *Uredo* (Cunningham), 40.  
*Pucciniastrum* Otth., charact. (Cunningham), 29; in key, 26.  
 — *Abieti-Chamaenerii* Kleb., syn., 30.  
 — *Epilobii* Otth., syn., 30.  
 — *pustulatum* Dietel, with fig. (Cunningham), 30.  
*Pugnellus marshalli* Trechmann, similarity to *Monalaria minor* (Marwick), 170.  
 — — — See also *Conchothyra marshalli*.  
*pulkaea*. See *pumoana*.  
*Pukeahu*, fight at (Andersen), 695.  
*Pukeuri* fossil-beds (Finlay), 507, 508.  
*pukeuriensis*, *Brocchina*.  
 — *Brookula*.  
 — *Linemera*.  
 — *Otolithus* (*Merluccius*).  
 — *Ptychatractus*.  
 — *Uber* (*Euspira*).  
*pulchella*, *Dynamena*.  
 — *Libellula*.  
 — *Pycnocentrodes*.  
*pulcherrimum*, *Hymenophyllum*.  
*pulcherrimus*, *Molophilus*.  
*pulchra*, *Cominella*.  
*pulverulenta*, *Puccinia*.  
*pumice soils*, iron in (Aston), 720.  
*pumila*, *Corbula*.

- pumiloides*, *Sertularia*.  
*pumoana*, used by crier (Andersen), 689; historic instruments, and sound of, 696.  
*punctata*, *Puccinia*.  
*punctatum*, *Dicaeoma*.  
*punctimargo*, *Citius*.  
*pura*, *Scoparia*.  
Purari River, geol. (Benson), 116, 120.  
*purpurea*, *Sertularia*.  
*pusio*, *Cyathus*.  
*pustulata*, *Melampsora*.  
— *Uredo*.  
*pustulatum*, *Pucciniastrum*.  
*putara*, construction and sound (Andersen), 696-97.  
*putatara*. See *putara*.  
*putatere*. See *putara*.  
Putauaki (Mount Edgecumbe), wars at (Andersen), 696.  
*putorino*, music of (Andersen), 693.  
*puwhuwhango*, in song (Andersen), 699.  
*Pycnocentria* McL., affin. to *Pycnocentrodes* Tillyard (Tillyard), 307-8.  
— *evecta* McL., wing-venat, fig. (Tillyard), 308.  
*Pycnocentrodes* n. g., with fig. (Tillyard), 307-8.  
— *chiltoni* n. sp., with pl. and figs. (Tillyard), 308-9.  
— *hamiltoni* n. sp., with pl. and fig. (Tillyard), 311.  
— *olingooides* n. sp., with pl. and figs. (Tillyard), 310.  
— *pullchella* n. sp., with figs. (Tillyard), 308, 310.  
*pygmaea*, *Sertularia*.  
*pygaeum*, *Bulbophyllum*.  
*pyra*, *Cassidea*.  
Pyraloidea, strigil, with figs. (Philpott), 219.  
*pyramidalis*, *Ataxocerithium*.  
— subsp. *robustum*, *Ataxocerithium*.  
*Pyrgolampros*. See *Turbanilla* (*Pyrgolampros*).  
*Pyrgulina pseudorugata* (M. & M.), occ. Awamoa (Finlay), 511.  
*Pyronata festiva*, trout-food (Phillipps), 385.  
*pyrum*, *Phalium*.  
— *Phalium labiatum* subsp.
- quadricingulatum*, *Ataxocerithium*.  
*quadridens*, *Sertularia*.  
— *Thuiaria*.  
*quadrijuga*, *Sabatinca*.  
*quadrimaculatus*, *Calliphora*.  
*quaestuosa*, *Protosynaema*.  
“Queen of the Avon,” first overseas vessel at Queen’s Wharf, Wellington (Baillie), 717.  
“Queen’s Bond,” or “Queen’s Warehouse,” Wellington (Baillie), 717.  
Queen’s Wharf, Wellington (Baillie), 715.  
Queensland coastal shelf (Benson), 127.  
*quirindus*, *Xymene*.  
*quoyana*, *Cominella*.
- ra*, technique (Rangi Hiroa), 360.  
*radiale*, *Cymatium*.  
*radiatus*, *Chlamys*.
- radiatus*, *Pecten*.  
*radicis*, *Myndus*.  
“Railroad,” Rakaia Gorge (Dobson & Speight), 627.  
rainbow trout, food of (Phillipps), 388.  
rainfall. See meteorology.  
raised beaches, N.Z. post-Tertiary (Henderson), 582-91.  
Rakaia Gorge, so-called “Railroad” (Dobson & Speight), 627.  
— Valley of tectonic origin (Speight), 630.  
*ramosum*, *Synthecium*.  
*ramulosa*, *Sertularia*.  
Ramu River, geol. (Benson), 114, 117.  
Rangi Hiroa, Te, playing of nose-flute (Andersen), 694; *te reo irirangi*, 699.  
Rangi-nui-te-Ao, in proverbial saying (Rangi Hiroa), 354.  
Rangitoto, climate and ferns (Holloway), 89.  
*Raniceps*. See *Otolithus* (*Raniceps*).  
Ranunculaceae, hosts of *Acidium otagense* (Cunningham), 33.  
— *Puccinia Elymi* (Cunningham), 1.  
— *Puccinia Foyana* (Cunningham), 2.  
— *Urocystis* (Cunningham), 429.  
*Ranunculacearum*, *Acidium*.  
*Ranunculus depressus* T. Kirk, host of *Acidium Ranunculacearum* (Cunningham), 34.  
— *Enysi* T. Kirk, host of *Puccinia Foyana* (Cunningham), 3.  
— *geraniifolius* Hook. f., host of *Acidium Ranunculacearum* (Cunningham), 34.  
— *insignis* Hook. f., host of *Acidium Ranunculacearum* (Cunningham), 34.  
— *Urocystis Anemones* (Cunningham), 430.  
— *Lyallii* Hook. f., host of *Acidium Ranunculacearum* (Cunningham), 34.  
— *nivicola* Hook., host of *Acidium Ranunculacearum* (Cunningham), 34.  
— *pachyrrhizus* Hook. f., host of *Acidium Ranunculacearum* (Cunningham), 34.  
— *repens* L., host of *Acidium Ranunculacearum* (Cunningham), 34.  
— infection experiments on (Cunningham), 430.  
Raoul, or Sunday Isd., climate and veg. (Holloway), 89-90.  
Rapaki, *putorino* from (Andersen), 693.  
*raranga* and *whiri*, difference (Rangi Hiroa), 348.  
*rarum*, *Hymenophyllum*.  
rata, southern. See *Metrosideros lucida*.  
“Rattlesnake” at Wellington (Baillie), 700.  
Raupo Ngaoheohe, Te, prehistoric tribe (Andersen), 696.  
rauru, a flat plait (Rangi Hiroa), 350.  
*Rauwenhoffi*, *Tilletia*.  
*Readeri*, *Ustilago*.  
reclaimations, Wellington Harbour (Baillie), 710.  
*rectus*, *Otolithus* (*Percidarium*).  
*redolens*, *Hierochloe*.  
Reefton, climate and vegetation (Holloway), 86.  
*reflexus*, *Rhizorus*.  
*regius*, *Turris*.  
Regulations Committee. See N.Z. Institute.  
Rehetaia mentioned (Rangi Hiroa), 354.  
rehu, calabash-trumpet (Andersen), 689.

- remotifolius*, *Senecio*.  
*reniforme*, *Trichomanes*.  
*reniformis*, *Rochefortia*.  
 Rennell Isld., geol. (Benson), 118, 123.  
*reo irirangi*, *te*, in song (Andersen), 699.  
*repanda*, *Dicranomyia*.  
*repens*, *Ranunculus*.  
 Research Grant Committee. See N.Z. Institute.  
 research grants, 1923 (Inst.), 790.  
 research work, report for ten years ending 1923  
     (Inst.), 766.  
*reticulata*, *Eucopella*.  
*retiolum*, *Priene*.  
*revolutum*, *Cymatium*.  
*Rhagodia nutans* R. Br., host of *Uredo Rhagodiae*  
     (Cunningham), 43.  
*Rhagodiae*, *Uredo*.  
*Rhapsa scotosialis* Walk., strigil (Philpott), 220.  
*Rhathamictis* n. g. (Meyrick), 662.  
     — *perspersa* n. sp. (Meyrick), 662.  
*Rhipogonum scandens* Forst. (supplejack) used  
     for *roria* (Andersen), 689.  
*Rhizorus reflexus* (Hutt.) [*Volvulella*], occ. Awamoae  
     (Finlay), 511; Pukeuri, 508.  
*Rhyacophilidae*, key, &c. (Tillyard), 285–86.  
*Rhynchosella*, occ. (Benson), 121.  
*Rhyssoplax canaliculata* (Q. & G.), occ. Dunedin  
     (Finlay), 518.  
 Ridley, S. O., forms of *Sertularia episcopus*  
     (Bale), 246.  
*rigida*, *Rubus*.  
*Ringicula uniplicata* Hutt., occ. Ardgowan (Finlay), 510; Pukeuri, 508.  
*Ringiculidarum* gen. et sp. indet., with pl.  
     (Wilkens), 542.  
*riparia*, *Uncinia*.  
*Rissou*, application of name (Finlay), 480.  
     — group, charact. (Finlay), 481.  
     — *atomus* Suter, syn., 488.  
     — *filocincta* Hedley and Petterd, rel. to *Linemera*  
         (Finlay), 483  
     — *gradata* Hutt., syn., 483, 484.  
     — *misera* Desh., rel. to *Rissoina perplexa*  
         (Finlay), 489.  
     — *nana* (Lamk.), rel. to *Rissoina perplexa*  
         (Finlay), 489.  
     — *pingue* Webster, the only Recent *Linemera*  
         of N.Z. (Finlay), 483.  
     — *semisulcata* Hutt., classific. by M. & M.  
         (Finlay), 480.  
     — *vana* Hutt., syn. of *Potamopyrgus badia*,  
         and occ. (Finlay), 491.  
*Rissoids*, Tertiary (Finlay), 480.  
*Rissoina* group, charact. (Finlay), 482; in key,  
     493.  
     — *chathamensis* (Hutt.), occ. (Finlay), 490.  
     — — in key (Finlay), 494.  
     — — rel. to *R. perplexa* (Finlay), 489.  
     — *emarginata* (Hutt.), occ. (Finlay), 498.  
     — — syn., 490.  
     — *inca* D'Orb., in group (Finlay), 482.  
     — *obliquecostata* M. & M., occ. (Finlay), 480,  
         490; in key, 494.  
     — *perplexa* n. sp., with fig. (Finlay), 489;  
         in key, 494.  
     — *rugulosa* (Hutt.), syn., 490.  
     — *vana* Hutt., occ. Awamoae (Finlay), 511.
- Riverhead-Kaukapakapa dist., geol. (Bartrum), 139.  
 Rivers, W. H. R., causes of racial extinction  
     (Rangi Hiroa), 369.  
*rivertonensis*, *Dardanus*.  
 Roberts, E., lighthouse planned by (Baillie), 706, 707.  
 Robertson's Wharf, Wellington (Baillie), 715.  
*robini*, *Macoma*.  
*robusta*, *Bela*.  
     — *Sertularia*.  
*robustum*, *Ataxocerithium pyramidale* subsp.  
*robustus*, *Xymene*.  
*Rochefortia reniformis* Sut., occ. Taieri, &c. (Finlay), 517.  
 Rodway, F. A., on host of *Aecidium monocystis*  
     (Cunningham), 47.  
*Roestelia*, in key (Cunningham), 32.  
*rohe*, foot-gear (Rangi Hiroa), 360.  
*Rolfei*, *Rubus*.  
 Rongorongo and kumara (Rangi Hiroa), 348.  
*roria*, proverb concerning (Andersen), 689; sketch, 689.  
*Rosa Eglenaria* Mill. (= *R. rubiginosa* L.), host  
     of *Phragmidium mucronatum* (Cunningham), 16.  
     — *rubiginosa* L. See *R. Eglenaria*.  
 Rosaceae, hosts of *Hamaspora acutissima* (Cunningham), 22.  
     — *Phragmidium mucronatum* (Cunningham), 16.  
*Rosae*, *Aecidium*.  
     — *Caena*.  
     — *Puccinia*.  
     — *Uredo*.  
*Rosae-centrifoliae*, *Uredo*.  
*Rosae-pimpinellifoliae*, *Phragmidium*.  
*Rosarum*, *Phragmidium*.  
 Ross Sea, subsided region (Benson), 132.  
*rostrata*, *Halicornia*.  
*Rostropia* Lagerh., based on abnormal *P. Elymi*  
     (Cunningham), 2.  
*Rotalia*, occ. (Bartrum), 149.  
*Rotifera*, trout-food (Phillips), 382.  
 Rotti, geol. (Benson), 103, 104, 108.  
 Rouffaer River, geol. phases (Benson), 114.  
*Rubia eae*, hosts of *Aecidium hupiro* (Cunningham), 36.  
     — *Puccinia punctata* (Cunningham), 7.  
*rubicunda*, *Septa*.  
*rubiginosa*, *Rosa*.  
*rubra*, *Festuca*.  
     — *Tuberculata*.  
*Rubus australis* Forst. f., host of *Hamaspora acutissima* (Cunningham), 22.  
     — *molluccanus* L., host of *Hamaspora acutissima* (Cunningham), 21.  
     — *rigida*, host of *Hamaspora longissima* (Cunningham), 21.  
     — *Rolfei*, host of *Hamaspora acutissima* (Cunningham), 21.  
*rudis*, *Borsonia*.  
     — *Macra ovata* var.  
*rufa*, *Astelobia*.  
     — *Gnophomyia*.  
     — — (*Astelobia*).  
*rufescens*, *Hymenophyllum*.

- rufifacies*, *Chrysomyia*.  
*rufifrons*, *Cicicus*.  
*rufipes*, *Cyathia*.  
— *Cyathus*.  
*rugata*, *Odostomia*.  
*rugispora*, *Nidula microcarpa* var.  
*Rugobela* n. gen. (Finlay), 514.  
*rugosa*, *Estea*.  
— *Struthiolaria*.  
*rugulosa*, *Rissina*.  
*rust-fungi*. See *Uredinales*.  
*rutidolumum*, *Vexillum*.
- Sabatinca aemula* n. sp., with figs. (Philpott), 667.  
— *aurantiaca* n. sp., with figs. (Philpott), 668.  
— *chrysargyra* Meyr., strigil, fig. (Philpott), 217.  
— *quadrijuga* Meyr., strigil, figs. (Philpott), 217.
- Saccardo*, P. A., bristles on spores of *Darluca Filum* (Cunningham), 49.
- sackeni*, *Gynoplistia*.  
*sagenus*, *Polinices* (*Neverita*).  
— *Uber*.
- Sahul Bank, stable portion of Pacific region (Benson), 99.
- sails, Maori, &c. (Rangi Hiroa), 360–61.
- St. Matthias Isld. (Mussau), geol. (Benson), 121.
- St. Oswald, Lord, collection (Andersen), 693.
- Salmo*, trout-food (Phillipps), 382.  
— *irideus*, food of (Phillipps), 388.  
— — stomach-contents (Phillipps), 383  
*et seq.*
- Salvelinus fontinalis*, food of (Phillipps), 388.
- Samoan fly-whisk (Rangi Hiroa), 354–55.
- Observatory. See N.Z. Inst. S.O. Committee.
- San Christoval, geol. (Benson), 121.
- sandals, Maori, technique (Rangi Hiroa), 357.
- Sandwich Islds. See Efate.
- sanguinolentum*, *Hymenophyllum*.  
*Sanguisorbae*, *Acaena*.  
— var. *pilosa*, *Acaena*.  
*Santa Anna*, geol. (Benson), 121.
- Saponariae*, *Sorosporium*.  
Saruvaged Range, geol. (Benson), 116, 117.
- sativa*, *Avena*.  
*saundersii*, *Seba*.  
*Savu*, on geantilinal ridge (Benson), 103.
- Saxicava arctica* (L.), occ. Pukeuri (Finlay), 509; Target Gully, 496.
- saxosa*, *Xysmatodoma*.  
*scabrum*, *Agropyron*.  
— *Hymenophyllum*.
- Scalaria corulum* (Hutt.) = *Lissospira corulum* (Hutt.), (Finlay), 526.
- scalpellum*, *Mactra*.  
*sculptus*, *Uber*.  
*scandens*, *Hebella*.  
— *Lafoea*.  
— *Rhipogonium*.  
*scariousus*, *Uromyces*.
- Schefflera digitata* Forst., occ. (Holloway), 77.
- Schismope brevis* var. *laevigata* Iredale, occ. Taieri (Finlay), 517.
- Schistophleps albida* Walk., strigil, fig. (Philpott), 221, 222.
- Schizotricha* in classific. (Bale), 252.
- Schoenus Carsei* Cheesem., host of *Sorosporium solidum* (Cunningham), 429.
- Schouten Islds., geol. (Benson), 119, 120.
- Science Congress, 1926, meeting (Inst.), 776.
- Scirpi*, *Ustilago*.  
*Scirpi-nodosi*, *Uredo*.  
*Scirpus antarcticus* Linn., not on Banks Pen. (Laing & Wall), 444.  
— *aucklandicus* Boeck., occ. Banks Pen. (Laing & Wall), 444.  
— *frondosus*, used for belts (Rangi Hiroa), 348.  
— *inundatus* Poir., host of *Uredo Scirpi-nodosi* (Cunningham), 42.  
— *nodosus* Rottb., host of *Sorosporium Neillii* (Cunningham), 428.
- sclerotiformis*, *Cintractia*.  
— *Ustilago*.
- scobina*, *Lepsiella*.  
*Scoparia falsa* n. sp. (Philpott), 208.  
— *gracilis* n. sp. (Philpott), 209.  
— *pura* n. sp. (Philpott), 208.
- Scopelus*. See *Otolithus* (*Scopelus*).  
*scotosialis*, *Rhapsa*.  
*Scrophulariaceae*, hosts of *Puccinia Euphrasiana* (Cunningham), 6.
- scruposa*, *Tortrix*.  
*sculpta*, *Otolithus* (*Gadus*) *elegans* var.  
*sculptilis*, *Merelina*.  
*sculpturatum*, *Cymatium*.  
*scutulata*, *Struthiolaria*.  
— *Tylospira*.  
sea-bristles (*Plumularia setacea*) (Bale), 252.
- sea-level in N.Z., post-Tertiary changes (Hender son), 580–99.
- sea-walls, Wellington (Baillie), 710.
- Seager's Wharf, Wellington (Baillie), 715.
- Seba antarctica*, form (Chilton), 269.  
— *saundersii* Stebbing, syn., 269.  
— *typica* (Chilton), occ. (Chilton), 269.
- Scelaris*, *Tillettia*.  
*sectus*, *Pecten*.  
*secunda*, *Aglaphenia*.  
*secondus*, *Hemicarpus*.  
— *Lytocarpus*.  
*segetum*, *Ustilago*.  
— var. *Avenae*, *Ustilago*.  
— var. *decipiens*, *Uredo*.  
— var. *Hordei*, *Ustilago*.  
— var. *Hordei forma nudum*, *Ustilago*.  
— — *forma tecta*, *Ustilago*.  
— var. *Triticci*, *Ustilago*.
- Selaginopsis dichotoma* Billard, syn., 237.  
— *monilifera* (Hutton), occ. (Bale), 237.
- selectum*, *Callostoma*.  
*selenitis*, *Gracilaria*.  
*Selidosema*, strigil (Philpott), 224.
- sella*, *Orthophragmina*.  
Selwyn, A., Wellington winds (Baillie), 702.  
— River rapids, Senonian fossils (Wilckens), 539.
- semiannularis*, *Danthonia*.  
— var. *nigricans*, *Danthonia*.  
— var. *setifolia*, *Danthonia*.

- semisulcata*, *Estea*.  
 — *Rissa*.  
*semiteres*, *Nuculana*.  
*semiundulata*, *Trigonia*.  
*Semo* Buchanan White, charact. (Myers), 316, 320.  
 — in key (Myers), 317.  
 — *clypeatus* Buchanan White, with pl. (Myers), 320-21.  
*Senecio bellidoides* Hook. f., not the food-plant of *Nepticula erectiflora* (formerly *N. tricentra*) (Watt), 687.  
 — *Kirkii* Hook. f., occ. (Holloway), 89.  
 — *Lyallii* Hook. f., occ. Banks Pen. (Laing & Wall), 442.  
 — *Matthewsii* sp. nov. (Petrie), 434.  
 — *remotifolius* n. sp. (Petrie), 96.  
 — *remotifolius* sp. nov. (Petrie), 435.  
 — *Spedenii* sp. nov. (Petrie), 434.  
*senectus*, *Brato*.  
*senex*, *Galeoidea*.  
*seniculus*, *Uber*.  
 Senonian, Upper, fossils (Wilckens), 539.  
 Sepik River, geol. (Benson), 114, 117, 119.  
*Sepimentum* Hutton = *Pollenia* Rob.-Desv. (Malloch), 639.  
 — *deminsum* Hutt., syn., 639.  
 — *fumosum* Hutt., syn., 639.  
*Septa rubricunda* Perry, syn., 462.  
*sera*, *Protocardia*.  
*Sericea spectans* Guen., (Philpott), 211.  
 Sericostomatidae, key, &c. (Tillyard), 285, 307.  
*Seriola Lalandii* (kingfish), food value (Malcolm and Hamilton), 376.  
*serotina*, *Linnophilella*.  
*serpens*, *Cyclophorus*.  
*Serpula cayenensis* Chapman (Finlay), 449.  
*Serpulorbis siro* (Lamk.), occ. Awamoa (Finlay), 511.  
*Serranus*. See *Otolithus* (*Serranus*).  
*serrata*, *Aristotelia*.  
*serrulatum*, *Polygonum*.  
*Sertularia angulosa* Bale, classific. (Bale), 240.  
 — *capillaris* Allman, syn., 239.  
 — *columnaria* Briggs, occ. (Bale), 239.  
 — *crassiuscula* n. sp., with fig. (Bale), 240.  
 — *edentula* n. sp., with fig. (Bale), 237.  
 — *episcopus* Allman, syn., 245.  
 — *fusiformis* Hincks var. *nana* Hartlaub, syn., 227, 240.  
 — *indivisa*, variation in form (Bale), 241.  
 — *integra* Allman, occ. (Bale), 242.  
 — *johnstoni* Coughtrey, syn., 239.  
 — *johnstoni* (Gray), occ. (Bale), 239.  
 — *mediterranea* Hartlaub, *S. polyzonias* from Bass Strait related to (Bale), 242.  
 — *microgna* var. Lendenfeld, classific. (Bale), 240.  
 — *minima*, classific. (Bale), 236.  
 — *polyzonias* (Lin.), occ. (Bale), 242.  
 — — —, *S. simplex* differs (Bale), 240.  
 — *purpurea* Kirchenpauer, syn., 239.  
 — *pygmaea*, classific. (Bale), 239.  
 — *quadridentata* (Bale), occ. (Bale), 242.  
 — *quadridentata* Ritchie, syn., 242.  
 — *robusta* Coughtrey, classific. (Bale), 240.  
 — — —, a renaming of *S. simplex* (Bale), 227.
- Sertularia simplex* Coughtrey, *S. tenella* included in (Bale), 227.  
 — — — syn., 240.  
 — — — *simplex* (Hutton), with fig. (Bale), 240.  
 — — — *solidula* Bale, occ. &c. (Bale), 227.  
 — — — and *S. crassiuscula* n. sp. (Bale), 241.  
 — — — *solidula* Hartlaub, syn., 240.  
 — — — *subarticulata* Briggs, syn., 242.  
 — — — *subarticulata* (Coughtrey), occ. (Bale), 242.  
 — — — *tenella* (Alder), identity (Bale), 227.  
 — — — *tenella* Hartlaub, syn., 240.  
 — — — *tridentata* Hartlaub, syn., 236.
- Sertularia australis* (Kirchenpauer), dwarf form of *S. unguiculata* (Bale), 248.  
 — *bispinosa* Billard, syn., 248.  
 — *bispinosa* Farquhar, syn., 248.  
 — *bispinosa* (Gray), desc. (Bale), 248.  
 — *crinis* Allman, classific. (Bale), 246.  
 — — — syn., 246.  
 — — — *delicatula* Hutton, syn., 239.  
 — — — *elegans* Coaghtrey, syn., 251.  
 — — — *elongata* Farquhar, syn., 252.  
 — — — *episcopus* (Allman), desc. (Bale), 245.  
 — — — *fasciculata* (Kirchenpauer), descrip. (Bale), 246.  
 — — — *furcata* Trask, ident. (Bale), 247.  
 — — — *fusiformis* Hutton, syn., 245.  
 — — — ? (non Hincks), ident. with *S. episcopus* (Bale), 246.  
 — — — *huttoni* Marktanner-Turneretscher, syn., 252.  
 — — — *insignis* Thompson, syn., 252.  
 — — — *johnstoni* Gray, syn., 239.  
 — — — *longicosta* Coughtrey, syn., 245.  
 — — — *mc callumi* (M. & T.), similarity to *S. episcopus* (Bale), 245.  
 — — — *macrocarpa* Bale, similarity of *S. episcopus* (Bale), 245.  
 — — — *minima* Farquhar, syn., 248.  
 — — — *minima* Thompson, desc. (Bale), 248-49.  
 — — — *monilifera* Hutton, syn., 237.  
 — — — *operculata* Farquhar, syn., 246.  
 — — — *operculata* Hartlaub, syn., 246.  
 — — — *operculata* Lin., synonyms of (Bale), 246.  
 — — — *operculata* (?) Thompson, syn., 246.  
 — — — *orthogonia* Busk., syn., 250.  
 — — — *pumilioides* Bale, variety of *S. minima* (Bale), 249.  
 — — — *ramulosa* Coughtrey, classific. (Bale), 246.  
 — — — syn., 246.  
 — — — *setacea* Linné., syn., 252.  
 — — — *simplex* Coughtrey, syn., 240.  
 — — — *simplex* Hutton, syn., 240.  
 — — — *subspinata* Hutton, syn., 239.  
 — — — *trispinosa* Coughtrey, desc. (Bale), 248.  
 — — — *unguiculata* Busk., occ. (Bale), 248.  
 — — — *unguiculata* Farquhar, syn., 248.  
 — — — *unilateralis* Allman, desc. (Bale), 248.
- Sertulariidae* (Bale), 236.
- setacea*, *Aglaophenia*.  
 — *Corallina*.  
 — *Plumularia*.  
 — *Sertularia*.  
 — var. *opima*, *Plumularia*.  
*setifolia*, *Danthonia semiannularis* var.  
*setulosa*, *Nertera*.  
 Shag Point beds, age (Finlay), 449.

- Shag Point, age and fauna (Wilckens), 544.  
 Sharp, D., combing-organ of insects (Philpott), 215.  
 — resol. of sympathy (Inst.), 728.  
 sheep, and bush sickness (Aston), 720.  
 shell-characters, relative importance of (Marwick), 166.  
 shell-nomenclature, Naticidae (Marwick), 548.  
 Sherman, H. C., amount of iron needed by human being (Aston), 722.  
*shikokianus*, *Uromyces*.  
 shore-line of N.Z., post-Tertiary changes (Henderson), 580-99.  
 Shortland, E., Maori sandals (Rangi Hiroa), 358.  
 Shortland, W., report on Wellington Harbour (Baillie), 702.  
*Sigaretus carinatus* Hutt., syn., 578.  
 — *cinctus* Hutt., syn., 574.  
 — *drewi* Murdoch, type (Marwick), 574; syn., 576.  
 — *problematicus* Desh., type (Marwick), 577.  
 — *subglobosus* Sowerby, syn., 575.  
 — *unudulatus* Hutt., syn., 575.  
 — (*Natacina*) *cinctus* Hutt., syn., 574.  
 signal-stations, Wellington (Baillie), 704.  
*signata*, *Porina*.  
*Signeta flammeata* Butl., strigil, fig. (Philpott), 223.  
*Silicularia bilabiata* (Coughtrey), with fig. (Bale), 233.  
 — *campanularia* Bale, syn., 234.  
 — *campanularia* (v. Lendenfeld), form of (Bale), 233, 234-35.  
 silver southern-beech. See *Nothofagus Menziesii*.  
*Simaethis albifasciata* n. sp. (Philpott), 213.  
 — *tillyardi* n. sp. (Philpott), 666-67.  
*simile*, *Crucibulum*.  
*similis*, *Cyathus*.  
 — *Mnesarchaea*.  
 — *Orthenches*.  
 — *Persectania*.  
 — *Struthiolarciopsis*.  
*simplex*, *Laomedea*.  
 — *Nucula*.  
 — *Parascyphus*.  
 — *Sertularella*.  
 — *Sertularia*.  
 — *Thyscyphus*.  
*simplicella*, *Stomopteryx*.  
*Sinclairii*, *Celmisia*.  
*Sinum Bolten* (Marwick), 574; range, 546.  
 — occ. (Marsh. & Murd.), 156.  
 — *carinatum* (Hutt.), not at Target Gully (Finlay), 506.  
 — syn., 588.  
 — *cinctum* (Hutton), syn., 572.  
 — *cinctum* Sut., syn., 575.  
 — *fornicatum* Suter, with pl. (Marwick), 574; range, 548.  
 — *infimum* n. sp., with pl. (Marwick), 574.  
 — *miocaenicum* (Sut.), occ. Awamoa (Finlay), 511; Pukeuri, 509; Target Gully, 496.  
 — syn., 575.  
 — *undulatum*.  
 — (*Eunatacina*) *cinctum* (Hutton), with pl. (Marwick), 574.
- Sinum (Eunatacina) drewi* (Murdoch), syn.  
 576.  
 — *elegans* Sut., syn., 574.  
*sipho*, *Serpulorbis*.  
*Siphonalia*, name displaced (Finlay), 501.  
 — *caudata* (Q. & G.), a *Verconella* (Finlay), 501.  
 — *conoidea* (Zitt.), an *Aethocola* (Finlay), 501.  
 — *costata* (Hutt.), an *Aethocola* (Finlay), 501.  
 — *dilata* (Q. & G.), a *Verconella* (Finlay), 501.  
 — *dilatata* (Q. & G.) should be *Verconella adusta* (Phil.), (Finlay), 501.  
 — *excelsa* Sut., a *Verconella* (Finlay), 501.  
 — *nodosa zitteli* Sut., an *Aethocola* (Finlay), 501.  
 — *subreflexa* (Sow.), a *Verconella* (Finlay), 501.  
 "Sir George Grey's reclamation" (Baillie), 711.  
*Skeneella* group, charact. (Finlay), 482.  
 — absent from N.Z. Tert. (Finlay), 482.  
 — *georgiana* Pfr., in group (Finlay), 482.  
 — *pfefferi* Suter, occ. Taieri (Finlay), 517.  
 Skinner, H. D., Maori sandals (Rangi Hiroa), 357.  
 Smith, H. Guthrie-, elected to fellowship (Inst.), 775.  
 Smith, S. P., Niuean belts (Rangi Hiroa), 350.  
 — resol. of sympathy (Inst.), 728.  
 Smith and Co., J., warehouse over "Inconstant" (Baillie), 709.  
*smithii*, *Procordulia*.  
 smut-control (Cunningham), 400.  
 smut-spores, viability (Cunningham), 426.  
 smuts of N.Z. (Cunningham), 397-433.  
 Snow Mts., geol. phases (Benson), 113.  
*sobrina*, *Leporina*.  
 soils producing bush sickness (Aston), 720.  
*Solanderi*, *Nothofagus*.  
*Solandri*, *Carex*.  
*Solariella*, species congeneric (Finlay), 520.  
*Solecurtus bensonii* n. sp., with pl. (Finlay), 471, 473.  
 — *chattonensis* n. sp., with pl. (Finlay), 472, 473.  
 — *evolutus* n. sp., with pl. (Finlay), 472, 473.  
 — *legrandi* Tate, rel. to *S. bensonii* and *S. evolutus* (Finlay), 472.  
*solida*, *Natica*.  
 — *Urocytis*.  
 — *Ustilago*.  
*solidula*, *Sertularella*.  
*solidum*, *Dentalium*.  
 — *Sorosporium*.  
 Solomon Islds., geol. (Benson), 119, 120, 121.  
*Somatochlora*, trout-food (Phillipps), 385.  
 Somes Isld. light erected (Baillie), 709.  
 — — — stone used in reclamations (Baillie), 712.  
*Sonchi*, *Puccinia*.  
*Sonchus* Tourn., food-plant of *Phytomyza atricornis* (Watt), 687.  
 — *oleraceus* L., host of *Puccinia Sonchi* (Cunningham), 10.  
 song, indefinite phrases of (Andersen), 697; length of lines and stanzas, 697-98; nomenclature, Maori, 698-99.  
 — sung to *pakuru* (Andersen), 692.  
*Sophora tetrapetala* J. Miller. See *Edwardsia tetrapetala*.

- Sophorae, Aecidium.*  
*Sophorae-flavescens, Uromyces..*  
*Sophorae-japonicae, Uromyces.*  
*soror, Bullinella.*  
 — *Cylindrella.*  
*Sorosporium*, characters (Cunningham), 427.  
 — in key (Cunningham), 403.  
 — *Neillii* n. sp., with pl. and fig. (Cunningham), 428.  
 — *piliformis*, diff. from *S. Neillii* (Cunningham), 428.  
 — *Saponariae* Rud., spore-formation on (Cunningham), 427.  
 — *solidum* (Berkeley) McAlpine, with fig. (Cunningham), 429.  
 Southern Alps, southern bifurcation (Benson), 129.  
 southern-beech. See *Nothofagus Menziesii*.  
 Southland rocks (Benson), 128, 129.  
*southlandicus, Uredo.*  
 sow-thistle. See *Sonchus*.  
*Sparidarum*. See *Otolithus (Sparidarum)*.  
*sparsa, Gelechia.*  
*Spatangus*, occ. (Benson), 125 note.  
*spathulata, Plantago.*  
*spatiosum, Cardium.*  
*spectabilis, Celmisia.*  
*spectans, Sericea.*  
 Speden, J., growth of *Veronica trifida* (Petrie), 437.  
*Spedeni, Senecio.*  
*speighti, Anachis.*  
 — *Callanaitis.*  
 — *Chione.*  
 — *Dalmasiceras.*  
 — *Neritopsis.*  
 — *Protodolum.*  
*speleus, Potamopyrgus.*  
*spengleri, Cymatium.*  
*Sphacelotheca*, characters (Cunningham), 421.  
 — in key (Cunningham), 403.  
 — *Hydropiperis* (Schumacher) de Bary, with fig. (Cunningham), 423.  
*Sphaeria Filum* Biv.-Bern., syn., 48.  
*sphaerococca, Tilletia.*  
*Sphingidae*, strigil, with fig. and pl. (Philpott), 222.  
*Sphinx convolvuli* L., strigil, pl. (Philpott), face p. 224.  
*spicatus, Podocarpus.*  
*spinach*, food-plant of *Haplomyza chenopodii* (Watt), 684.  
*spinifera, Aethocola.*  
 — *Struthiolaria.*  
*Spinifex hirsutus* Lab., host of *Cintractia Spinifex* (Cunningham), 420.  
*Spinifex*, *Cintractia*.  
 — *Ustilago*.  
 Spinks, W., wharfinger, Wellington (Baillie), 717.  
*spinosa, Struthiolaria.*  
*spirale, Globisimum.*  
*spiralis, Ampullina.*  
 — *Fusinus.*  
*spirata, Natica.*  
*Spirifera disjuncta*. See *S. verneulii*.  
 — *verneulii* (*S. disjuncta*), occ. (Benson), 106.
- Spisula aequilateralis* (Desh.), occ. Awamoia (Finlay), 511.  
*squarrosa, Aciphylla.*  
*staceyi, Lelo.*  
*stadialis, Cassidea.*  
 Standing Committee. See N.Z. Inst.  
 Stanley, E. R., Halmahera arc (Benson), 113.  
 — N. Guinea, tectonics (Benson), 114 *et seq.*  
 Statistics, Maori population (Rangi Hiroa), 363-66, 371-74.  
 Steinmann and Wilkens, characters of *Struthiolarella* (Marwick), 164, 165, 166.  
*stella, Orthophragmina.*  
 — *Patelloboida.*  
*Stellaria media* Cyrill., food-plant of *Haplomyza chenopodii* (Watt), 684.  
*stellata, Orthophragmina.*  
*stenocerca, Hydrobiopsisella.*  
*Stenothea adhaerens* Chilton, syn., 270.  
 — *assimilis* Chevreux, syn., 270.  
 — *dolfusi* Chevreux, syn., 270.  
 — *miersii* Stebbing, syn., 270.  
 — *valida* Dana, occ. and form (Chilton), 270.  
 — *validus* Dana, syn., 270.  
*stercorea, Cyathia.*  
 — *Nidularia.*  
*stercoreus, Cyathus.*  
*Stereotheca acanthostoma*, similar to *S. zelandica* (Bale), 251.  
 — *elongata* (Lamouroux) (Bale), 252.  
 — *huttoni* (Marktanner-Turneretscher), occ. (Bale), 252.  
 — *zelandica* (Gray), desc. (Bale), 251.  
 Stewart Isd., climate and ferns of (Holloway), 84.  
 — deer (Inst.), 751; report on spread, 755; control of, 758.  
*stibarochila, Brookula.*  
*Stichopora* Diet., syn., 25.  
*stigma, Hydrobiopsis.*  
 stinking-smut. See *Tilletia levius*.  
 Stock, A., Wellington astronomical clock (Baillie), 705.  
 Stokes, J. L., time-signals, Wellington (Baillie), 705.  
*Stomopteryx simplicialla* (Walk.), N.Z. occ., with figs. (Philpott), 666.  
 Stowell, H. See Hare Hongi.  
*straminea, Struthiolaria.*  
*stramineus, Murex.*  
 — *Struthiolaria.*  
*strangei, Nucula.*  
*Streptocheirus* n. sp., prob. a *Voluta* (Finlay), 506.  
*striiformis, Tilletia.*  
 — *Ustilago.*  
*striata, Ampullina.*  
 — *Bullinella.*  
 — *Crepidula.*  
 — *Evarne.*  
 — *Onoba.*  
*striatula, Emarginula.*  
*striatus, Nummulites.*  
*strictum, Trichomanes.*  
 strigil of Lepidoptera (Philpott), 215-24.  
*striolata, Mallobothra.*  
*striolata, Mesalia.*  
*Struthiolarella* Stein. & Wilk., in classific. (Marwick), 161, 162, 164.

- Struthiolarella nordenskjoldi* Wilckens, with fig. and pl. (Marwick), 165.  
 — *ornata* (Sowerby), with fig. (Marwick), 164–65.
- Struthiolaria* Lamarck, in classific. (Marwick), 162, 174.  
 — phylogeny (Marwick), 163.  
 — subdivisions (Marwick), 166.  
 — *acuminata* n. sp., with pl. (Marwick), 185.  
 — — ally found in Wanganuan (Marwick), 168.  
 — — stratigraphical range (Marwick), 172.  
 — *ameghinoi* von Ihering, with fig. and pl. in classific. (Marwick), 164, 165.  
 — *armata* n. sp., with pl. (Marwick), 183.  
 — — group diag. (Marwick), 168.  
 — — stratigraphical range (Marwick), 172.  
 — *australis* Gmelin, syn., 187.  
 — *calcar* Hutton, with pl. (Marwick), 176.  
 — — group diag. (Marwick), 168.  
 — — stratigraphical range (Marwick), 172.  
 — — occ. Ardgowan (Finlay), 510.  
 — *callosa* n. sp., with pl. (Marwick), 182.  
 — — group diag. (Marwick), 168.  
 — — stratigraphical range (Marwick), 172.  
 — *canaliculata* Zittel, with pl. (Marwick), 184.  
 — — stratigraphical range (Marwick), 172.  
 — *cincta* Hutton, with pl. (Marwick), 178.  
 — — group diag. (Marwick), 168.  
 — — stratigraphical range (Marwick), 172.  
 — — var. C Hutton, syn., 176.  
 — *cingulata* Zittel, with pl. (Marwick), 179.  
 — — group diag. (Marwick), 168.  
 — — stratigraphical range (Marwick), 172.  
 — — syn., 189.  
 — — subsp. *monilifera* Suter, syn., 186.  
 — — var. B Hutton, syn., 186.  
 — *convexa* n. sp., with pl. (Marwick), 188.  
 — — stratigraphical range (Marwick), 172.  
 — *crenulata* Lamarck, syn., 187.  
 — *errata* n. sp., with pl. (Marwick), 180.  
 — — group diag. (Marwick), 168.  
 — — stratigraphical range (Marwick), 172.  
 — *fortis* n. sp., with pl. (Marwick), 183.  
 — — group diag. (Marwick), 168.  
 — — stratigraphical range (Marwick), 172.  
 — *fossa* n. sp., with pl. (Marwick), 188, 189.  
 — — stratigraphical range (Marwick), 172.  
 — *fraseri* Hector, syn., 181.  
 — *frazeri* Hutton, with pl. (Marwick), 181.  
 — — group diag. (Marwick), 168.  
 — — stratigraphical range (Marwick), 172.  
 — *gigas* Sowerby, syn., 180.  
 — *inermis* Sowerby, syn., 187.  
 — *lirata* Tate, with fig. (Marwick), 163.  
 — *media* n. sp., with pl. (Marwick), 187.  
 — — stratigraphical range (Marwick), 172.  
 — *minor* Marshall, syn., 174.  
 — *mirabilis* (Smith), charact., with fig. (Marwick), 165.  
 — *monilifera* Suter, with pl. (Marwick), 186.  
 — — stratigraphical range (Marwick), 172.  
 — *nodosa* Gray, syn., 180.  
 — *nodulosa* Lamarck., syn., 180.  
 — *obesa* Hutton, with pl. (Marwick), 184.  
 — — group diag. (Marwick), 184.  
 — — stratigraphical range (Marwick), 172.
- Struthiolaria obesa*, occ. Awamoia (Finlay), 511.  
 — — (*Pelicaria*) *obesa* Hutton, syn., 184.  
 — — *papillaria* Gray, syn., 180.  
 — — *papillosa* Martyn, syn., 181.  
 — — *papulosa* (Martyn), with pl. (Marwick), 175, 180.  
 — — — devel. of shell, with fig. (Marwick), 166, 167.  
 — — — group diag. (Marwick), 168.  
 — — — stratigraphical range (Marwick), 172.  
 — — *parva* Suter, with pl. (Marwick), 187.  
 — — — stratigraphical range (Marwick), 172.  
 — — *rugosa* n. sp., with pl. (Marwick), 189.  
 — — — stratigraphical range (Marwick), 172.  
 — — *scutulata* Desh., syn., 187.  
 — — *spinifera* n. sp., with pl. (Marwick), 177.  
 — — — group diag. (Marwick), 168.  
 — — — stratigraphical range (Marwick), 172.  
 — — *spinosa* Hector, with pl. and fig. (Marwick), 167, 176, 177.  
 — — — group diag. (Marwick), 168.  
 — — — stratigraphical range (Marwick), 172.  
 — — — occ. Ardgowan (Finlay), 510.  
 — — — occ. (Marsh. & Murd.), 156.  
 — — *spinosa* Hutton, syn., 178.  
 — — *straminea* Gmelin, syn., 180.  
 — — *stramineus* Woodward, syn., 180.  
 — — *subspinosa* n. sp., with pl. (Marwick), 175, 178.  
 — — — devel. of shell, with fig. (Marwick), 167.  
 — — — group diag. (Marwick), 168.  
 — — — stratigraphical range (Marwick), 172.  
 — — *subspinosa* Marwick, occ. Ardgowan (Finlay), 510; Awamoia, 511; Pukeuri, 509; Target Gully, 496.  
 — — *sulcata* Hector, syn., 185.  
 — — *sulcata* Hutton, syn., 184, 185.  
 — — *sulcata* Jonas, syn., 180.  
 — — *tricarinata* Lesson, with pl. (Marwick), 186.  
 — — — stratigraphical range (Marwick), 172.  
 — — *tuberculata* Hutton, with pl. (Marwick), 178.  
 — — — group diag. (Marwick), 168.  
 — — — stratigraphical range (Marwick), 172.  
 — — — occ., Target Gully (Finlay), 496, 502.  
 — — — syn., 176.  
 — — — subsp. *concinna* Suter, syn., 173.  
 — — — — classific. (Marwick), 163.  
 — — *vermis* (Martyn), with pl. (Marwick), 187.  
 — — — group (Marwick), 168, 170, 171.  
 — — — protoconch, fig. (Marwick), 163.  
 — — — stratigraphical range (Marwick), 172.  
 — — *tricarinata* Lesson, syn., 186.  
 — — *vernus* not *S. vermis* (Marwick), 169.  
 — — — not syn. of *Buccinum scutulatum* (Marwick), 170.  
 — — *zelandiae* Marshall and Murdoch, with pl. (Marwick), 185.  
 — — — stratigraphical range (Marwick), 172.  
 — — — sp. Zittel (Marwick), 182.  

*Struthiolariidae* Fischer (Marwick), 161–90.

*Struthiolariopsis* Wilckens, classific. (Marwick), 161.  
 — — *ferrieri* (Phil.), fig. (Marwick), 161.  
 — — *similis* Wilckens, desc. and fig. (Marwick), 162.

- Stuart and Co., A. P., building at Customhouse Quay, Wellington (Baillie), 719.
- stuchburyi*, *Chione*.
- Styliidae. See *Candolleaceae*.
- subalbula*, *Pleurotoma*.
- subalta*, *Leucosyrinx*.
- subantarcticus*, *Onithochiton*.
- subarticulata*, *Sertularia*.
- *Thuiaria*.
- subcallimorpha*, *Euthria*.
- subcorticinum*, *Phragmidium*.
- subdola*, *Carex*.
- *Tortrix*.
- subfatuus*, *Aphineurus (Nesormosia)*.
- subflavescens*, *Notosetia*.
- subglobosus*, *Sigaretus*.
- sublabiata*, *Crossea*.
- sublaevis*, *Talopena*.
- sublata*, *Natica*.
- sublonga*, *Cytherea*.
- submontana*, *Macromastrix*.
- Subonoba*, in group (Finlay), 481.
- absent from N.Z. Tert. (Finlay), 482.
- *foreauxiana* (Suter), occ. Taieri (Finlay), 517.
- *fumata* (Sut.), in group (Finlay), 481.
- subnobilis*, *Otolithus (Dentex)*.
- subpinnata*, *Sertularia*.
- subreflexa*, *Siphonalia*.
- *Verconella*.
- subrosea*, *Dosinia*.
- subsimile*, *Phragmidium*.
- subspinosa*, *Struthiolaria*.
- subsulcata*, *Cytherea*.
- subtatei*, *Elachorhynchus*.
- subtenuis*, *Chilitiona*.
- subterraneus*, *Paraleptamphopus*.
- subtransennus*, *Ficus*.
- subtriangulata*, *Amphidesma*.
- succiensis*, *Nautilus*.
- Suckling, Mt., geol. (Benson), 118.
- Suess, E., first Australian arc (Benson), 119.
- New Guinea, grouping of islands to S.E. (Benson), 119.
- Philippine and Sunda Archipel. trend-lines, 103.
- Vitu Levu in geol. hist. of Aust. (Benson), 99.
- Sula Islds., Jurassic sediments (Benson), 104, 105, 106, 107, 113.
- Sula Besi, geol. phases (Benson), 106.
- sulcata*, *Bathytoma*.
- *Belophas*.
- *Struthiolaria*.
- subsp. *davisi*, *Astraea*.
- sulcatus*, *Otolithus (Scopelus)*.
- Sulconacca* n. gen. (Marwick), 556; in key, 557; range, 546.
- *compressa* n. sp., with pl. (Marwick), 558.
- *prisca* n. sp., with pl. (Marwick), 557; in key, 557; range, 547.
- *suturalis* (Hutton), with pl. (Marwick), 557; in key, 557; range, 547.
- *vauhanii* n. sp., with pl. (Marwick), 558; type, 556.
- Sumatra. See Malay Archipel.
- sumatraensis*, *Actinacis*.
- Sumba, geol. (Benson), 102, 105.
- Sunda Archipel., trend-lines, &c. (Benson), 103, 113.
- Sea, depth (Benson), 101 note.
- Sunday Isld. See Raoul.
- superba*, *Leptopteris*.
- supplejack. See *Rhipogonium scandens*.
- suprasculpta*, *Alvania*.
- Surcula* should be *Turridula* (Finlay), 498.
- *huttoni* Sut., probably a *Turridula oamarutica* Sut. (Finlay), 503.
- *oamarutica* Sut., occ. at Target Gully (Finlay), 502.
- *protransenna* M. & M., incl. in *Parasyrix* (Finlay), 514.
- Suter, H., *Alciithoe* treated as subgen. of *Fulgaria* (Marwick), 200.
- *Ancilla opima* confused with *A. depressa* (Marwick), 201.
- *Anomia undata* and *A. huttoni*, identific. (Marwick), 192.
- *Cominella hamiltoni*, confusion with *C. quoyana* (Murdock), 198.
- *Mitra armorica*, ident. (Finlay), 468.
- *Struthiolaria tricarinata*, synonymy of (Marwick), 186.
- *Struthiolaria spinosa* and *S. tuberculata*, confusion (Marwick), 177.
- suteri*, *Admete*.
- *Ajaxocerithium*.
- *Callistoma*.
- *Cymatium*.
- *Natica (Magnatica)*.
- *Pseudotoma*.
- var. *fragile*, *Callistoma*.
- sutherlandi*, *Natica*.
- *Natica (Magnatica)*.
- suturalis*, *Ampullina*.
- *Ampullina (Megatylotus)*.
- *Lunaria*.
- *Sulconacca*.
- Sveltia* n. sp. of Suter a *Vexillum* (Finlay), 496.
- Swingle, W. T. See Kellerman, W. A., and Swingle.
- Sydown, P. and H., *Aecidium disseminatum* and *Melampsora Kusanoi*, ident. (Cunningham), 27.
- symmetrica*, *Turritella*.
- Sympetrum bipunctatum*, trout-food (Phillipps), 385.
- Symplectoscyphus australis* Marktanner-Turneretscher, syn., 239.
- Synchorema* n. g., in key, &c. (Tillyard), 286, 296-97.
- *zygoneura* n. sp., with pl. and figs. (Tillyard), 296-97.
- Syncoryne eximia* Allman, desc. (Bale), 229.
- *tenella* (Farquhar), desc. (Bale), 228.
- sp., occ. (Bale), 227, 229.
- sp., Hartlaub, occ. (Bale), 229.
- Synemon hesperoides* Feld., strigil, fig. (Philpott), 219.
- Synthecidae* (Bale), 250.
- Syntheicum campylocarpum* Allman, syn., 250.
- *campylocarpum* Inaba, syn., 250.
- *elegans* Allman, occ. (Bale), 251.
- *orthogonia* Bale, syn., 250.
- *orthogonium* (Busk.), classific. (Bale), 250.

- Synthecium orthogonium* Jaederholm, syn., 250.  
 — *patulum*, likeness to *S. orthogonium* (Bale), 250.  
 — *ramosum* Allman, syn., 251.
- Syntomidae*, strigil (Philpott), 222.
- Syrphidae* (Miller), 281–84.
- Tabar Isld., geol. (Benson), 121.
- tahu*, in song (Andersen), 699.
- taitae*, *Aethicola*.
- takirikiri* process (Rangi Hiroa), 353.
- takitaki*, in plaiting, misprint for *kitakiti* (Rangi Hiroa), 360.
- in song (Andersen), 699.
- Talopena*, use of name (Finlay), 520.
- *sublaevis* n. sp., with fig. (Finlay), 520.
- taupu* of fire blown with breath (Rangi Hiroa), 354.
- Tarache nivipicta* Butl., strigil, with fig. (Philpott), 220, 221.
- Taraxacum magellanicum* Comm., occ. Banks Pen. (Laing & Wall), 442.
- Target Gully and Wanganui beds (Marsh. & Murd.), 156.
- Molluscan fauna, Part 1 (Finlay), 495–516.
- — nature of fossil-beds (Finlay), 508.
- — variation in shells (Finlay), 504, 505, 507.
- taruensis*, *Helophilus*.
- tatau-o-te-whare-o-Maui*, the crane-fly (Alexander), 641.
- Tate, R., affin. of *Struthiolaria mirabilis*, *Tylospira coronata*, &c. (Marwick), 165.
- Tatea hedleyi* n. sp., with pl. (Brookes), 153.
- *huonensis* T.-Woods, operculum (Brookes), 154.
- Tatosma lestevata* Walk., strigil, fig. (Philpott), 223.
- tatua*, generic name of belts (Rangi Hiroa), 346.
- *kotara* = *t. whara*.  
 — o Rongorongo (Rangi Hiroa), 348.  
 — *pupara* = *t. whara*.  
 — *whara*, plaiting (Rangi Hiroa), 346.
- tau*, belt-fastener (Rangi Hiroa), 348, 349.
- Taukata brought *kao* in belt (Rangi Hiroa), 348.
- tawai*. See *Nothofagus Menziesii*.
- tawhi*. See *Nothofagus Menziesii*.
- tecta*, *Uredo Hordei* var.  
 — *Ustilago segetum* var. *Hordei* forma.
- Tellina eugenia* Sut., occ. Pukeuri (Finlay), 509.
- *gaymardi* Iredale [*T. alba* Q. & G.], occ. Awamoia (Finlay), 511.
- *glabrella* Desh. should be *Macoma edgari* Iredale (Finlay), 497.
- *liliana* Iredale [*T. deltoidalis*], occ. Awamoia (Finlay), 511; Pukeuri, 509.
- temporemuta*, *Callostoma*.
- tenax*, *Eristalis*.  
 — *Phormium*.
- tenebrosus*, *Cantharidus*.
- tenella*, *Sertularella*.  
 — *Syncoryne*.
- tenellum*, *Epitonium*.
- Tenimber Islds., geol. phases (Benson), 103, 107, 112.
- tenuicaudatum*, *Hydrochorema*.
- tenuilirata*, *Bela*.  
 — — *Brookula*.
- tenuiliratus*, *Ptychatractus*.
- tenuis*, *Calyptraea*.
- Terebellina* ("Torlessia") *McKayi*, occ. (Benson), 106.
- Terebra costata* Hutt., occ. Pukeuri (Finlay), 509.
- *orycta* Sut., occ., Ardgowan (Finlay), 510; Awamoia, 511.
- — — varying form (Finlay), 508.
- Teredo heaphy* Zitt., occ. Awamoia (Finlay), 511.
- teres*, *Amauropsella*.
- ternaria*, *Carex*.
- ternata*, *Melicope*.
- Tertiary beds, new shells (Finlay), 450–79.
- mollusca, n. sp. (Murdoch), 157.
- tessellatella*, *Lindera*.
- testacea*, *Carex*.
- Tethyan series of orogenic forces (Benson), 101.
- Tetradon* Stebbing, desc. (Chilton), 632.
- *crassum* (Chilton), with figs. (Chilton), 631.
- *crassum* Stebbing, syn., 631.
- tetraptera*, *Edwardsia*.  
 — — *Sophora*.
- Teucrium parviflorum* Hook. f., on Banks Pen. (Laing & Wall), 438.
- Thambotricha* n. g. (Meyrick), 204.
- *vates* n. sp. (Meyrick), 205.
- Thecocarpus chiltoni* n. sp., with fig. (Bale), 261.
- *formosus* Busk., affin. to *Aglaophenia huttoni* (Bale), 257.
- — — identity (Bale), 261.
- — *formosus* Billard, syn., 261.
- — *laxus* Billard, syn., 260.
- Thecocaulus* adopted as genus (Bale), 252.
- *heterogona* n. sp., with fig. (Bale), 255–56.
- Thekopspora Magni*, syn., 29.
- Thelymitra*, host of *Uromyces citriformis* (Cunningham), 46.
- thermal lakes, trout in (Phillipps), 381.
- Thomas, A. P. W., distribution of pumice, Tarawera country (Aston), 722.
- Thompson, D'A. W., varieties of *Sertularia operculata* (Bale), 247.
- Thompson Trough, geol. (Benson), 127.
- Thomson, J. A., Hawke's Bay, Cretaceous rocks (Benson), 131.
- Hutton award (Inst.), 750.
- Shag Point beds (Finlay), 449.
- thomsoni*, *Magadina*.  
 — — *Verconella*.
- Thoristella dunedinensis* (Sut.), occ. Taieri (Finlay), 517.
- “Thorndon Quay,” extent (Baillie), 710.
- thouinensis*, *Alvania*.
- Thuemem*, species of *Phragmidium* (Cunningham), 24.
- Thuiaria ambigua* Thompson, large form of *Sertularia unguiculata* (Bale), 248.
- *bicalycula* (Coughtrey), with fig. (Bale), 243.
- *buski* (Allman), classific. (Bale), 237.
- *cerastium* Allman, “Challenger” fig. of (Bale), 237.
- — — syn., 237.
- — *dolichocarpa* Allman, syn., 251.
- — *farquhari* n. sp., with fig. (Bale), 244.
- — *hippisleyana* Allman, syn., 251.

- Thuiaria monilifera* Thompson, syn., 237.  
 — *quadridens* Bale, syn., 242.  
 — *subarticulata* Farquhar, syn., 242.  
 — *tuba* (Bale), *T. bicalycula* allied (Bale), 243–44.  
 — *vincta* Allman, syn., 242.  
 — *zelandica* Farquhar, syn., 251.  
*Thysocyphus simplex* Bale, syn., 236.  
 — *simplex* Lamouroux, identity with *T. tridentatus* (Bale), 227.  
 — *occ.* (Bale), 236.  
 — *tridentatus* (Bale), same as *T. simplex* (Bale), 227.  
 — *tridentatus* Hartlaub, syn., 236.  
*tiaratus*, *Trochus*.  
*tigris*, *Calliostoma*.  
 Tiliaceae, hosts of *Aecidium Milleri* (Cunningham), 35.  
*Tilletia*, characters (Cunningham), 404, 424.  
 — cytology (Cunningham), 399.  
 — in key (Cunningham), 403.  
 — *Airae-caespitosae* Lindr., syn., 410.  
 — *alopecurivora* Ule, syn., 410.  
 — *Brizae* Ule, syn., 410.  
 — *Caries* Tul., syn., 426.  
 — *De Baryana* Fisch. v. Waldh., syn., 410.  
 — *decipiens* (Persoon) Koernicke, with fig. (Cunningham), 424.  
 — diff. between it and *T. Holci* and *T. Tritici* (Cunningham), 427.  
 — *foetens* (B. & C.) Trel., syn., 425.  
 — *Holci* (Westendorp) Rostrup, with fig. (Cunningham), 427.  
 — diff. between it and *T. decipiens* and *T. Tritici* (Cunningham), 427.  
 — in key (Cunningham), 424.  
 — *levis* Kuehn., with figs. (Cunningham), 424, 425.  
 — germination (Cunningham), 400.  
 — *Milit* Fcl., syn., 410.  
 — *Rauwenhoffii* F. v. Waldh., syn., 427.  
 — *Secalis* (Cda.) Kuehn., syn., 426.  
 — *sphaerococca* F. v. Waldh., syn., 424.  
 — *striaeformis* Oud., syn., 410.  
 — *Triticoides* Winter, with fig. (Cunningham), 426.  
 — germination (Cunningham), 400.  
 — diff. between it and *T. decipiens* and *T. Holci* (Cunningham), 427.  
 — in key (Cunningham), 424.  
 Tillyard, E. J., elected to fellowship (Inst.), 775.  
*tillyardi*, *Paroxyethira*.  
 — *Sinaethis*.  
 time-signals, first Wellington (Baillie), 705.  
 Timor, geol. phases (Benson), 103, 104, 105, 108.  
*Tinea cymodoce* n. sp. (Meyrick), 206.  
 Tineoidea, strigil, with figs. (Philpott), 219.  
 Timirau, Te, prehistoric tribe (Andersen), 696.  
*tipare*, a fillet (Rangi Hiroa), 344.  
*Tiphobiosis* n. g., in key, &c. (Tillyard), 286, 298.  
 — *fulva* n. sp., with fig. (Tillyard), 298, 300.  
 — *montana* n. sp., with pl. and figs. (Tillyard), 298–99.  
*Tipula*, trout-food (Phillipps). 385.  
 — *atropos* Hudson, syn., 658.  
 Tipuloidea (Alexander), 641.  
*tiritea*, *Puccinia*.  
*Tiriteana* n. gen., charact. (Myers), 325.  
*Tiriteana*, in key (Myers), 317.  
 — *clarkei* n. sp., with pl. (Myers), 325.  
*Tissotia*, occ. (Benson), 105 note.  
 Tithonian, Upper, ammonite from (?) (Marshall), 615–16.  
*Tmesipteris*, occ. on Rangitoto (Holloway), 89.  
 Tobler, A., Java, crust-movements (Benson), 102.  
 Tod's Wharf, Wellington (Baillie), 714.  
 toetoe. See *Arundo conspicua*.  
 — *Uredo*.  
 taggle for flute (Andersen), 694–95.  
*tohetohe* of *putara*, details (Andersen), 696–97.  
 toitoi. See *Gobiomorphus gobiooides*.  
*tokotoko rangi* disease (Rangi Hiroa), 367.  
*tomipara*, *Puccinia*.  
 Tongariro Nat. Park, ferns (Holloway), 88.  
 — — — See also N.Z. Inst., T.N.P. Committee.  
 Tonks, W., Wellington reclamations (Baillie), 713.  
 Torlesse, Mount, climate (Holloway), 76.  
*Torlessia McKayi*. See *Terebellina McKayi*.  
*Tornatina* should be *Retusa* (Finlay), 498.  
 Torres Strait, geol. (Benson), 118.  
 Torricelli Mts., geol. (Benson), 117.  
*torirostre*, *Austrotriton*.  
 tortoise, fresh-water. See *Miolania*.  
*Tortricoidae*, strigil, with figs. (Philpott), 219.  
*Tortrix argentosa* n. sp. (Philpott), 209.  
 — *orthocopa* n. sp. (Meyrick), 661.  
 — *scruposa* n. sp. (Philpott), 212.  
 — *subdola* n. sp. (Philpott), 212.  
 — *zestodes* n. sp. (Meyrick), 203.  
 torua, sandal (Rangi Hiroa), 358.  
 totara. See *Podocarpus totara*.  
 totara, *Podocarpus*.  
*toulai*, *Otolithus (Macrurus)*.  
*towhiriwhiri*, fire-fan (Rangi Hiroa), 354.  
 Townsend, —, hab. of *Oeclus decens* (Myers), 316.  
 Townsend, W., plants of Westport district, 86.  
 trachea of insects, meth. of injecting (Kirk), 669.  
*Trachinus*. See *Otolithus (Trachinus)*.  
 Tradesmen's Club, Wellington, lease to (Baillie), 712.  
*Transactions*, publication. See N.Z. Inst., Publication Committee.  
*transenna*, *Bathylophia*.  
 — *Leucosyrinx*.  
 — *Leucosyrinx alta* subsp.  
 — *Limea*.  
*transennatum*, *Cymatium*.  
*transennus*, *Ficus*.  
*transfixa*, *Catamacta*.  
 travelling-expenses. See N.Z. Inst.  
*Traversia*, *Gnaphalium*.  
 treasurer's reports, 1922 (Inst.), 736; 1923, 758.  
 Trebilcock, R. E. See Mulder J. F., and Trebilcock.  
*tremula*, *Pteris*.  
*Treubia*, *Elateromyces*.  
 — *Ustilago*.  
*triangularis*, *Conus*.  
*triarticulata*, *Puccinia*.  
*tricarinata*, *Struthiolaria*.  
 — — — *vermis*.

- tricentra*, *Nepticula*.  
*Trichomanes*, no record from Auckland Isl. (Holloway), 91.  
— *Colensoi* Hook. f., occ. (Holloway), 80, 84, 86, 87.  
— — northern limit of (Holloway), 93.  
— *elongatum* A. Cunn., occ. (Holloway), 80, 86, 88, 89.  
— — southern limit of (Holloway), 93.  
— *humile* Forst., occ. Banks Pen. (Laing & Wall), 439.  
— — occ. (Holloway), 80, 81, 86, 88, 89, 90.  
— — southern limit of (Holloway), 93.  
— *Lyalli* Hook. & Bak., occ. (Holloway), 80, 84, 87.  
— *reniforme* Forst. f., hab. (Holloway), 84.  
— — inrolling of frond to hinder transpiration (Holloway), 89.  
— — occ. (Holloway), 84, 86, 87, 88, 89, 90, 91.  
— *rigidum* Sw., related to *T. strictum* (Holloway), 93.  
— *strictum* Menz., occ. (Holloway), 84, 87.  
— — related to *T. rigidum* (Holloway), 93.  
— *venosum* R. Br., occ. (Holloway), 80, 86, 88, 90, 91.
- Trichoptera*, new gen. and sp. (Tillyard), 285.  
*Trichotropis clathrata* Sow., occ. Pukeuri (Finlay), 509.
- tricingulatum*, *Ataxocerithium*.  
*Tricrena*, *strigil* (Philpott), 218.
- tridentata*, *Campanularia*.  
— *Sertularella*.  
*tridentatus*, *Thyroscyphus*.  
*trifida*, *Veronica*.  
*trifoliata*, *Azorella*.  
*Trigonia seminudulata* Jenkins [*T. subundulata* Jenkins], occ. Awamoia (Finlay), 511.
- trigonopsis*, *Anomia*.  
*Trigonosemus*, occ. (Benson), 105 note.  
*Trigonostoma christiei* n. sp., with pl. (Finlay), 466.  
— *waikaiensis* n. sp., with pl. (Finlay), 466.
- tripartita*, *Plumularia*.  
*tripinnatum*, *Asplenium bulbiferum* var.  
*Triplectides* Koelnati (Tillyard), 306.  
— *oreolimnetes* n. sp., with pl. and fig. (Tillyard), 306-7.
- triquestrum*, *Pilotum*.  
*trispinosa*, *Odontotheca*.  
— *Sertularia*.  
*tristris*, *Epicomia*.  
*Triticci*, *Tilletia*.  
— *Ustilagidium*.  
— *Ustilago*.  
— *Ustilago segetum* var.  
— *forma foliicola*, *Ustilago*.  
*triticina*, *Puccinia*.  
*triticinum*, *Dicaeoma*.  
*Triticorum*, *Puccinia*.  
*Triticum vulgare* Vill., host of *Puccinia Elymi* (Cunningham), 2.  
— — — *Tilletia levis* (Cunningham), 425.  
— — — *T. Triticci* (Cunningham), 426.  
— — — *Ustilago Triticci* (Cunningham), 409.
- Tritonidea* should be *Polia* (Finlay), 498.  
— *compacta* Sut., and *T. elatoir* Sut., ident. and variability (Finlay), 503.  
— — — — — should be *Polia compacta* (Sut.), (Finlay), 504.  
— — — — — *elatoir* Sut., juvenile of *T. compacta* Sut. (Finlay), 503.
- tritonis*, *Charonia*.  
*Trivia avellanoides* McCoy, occ. Ardgowan (Finlay), 510; Pukeuri, 509.
- Trochus chathamensis* (Hutt.), the type of *Thoristella* Iredale (Finlay), 497.  
— *tiaratus* Q. & G., Target Gully record erroneous (Finlay), 497.
- Trophon* of Target Gully should be *Xymene* (Finlay), 498.  
— *crispus* Gould., syn., 199.  
— *gouldi*, Cossmann's name of *T. crispus* (Marwick), 199.  
— *murdochi* n. sp., with pl. (Marwick), 198.
- trout, deterioration and food-supply (Phillipps), 381.
- truncicola*, *Uromyces*.  
trust funds, management (Inst.), 736, 757, 758.
- tu*, a warrior's belt (Rangi Hiroa), 346.  
— a woman's belt (Rangi Hiroa), 348.
- tuaka*, midrib of karetu (Rangi Hiroa), 348.
- tuba*, *Thuiaria*.
- Tubercularia persicina* Ditm., syn., 50.
- tuberculata*, *Cicindala*.  
— *Struthiolaria*.  
— *concinna*, *Struthiolaria*.
- Tuberculina* Saccardo, characteristics (Cunningham), 49.  
— *persicina* (Ditm.) Saccardo, with fig. and pl. (Cunningham), 50.  
— — infects *Aecidium otagense* (Cunningham), 33.
- Tubiclava fruticosa* Allman, same as *T. rubra* (Bale), 227.  
— *rubra* Farquhar, identity of *T. fruticosa* with (Bale), 227, 228.
- Tubularia attenuoides* Coughtrey, occ., &c. (Bale), 228.  
— — — syn., 228.
- Tubulariidae* (Bale), 228.
- tubulifera*, *Aglaophenia*.
- Tubulostium discoideum* Stol., with pl. (Wilckens), 543.
- Tudicula alta* Wilckens, relation to *Struthiolariopsis similis* (Marwick), 162.
- Tugalia bascauda* Hedley, occ. Dunedin (Finlay), 518.
- Tuhotoariki* and *koauau* (Andersen), 695.
- Tukang Besi Islds., geol. phases (Benson), 111.
- tu-kareta*, technique (Rangi Hiroa), 348.
- Tukutahi mentioned (Rangi Hiroa), 354.
- Tulasne, L. R. and C., classific. of smuts (Cunningham), 401.
- tumatakaru, *Aciphylla* in North, *Discaria* in South (Rangi Hiroa), 357-58.
- sandal and legging (Rangi Hiroa), 357-58.
- tu-maurea*, technique (Rangi Hiroa), 349.
- tumidum*, *Argobuccinum*.
- tu-muka*, technique (Rangi Hiroa), 349.
- tunbridgense*, *Hymenophyllum*.
- tupare*, *Uredo*.

- Turaukawa, and *tokotoko rangi* (Rangi Hiroa), 367.
- Turbinella brevirostris* Hutt., type of *Maorivertia* (Finlay), 513.
- "*Turbo marshalli* fauna" of Kakanui tuffs (Finlay), 456.
- Turbo (Marmorostoma) approximatus* Suter, syn., 555.
- Turbonilla awamoaensis* M. & M., occ. Awamoa (Finlay), 511.
- *prisco* Sut., ident. (Finlay), 506.
- *zelandica* Hutt., occ. Pukeuri (Finlay), 509.
- (*Pyrgolampros*) *blanda* n. sp., with fig. (Finlay), 522.
- turgida*, *Plumularia*.
- Turneri*, *Pittosporum*.
- Turricula* (= *Surcula*) *fusiformis* and others should be *T. oamarutica* (Sut.), (Finlay), 503.
- *huttoni* (Sut.), occ. Awamoa (Finlay), 511.
- *oamarutica* (Sut.), varying form (Finlay), 507.
- Turris regius* Sut., occ. only in Waihao greensands (Finlay), 499.
- Turritella*, not at Awamoa (Finlay), 502.
- variable form (Finlay), 508.
- *symmetrica* Hutt., occ. (Marsh. & Murd.), 156.
- Tutanekai, sound of his *koauau* (Andersen), 695.
- Tuwharetoa and the *pumoana*. "Te awa a te atua" (Andersen), 696.
- Tyler, E. B., unity of mankind (Rangi Hiroa), 370.
- tylogramma*, *Endophthora*.
- Tylospira* Harris, charact. (Marwick), 179–70.
- in classific., 162.
- *coronata* (Tate), generic status, with fig. (Marwick), 165, 166.
- *scutulata* (Martyn), Tate's classific., with fig. (Marwick), 165, 166, 170.
- Typhis francescae* n. sp., with pl. (Finlay), 465.
- *maccoyi* T.-Woods, occ. Ardgowan (Finlay), 510; Pukeuri, 509; Target Gully, 496.
- rel. to *T. francescae* (Finlay), 465.
- typhoid among Maori (Rangi Hiroa), 367.
- typica*, *Seba*.
- Uber* Humphreys (= *Polinices* Montfort), (Marwick), 559; in key, 549; range, 546, 547–48.
- *chattoniensis* n. sp., with pl. (Marwick), 563; in key, 559; range, 547.
- *esdalei* n. sp., with pl. (Marwick), 567; in key, 559; range, 547.
- *finlayi* n. sp., with pl. (Marwick), 565; in key, 549; range, 547.
- *huttoni* (von Ihering), with pl. (Marwick), 560; in key, 559; range, 547.
- *incertus* n. sp., with pl. (Marwick), 567; in key, 559; range, 547.
- *intracrassus* (Finlay), with pl. (Marwick), 561; in key, 559; range, 547.
- *kaawaensis* n. sp., with pl. (Marwick), 566; in key, 559; range, 547.
- *lobatus* n. sp., with pl. (Marwick), 562; in key, 559; range, 547.
- *modestus* n. sp., with pl. (Marwick), 567; in key, 559; range, 547.
- Uber mucronatus* n. sp., with pl. (Marwick), 562; in key, 559; range, 547.
- *obstructus* n. sp., with pl. (Marwick), 567; in key, 559; range, 547.
- *ovuloides* n. sp., with pl. (Marwick), 565; in key, 549; range, 547.
- *pateaensis* n. sp., with pl. (Marwick), 564; in key, 559; range, 547.
- *propeovatus* n. sp., with pl. (Marwick), 564; in key, 559; range, 547.
- *sagenus* (Suter), with pl. (Marwick), 563; in key, 559; range, 547.
- *scalptus* n. sp., with pl. (Marwick), 568; in key, 559.
- *seniculus* n. sp., with pl. (Marwick), 566; in key, 559; range, 547.
- *unsulcatus* n. sp., with pl. (Marwick), 562; in key, 559; range, 547.
- *waipaensis* n. sp., with pl. (Marwick), 562; in key, 559; range, 547.
- *waipiensis* n. sp., with pl. (Marwick), 564; in key, 559; range, 547.
- (*Euspira*) *barrierensis* n. sp., with pl. (Marwick), 571; in key, 569; range, 548.
- *firmus* n. sp., with pl. (Marwick), 569; in key, 569; range, 547.
- *fufei* n. sp., with pl. (Marwick), 569; in key, 569; range, 547.
- *lateapertus* n. sp., with pl. (Marwick), 569; in key, 569; range, 548.
- *pseudovitreus* Finlay, with pl. (Marwick), 570; in key, 569; range, 548.
- *pukeuriensis* n. sp., with pl. (Marwick), 570; in key, 569; range, 548.
- *vitreus* (Hutton), with pl. (Marwick), 570; in key, 569; range, 548.
- (*Neverita*) *ponitis* n. sp., with pl. (Marwick), 571; range, 548.
- uhi* for flute (Andersen), 694–95.
- Ulothrix*, trout-food (Philpott), 382.
- Umbelliferae, hosts of *Puccinia namua* (Cunningham), 3.
- *Uredo inflata* (Cunningham), 43.
- umbilicata*, *Orthophragmina*.
- umbilicatus*, *Hexaplex octogonus* var.
- umbonatus*, *Otolithus*.
- umbripennis*, *Hydrobiosis*.
- umbrosum*, *Galium*.
- Uncinia australis* Pers., host of *Puccinia Uncinaria* (Cunningham), 394.
- *caespitosa* Boott., host of *Cintractia sclerotiformis* (Cunningham), 421.
- *leptostachya* Raoul, host of *Cintractia sclerotiformis* (Cunningham), 421.
- *riparia* R. Br., host of *Cintractia sclerotiformis* (Cunningham), 421.
- Unciniarum*, *Puccinia*.
- undata*, *Anomia*.
- undosata*, *Venusia*.
- undulata*, *Ampullina*.
- undulatum*, *Globisimum*.
- *Sinum*.
- undulatus*, *Sigaretus*.
- unguiculata*, *Sertularia*.
- unidentata*, *Venericardia*.
- unilateralis*, *Sertularia*.
- unioloides*, *Bromus*.

- uniplicata*, *Ringicula*.  
*unisulcatus*, *Uber*.  
*upoko*, in song (Andersen), 698.  
*Uranidae*, strigil (Philpott), 224.  
*urceolorum*, *Ustilago*.  
*Uredinaceae*, classic (Cunningham), 26.  
*Uredinales*, literature (Cunningham), 14, 55.  
— imperfecti (Cunningham), 31.  
— of N.Z., Part 2 (Cunningham), 13; Suppt., Part 1, 1; Second Suppt., 392.  
*uredinicola*, *Cecidomyia*.  
*Uredinopsis Magn.*, characteristics, &c. (Cunningham), 31.  
*Uredinula*, Speg., syn., 49.  
*Uredo Persoon*, characteristics (Cunningham), 40.  
— syn., 26.  
— *Acaciae* Cke., occ. (Cunningham), 47.  
— *antarctica* Berk., occ. (Cunningham), 47.  
— *Betulae* Schum., syn., 29.  
— *Caricis* Pers., syn., 420.  
— *Caries* DC., syn., 426.  
— *Celmisiae* Cke., syn., 8.  
— *Compositarum* var. *Celmisiae* Cke., syn., 8.  
— *Crinitiae* n. form-sp., with fig. (Cunningham), 41, 54.  
— in key, 40.  
— *Dianellae Dietel.*, with fig. (Cunningham), 42.  
— — in key, 40.  
— — *Darluca Filum* parasitic on (Cunningham), 49.  
— *Dianellae Rac.*, not *U. Dianellae Dietel.* (Cunningham), 42.  
— *Eglanteriae* H. Mart., syn., 16.  
— *elevata* Schum., syn., 16.  
— *Elmyi* West., syn., 1.  
— *Epilobii* DC., syn., 30.  
— *Forsteriae* n. sp., with fig. (Cunningham), 394, 396.  
— *Hordei* var. *tecta* Jens., syn., 408.  
— *Hydropiperis* Schum., syn., 423.  
— *inflata* Cooke, with fig. (Cunningham), 43.  
— — in key, 40.  
— *karetu*, n. form-sp., with fig. (Cunningham), 41, 54.  
— — in key, 40.  
— *karetu* G. H. Cunn., *Darluca Filum* parasitic on (Cunningham), 49.  
— *lilicina* Rob., syn., 50.  
— *Lini* Schum., syn., 27.  
— *minitata* Pers., syn., 16.  
— *Oleariae* Cooke, with fig. (Cunningham), 44.  
— — in key, 40.  
— *olivacea* DC., syn., 417.  
— *Phormii* n. form-sp., with fig. (Cunningham), 42, 54.  
— — in key, 40.  
— *Phormii* G. H. Cunn., *Darluca Filum* parasitic on (Cunningham), 49.  
— *Potentillae* Schum., syn., 19.  
— *pustulata* Pers., syn., 30.  
— *Rhagodiae* Cooke and Massee, with fig. (Cunningham), 43.  
— — in key, 40.  
— *Rosae* Schum., syn., 16.  
— *Rosae-centrifoliae* Pers., syn., 16.
- Uredo Scirpi-nodosi* McAlpine, with fig. (Cunningham), 42.  
— — in key, 40.  
— — *Darluca Filum* parasitic on (Cunningham), 49.  
— *segetum* var. *decipiens* Pers., syn., 424.  
— *southlandicus* n. form-sp., with fig. and pl. (Cunningham), 44, 55.  
— — in key, 40.  
— *toetoe* n. form-sp., with fig. (Cunningham), 41, 55.  
— — in key, 40.  
— — *Darluca Filum* parasitic on (Cunningham), 49.  
— *tupare* n. form-sp., with fig. (Cunningham), 44, 55.  
— — in key, 40.  
— — *Ustilago* Pers., syn., 404.  
— *wharanui* n. form-sp., with fig. (Cunningham), 46, 55.  
— — in key, 40.  
*Urewera*, famous *pahu* of (Andersen), 691.  
*Urocystis*, characters (Cunningham), 429.  
— in key (Cunningham), 403.  
— *Anemones* Winter, with pl. and fig. (Cunningham), 430.  
— — grown by Kniep (Cunningham), 397.  
— — infection (Cunningham), 398.  
— *solida* F. v. Wald., syn., 429.  
*Uromitra etremoides* n. sp., with pls. (Finlay), 469.  
*Uromyces Asperulae* McAlp., occ. (Cunningham), 8.  
— *Azorellae* Cke., occ. (Cunningham), 46.  
— *citriformis* Berk., occ. (Cunningham), 46.  
— *cladostistidis* Kus., hab. (Cunningham), 392.  
— *Dactylidis* Ott., aecidium of *Aecidium Ranunculacearum* in cycle of (Cunningham), 34.  
— *Edwardsiae* n. sp., with fig. (Cunningham), 392, 395.  
— *hyalinus* Peck, hab. (Cunningham), 392.  
— *otakou* G. H. Cunn., *Darluca Filum* parasitic on (Cunningham), 48.  
— *Poae* Rab., aecidium of *Aecidium Ranunculacearum* in cycle of (Cunningham), 34.  
— *Polygoni* Fcl., *Darluca Filum* parasitic on (Cunningham), 48.  
— *scariosus* Berk., occ. (Cunningham), 46.  
— *shikokianus* Kus., hab. (Cunningham), 392.  
— *Sophorae-flavescens* Kus., hab. (Cunningham), 392.  
— *Sophorae-japonicae* Diet., hab. (Cunningham), 392.  
— *truncicola* P. Henn. et Shirai, hab. (Cunningham), 392.  
*Uromyctadium alpinum* McAlp., *Darluca Filum* parasitic on (Cunningham), 48.  
— *notabile* McAlp., *Darluca Filum* parasitic on (Cunningham), 48.  
— *Tipperianum* (Sacc.) McAlp., *Darluca Filum* parasitic on (Cunningham), 48.  
*Urtica ferox* Forst. f., food-plant of *Agromyza urticae*, *Agromyza*.  
*Ustilagidium* Herzb., syn., 404.  
— *Hordei* Herzb., syn., 409.  
— *Triticci* Herzb., syn., 409.

- Ustilaginaceæ*, classific. (Cunningham), 403.  
*Ustilago* (Persoon) Roussel, charact. (Cunningham), 404-5.  
 —— cytology (Cunningham), 399.  
 —— in key (Cunningham), 403.  
 —— *Agropyri* McAlp., syn., 413.  
 —— *Avenae* Jensen, with pl. and fig. (Cunningham), 405.  
 —— —— infection prevented (Cunningham), 400.  
 —— —— in key (Cunningham), 405.  
 —— —— Jensen's classific. (Cunningham), 408.  
 —— —— var. *levis* Kell. et Sw., syn., 406.  
 —— —— *bromivora* (Tulasne) Fischer von Waldheim, with pl. and fig. (Cunningham), 412.  
 —— —— germination (Cunningham), 400, 401.  
 —— —— in key (Cunningham), 405.  
 —— *bullata* Berkeley, with pl. and fig. (Cunningham), 413.  
 —— —— in key (Cunningham), 405.  
 —— *Candollei* Tul., syn., 423.  
 —— *Carbo* var. *vulgaris* d. *bromivora* Tul., syn., 412.  
 —— *caricicola* Tracy and Earle, syn., 417.  
 —— *Caricis* Ung., syn., 420.  
 —— *catenata* Ludw., syn., 417.  
 —— —— on *Carex pseudo-cyperus* (Cunningham), 417.  
 —— *comburens* Ludwig, with pl. and fig. (Cunningham), 413.  
 —— —— in key (Cunningham), 405.  
 —— *emodenii* Berk., *Elateromyces Treubii* a syn. (Cunningham), 416.  
 —— *endotricha* Berk., syn., 416.  
 —— *enigma* Syd., syn., 413.  
 —— *foetens* Berk. et Curt., syn., 425.  
 —— *Hordei* Bref., Brefield's classific. (Cunningham), 408.  
 —— —— division by Jensen (Cunningham), 408.  
 —— —— Kellerman and Swingle's classific. (Cunningham), 408.  
 —— *Hordei* Kell., syn., 408.  
 —— *Hordei* Rostr., syn., 409.  
 —— *Hordei* var. *nuda* Jens., syn., 409.  
 —— *hydropiperis* Schroet., syn., 423.  
 —— *Jensenii* Rostrup, with pl. and fig. (Cunningham), 408.  
 —— —— in key (Cunningham), 405.  
 —— —— *Jensen's* classific. (Cunningham), 408.  
 —— *Maydis* Cda. (= *U. Zeae*), cytology (Cunningham), 399.  
 —— *microspora* Mass. et Rodw., syn., 413.  
 —— *nuda* (Jens.) Kell. et Sw., infection prevented (Cunningham), 400.  
 —— —— Kellerman and Swingle's classific. (Cunningham), 408.  
 —— —— syn., 409.  
 —— *olivacea* (DC.), Tul. syn., 417.  
 —— *perennans* Rostr., syn., 405.  
 —— *Poarum* McAlp., syn., 410.  
 —— *Readeri* Sydow., with pl. and figs. (Cunningham), 413.  
 —— —— in key (Cunningham), 405.
- Ustilago Scirpi* Kuehn., syn., 420.  
 —— *sclerotiformis* Cke. et Mass., syn., 421.  
 —— *segetum* Dittm., subdiv. by Jensen (Cunningham), 408.  
 —— —— var. *Avenae* of Jensen (Cunningham), 408.  
 —— —— var. *Hordei* of Brefield (Cunningham), 408.  
 —— —— —— of Jensen (Cunningham), 408.  
 —— —— —— forma *nuda* Jens., syn., 408, 409.  
 —— —— —— forma *tecta*, Jensen's classific. (Cunningham), 408.  
 —— —— var. *Tritici* of Brefield (Cunningham), 408.  
 —— —— —— of Jensen (Cunningham), 408.  
 —— —— —— syn., 409.  
 —— *solida* Berk., syn., 429.  
 —— *Spinifex* Ludw., syn., 418.  
 —— *striaiformis* (Westendorp) Niessl., with pl. and fig. (Cunningham), 410.  
 —— —— infection prevented (Cunningham), 400.  
 —— —— in key (Cunningham), 405.  
 —— *Treubii* (Solms.) Bubak, occ. (Cunningham), 414-15.  
 —— *Tritici* Jensen, with pl. and fig. (Cunningham), 409.  
 —— —— in key (Cunningham), 405.  
 —— —— Jensen's classific. (Cunningham), 408.  
 —— —— forma *folicola* P. Henn., syn., 409.  
 —— *urceolorum* Tul., syn., 420.  
 —— *washingtoniana* Ell. et Ev., syn., 410.  
 —— *Zea* Ung., galls on (Cunningham), 398; and see *U. Maydis*.
- Valantiae, Puccinia.*  
*valida, Stenothoe.*  
*validus, Stenothoe.*  
*Van Rees Mts.,* geol. (Benson), 116.  
*vana, Rissoa.*  
 —— *Rissoina.*  
*variae, Aecidium Plantaginis.*  
*varians, Orthophragmina.*  
*varicostata, Daphnella.*  
*variolarius-herberti, Nummulites.*  
*varius, Paraphylax.*  
*vates, Thambotricha.*  
*vaughani, Sulconacca.*  
*vegrandis, Pagodula.*  
*vellicata, Ventricoloidea.*  
*velutinum, Nephrodium.*  
*venereal diseases among Maori* (Rangi Hiroa), 367.  
*Venericardia bollonsi* Sut., aff. to *V. (Pleuromeris) marshalli* (Marwick), 193.  
 —— —— occ. Target Gully (Finlay), 496.  
 —— —— *corbis* Philippi, syn., 192.  
 —— —— *dificilis* (Desh.), occ. (Marsh. & Murd.), 156.  
 —— —— record should be expunged (Finlay), 498.  
 —— —— *lutea* (Hutt.), aff. to *V. (Pleuromeris) marshalli* (Marwick), 193.

- Venericardi lutea* (Hutt.), varying form (Finlay), 507.  
 — (*Pleuromeris*) *marshalli* n. sp., with pl. (Marwick), 192.  
 — (*Miodontiscus*) *minima* n. sp., with pl. (Marwick), 193.  
 — *pseutes* Sut. should be *V. awamoaensis* Harris (Finlay), 498.  
 — *unidentata* (Basterot), syn., 192.
- Veneridae*, confusion in names (Finlay), 505.
- venorum*, *Trichomanes*.
- Ventricoloidea vellicata* Hutt. [*Chione*], occ. Ard-gowan (Finlay), 510; Awamoan, 511; Pukeuri, 509.
- Venusia autocharis* n. sp. (Meyrick), 202.  
 — *undosata* Feld., strigil, with fig. (Philpott), 223, 224.
- venusta*, *Ampullina*.  
 — *Euspira*.
- venustum*, *Globisinum*.
- verbascifolia*, *Celmisia*.
- Verconella adusa* (Phil.) not present in Awamoan (Finlay), 501.  
 — *caudata* (Q. & G.) not present in Awamoan (Finlay), 501, #504.  
 — — is probably *Tritonidea compacta* Sut. (Finlay), 501.  
 — *compta* n. sp., with pl. (Finlay), 523.  
 — *conoidea* Zitt., occ. (Marsh & Murd.), 156.  
 — *dilatata* (Q. & G.) not present in Awamoan (Finlay), 501.  
 — *dubia* n. sp., with pl. (Marwick), 196.  
 — *marshalli* n. sp., with pl. (Murdoch), 159.  
 — *nodosa* var., occ. (Marsh & Murd.), 156.  
 — *subreflexa* (Sow.) wrongly recorded (Finlay), 501.  
 — *thomsoni* n. sp., with pl. (Marwick), 196.
- verconis*, *Epigrus*.
- Vermicularia ophiodes* Marsh. & Murd., occ. Target Gully (Finlay), 496.
- vermis*, *Buccinum*.  
 — *Struthiolaria*.  
 — — *tricarinata*, *Struthiolaria*.
- verneuilii*, *Spirifera*.
- vernicosus*, *Cyathus*.
- vernis*, *Struthiolaria*.
- Veronica Carsei* n. sp. (Petrie), 96.  
 — *Dartoni* n. sp. (Petrie), 98; sp. nov. 436.  
 — *trifida* sp. nov. (Petrie), 437.
- vestitum*, *Polystichum*.
- vercilliformis*, *Antimitra*.
- Vexillum* (*Fusimitra*) n. sp. See *Sveltia* n. sp.  
 — *fenestratum* Sut. juv. like *Uromitra etremonoides* (Finlay), 470.  
 — — occ. Target Gully (Finlay), 496.  
 — — varying form (Finlay), 508.
- linctum* (Hutt.), occ. Awamoan (Finlay), 511; Target Gully, 496.
- rutidolum* Sut., occ. Awamoan (Finlay), 511.
- Victory*, Mount, active volcano (Benson), 116, 118.
- villosa*, *Calliphora*.  
 — *Metrosideros*.
- vilosum*, *Hymenophyllum*.
- vincta*, *Thuiaria*.
- "vinquish" in sheep (Aston), 723.
- virescens*, *Charagia*.
- viridicolor*, *Atarba* (*Atarba*).  
*vitellus*, *Natica*.
- vitrea*, *Lunaria*.  
 — — *Natica*.
- vitreus*, *Polinices*.  
 — — *Uber* (*Euspira*).
- Vitu Levu*, part of segment between virgation N. of N.Z. (Benson), 99.
- vocalization of note of *putara* (Andersen), 697.
- Vogelkop Pen., geol. (Benson), 116.
- volcanic activity. See vulcanism.
- volcanic rocks, N.Z., post-Tertiary (Henderson), 594-96.
- Volvulella*. See *Rhizorus*.
- vulcanicum*, *Blechnum*.
- vulcanism, Loyalty Islds. (Benson), 123.
- — Malay Archipel. (Benson), 108.
- — Mt. Egmont, Wanganui coast (Marsh & Murd.), 155.
- — New Britain (Benson), 120.
- — New Guinea (Benson), 114.
- — New Hebrides (Benson), 133.
- — New Zealand, submarine origin (Benson), 132.
- — Riverhead-Kaukapakapa dist., intrusions (Bartrum), 150.
- — Solomon Islds. (Benson), 121.
- vulgare*, *Crucibulum*.  
 — — *Hordeum*.  
 — — *Triticum*.
- vulgaris*, *Agrostis*.  
 — — *Merluccius*.  
 — — *Notosegia*.  
 — — d. *bromivora*, *Ustilago Carbo* var.
- vulgatum*, *Cerastium*.
- Wahlenbergia albomarginata* Hook., host of *Puccinia Wahlenbergiae* (Cunningham), 8.
- Wahlenbergiae*, *Puccinia*.
- Waigeo Isld. and Halmahera arc (Benson), 113.
- waihaensis, *Ampullina*.
- waihakaensis, *Trigonostoma*.
- Waikorowhiti, fight at (Andersen), 695.
- Waimana, Maruiwi at (Andersen), 696.
- Waimate, prevailing winds (Holloway), 76.
- Waingongoro Stream, geol. (Marsh & Murd.), 155.
- Waipara dist., Upper, *Lahilia* (Wilckens), 539-40.
- waipaensis, *Uber*.
- waiparaensis, *Perissoptera*.
- waipipiensis, *Uber*.
- Waiponga Stream, geol. phases (Benson), 114.
- Waitakere Hills, geol. (Bartrum), 141.
- Waitamete series, age (Bartrum), 141, 143, 144.
- Waitt's Wharf, Wellington (Baillie), 715.
- Walckanaer Bay, geol. (Benson), 116.
- Walker, A. O., form of *Seba antarctica* (Chilton), 269.
- Walker, F., N.Z. Cixiids, first desc. (Myers), 316.
- — *Cixius interior* charact. (Myers), 318.
- walkeri, *Oliarus*.
- Wall, A., filmy ferns on Mt. Pleasant, 81.
- — See also Laing, R. M., and Wall.

- Wallace, A. R., biological division of Malay Archipel. (Benson), 99.  
 Walpole Isld., geol. (Benson), 123.  
 Walsh, P., Maori extinction (Rangi Hiroa), 362, 364, 365.  
 Wanganui-South Taranaki coast, Tertiary rocks (Marsh & Murd.), 155.  
 Wanner, J., Buru, mollusc. fauna (Benson), 105 note.  
 — Celebes, Miocene folding (Benson), 107, 110.  
 — Misol formations (Benson), 106.  
 — Sumatra, Palaeozoic limestones (Benson), 101.  
*wannanensis*, *Merica*.  
 war-gong. See *pahu*.  
*washingtoniana*, *Ustilago*.  
 water-boatman. See *Corixa*.  
*wattii*, *Elachista*.  
*wattsi*, *Plumularia*.  
 Watubele Islds., geol. phases (Benson), 112.  
 Weber Deep, formation of (Benson), 112.  
 Wellington College endowment, reclaimed land (Baillie), 711.  
 — harbour-works and reclamations (Baillie), 700.  
 West Coast, N.Z., post-Tertiary elevation (Henderson), 584 *et seq.*; depression, 593 *et seq.*  
 Westland, forest-covering (Holloway), 71.  
 Whaiti, Te, war-gong at (Andersen), 691.  
*whakakokikoki* design in belt (Rangi Hiroa), 348.  
*whakarewa*, in song (Andersen), 699.  
*whakataanga*, in song (Andersen), 698.  
*whakatipu*, *Puccinnia*  
*wharanui*, *Uredo*.  
 wharfage charged, Wellington (Baillie), 718.  
 wharfinger, Queen's Wharf, Wellington (Baillie), 717.  
*whati*, in song (Andersen), 699.  
*whattinga*, in song (Andersen), 698.  
 wheat, naked smut (Cunningham), 409.  
*whiri* and *raranga*, difference (Rangi Hiroa), 348.  
 White, B., classific. of Cixiids (Myers), 316.  
 White, J., on the *pakuru* (Andersen), 691.  
*whiteleggei*, *Aglaphenia*.  
*whiti*, in song (Andersen), 698.  
 Wilckens, O., Otago, rocks (Benson), 129.  
 — *Struthiolarella nordenskjoldii* affinities (Marwick), 165.  
 — See also Steinmann and Wilckens.  
 Willaumez Pen., geol. (Benson), 120.  
 Williams, H. W., elected F.N.Z. Inst. (Inst.), 749.  
 Wilson, R. A., habits of *Euphrasia Wilsonii* (Petrie), 97.  
*Wilsoni*, *Euphrasia*.  
 winds, Wellington (Baillie), 702.  
 witch's-broom, a rust (Cunningham), 35, 36.  
 women's belts, Maori (Rangi Hiroa), 348.  
 Wood, Lieut., on Wellington beacon (Baillie), 702.  
 Woodlark Isld. (Murua), geol. (Benson), 118, 119, 123.  
*woodsi*, *Astrotriton*.  
 — *Bela*.  
 Worley, F. P., research grant. 1923, 790.  
 Worley, W. F., resol. of sympathy (Inst.), 753.  
*wormbeiensis*, *Ditrypa cornea* var.  
 Wright, D. M., Maori sandals (Rangi Hiroa), 358.  
 Wright, E., Wellington lighthouse (Baillie), 708.
- Wrightii*, *Cyathus*.  
*wuellerstorfi*, *Ostrea*.  
*wyomensis*, *Puccinia*.
- Xanthorhoe*, strigil (Philpott), 224.  
*Xenocalypthora* n. gen., desc. and key (Malloch), 639; in key, 638.  
 — *antipodei* Hutton, in key (Malloch), 639.  
 — *eudypti* Hutton, in key (Malloch), 639.  
 — *hortonia* Walker, in key (Malloch), 639.  
*Xymene drewti* (Hutton), with pl. (Marwick), 198.  
 — *lepidus* (Sut.), varying form (Finlay), 507.  
 — [Trophon], occ. Awamoia (Finlay), 511; Pukeuri, 509.  
 — *oliveri* n. sp., with pl. (Marwick), 199.  
 — *quirindus* Iredale, not at Target Gully (Finlay), 498.  
 — *robustus* n. sp., with pl. (Finlay), 520.  
*Xysmatodoma saxosa* Meyr., strigil, fig. (Philpott), 219.
- Yap*, geol. phases (Benson), 113.  
*yatei*, *Callanaitis*.  
 — *Cytherea*.  
 Isabel, geol. (Benson), 121.  
*Yucca*, hab. of *Oeclaeus decens*.
- Zade, A., spores of *Ustilago Avenae* (Cunningham), 406.  
*Zalipais parva* n. sp., with fig. (Finlay), 518.  
*Zeeae*, *Ustilago*.  
*zealandica*, *Elephantomyia*.  
 — *Limopsis*.  
*zelandiae*, *Struthiolaria*.  
*zelandica*, *Aglaphenia*.  
 — *Atrina*.  
 — *Lyrta*.  
 — *Melina*.  
 — *Natica*.  
 — *Placunonomia*.  
 — *Stereotheca*.  
 — *Thuiaria*.  
 — *Turbonilla*.  
*zelandicum*, *Isognomon*.  
*zelanicus*, *Murex*.  
*Zelandoptila* n. g., with fig. (Tillyard), 300-1.  
 — *moseleyi* n. sp., with fig. (Tillyard), 301.  
*zelebori*, *Epitonium*.  
 Zemira H. & A. Adams, classific. (Marwick), 161.  
*Zenata acinaces* Q. & G., occ. Ardgowan (Finlay), 510; Awamoia, 511.  
*zestodes*, *Tortrix*.  
 zigzag design in belt (Rangi Hiroa), 348.  
 Zittel, K., *Struthiolaria cingulata*, descrip. (Marwick), 179.  
*zittelii*, *Limopsis*.  
 — *Siphonaria nodosa*.  
*zorionella*, *Acrocercops*.  
*zosterophila*, *Estea*.  
*Zygaenidae*, strigil (Philpott), 220.  
*Zygaenoidea*, strigil (Philpott), 220.  
*zygoneura*, *Synchorema*.  
*Zygopleura*, charact. (Trueman), 604.  
*Zymene* aff. *lepidus* Sut., occ. (Marsh & Murd.), 156.