

GENERAL INDEX.

[The Editor will be obliged if authors and other users of the index will notify him of any errors or omissions discovered, or make any suggestions for improvements.]

- Acaena microphylla* × *Sanguisorbae*, hybrid (Ckn. & Allan), 21.
 — *Sanguisorbae* Vahl. var., Mayor Is. (Allan & D.), 36.
 — var. *pusilla*, Peel For. (Allan), 46, 49.
 — var. *sericea-nitens* Bitter, micro-species (Ckn. & Allan), 21.
 Acanthiidae. See Saldidae.
Acanthoceras discoidale Koss., comp. (Marshall), 186.
 — *newboldi* Koss., comp. (Marshall), 158.
 — var. *spinosa* Koss., comp. (Marshall), 158.
 — *pseudo-deverianum* Jimbo, comp. (Marshall), 186.
 — *rotomagense* var. *asiatica* Jimbo, comp. (Marshall), 158; descrip., 157.
 — *ultimum* n. sp., with pls. (Marshall), 158.
Acanthochaetes ovatus Hutton, syn., 585.
Acanthochiton fovearumensis n. sp., with pl. (Mestayer), 585.
 — var. *kirki* n. var., with pl. (Mestayer), 586.
 — *rubiginosus* (Hutton), syn., 585.
 Acarida, in forest-floor (Grimmett), 436, 437.
 accent, in names, and shifting of (Andersen), 673.
Aciphylla Colensoi Hook. f., Peel For. (Allan), 49, 50.
 — *Crosby-Smithii* Petrie, descrip. with pl. (Petrie), 13.
Acmaea albicostata (Angas), syn., 551.
 — *calamus* (C. & F.) var. *polyactina* Verco, syn., 567.
 — *campbelli* (Filhol), syn., 567.
 — *cantharus* (Reeve), syn., 570.
 — (not Reeve), syn., 558, 571.
 — *cingulata* Hutton, type of *Radiacmaea* (Oliver), 564; syn., 565.
 — *conoidea* (Q. & G.), syn., 560.
 — (not Q. & G.), syn., 577, 578, 579.
 — *corticata* Hutton, syn., 552.
 — *costata* (not Sowerby), syn., 551.
 — *crucis* Tenison-Woods, syn., 560.
 — *daedala* Suter, type of *Parvacmaea* (Oliver), 575; syn., 575.
 — var. *subtilis* Suter, syn., 575.
 — *elongata* (Q. & G.), syn., 573.
 — *flammea* (Q. & G.), syn., 558.
 — (not Q. & G.), syn., 560, 575.
 — *fragilis* (Chemnitz), syn., 582.
 — *gealei* (not Angas), syn., 556.
 — *helmsi* Smith, syn., 576.
 — *inradiata* (not Reeve), syn., 560.
 — *intermedia* Suter, syn., 566.
 — *jacksoniensis* (Reeve), syn., 561.
Acmaea jacksoniensis var. *mixta* (Reeve), syn., 560.
 — *lacunosa* (not Reeve), syn., 552.
 — *narmorata* Tenison-Woods, syn., 556.
 — var. *subnarmorata* Pilsbry, syn., 558.
 — *mixta* (not Reeve), syn., 558.
 — *mufria* Hedley, syn., 562.
 — *parviconoidea* Suter, type of *Conacmaea* (Oliver), 577; syn., 577.
 — var. *leucoma* Suter, syn., 576.
 — var. *nigrostella* Suter, syn., 577.
 — *patellavecta* Verco, syn., 550.
 — *petterdi* Tenison-Woods, syn., 574.
 — *pileopsis* (Q. & G.), syn., 569, 570.
 — *pseudocorticata* Iredale, syn., 554.
 — *punctata* (Q. & G.), syn., 566.
 — *roseoradiata* Suter, syn., 563.
 — *rubiginosa* (Hutton), syn., 565.
 — *rugosa* (Q. & G.), syn., 550.
 — *saccharina* (Linné), syn., 555.
 — var. *stellaris* (Q. & G.), syn., 555.
 — *scabrilirata* Angas, syn., 573.
 — *scapha* Suter, syn., 575.
 — *septiformis* (Q. & G.), syn., 572, 573, 576.
 — (not Q. & G.), syn., 571, 580.
 — *stella* subsp. *corticata* Hutton (Oliver), 552.
 — var. *pseudocorticata* Iredale, syn., 554.
 — *subvundulata* Angas, a doubtful species (Oliver), 573.
Acominia n. gen. (Finlay), 240.
 — *ridicula* n. sp., with pl. (Finlay), 244.
Actinoleuca, in key (Oliver), 549; charact., 567.
 — *calamus* (Crosse and Fischer), (Oliver), 567.
 — *campbelli* (Filhol), with fig. (Oliver), 567.
 — *multiradiatus* (Chapman and Gabriel), (Oliver), 568.
Adelomelon Cossman, type charact. (Marwick), 264; *Miomelon*, a section of, 265.
Adiantum hispidulum Swartz, Mayor Is. (Allan & D.), 35.
Admete cristata n. sp., with pl. (Marwick), 323.
Aestrelata lessoni Garnot, analysis of fat (Malcolm), 650.
Aethocola cliffonensis n. sp., with pl. (Marwick), 321; occ., 337.
 — *taiae* Marwick, occ., 353.
Agonochila binotata, in forest-floor (Grimmett), 435.
Agropyron scabrum Beauv., Peel For. (Allan), 43.
Agrostichthys parkeri (Benham), type of new genus (Phillips), 535.
Agrostis Billardieri R. Br., Mayor Is. (Allan & D.), 35.
 — *ypsilon* Rott., food of *Cermatulus nasalis* (Myers), 493.
 Ahmen, H. See Frosch, P., and Ahmen, H.

- Alcithoe* H. and A. Adams, charact. (Marwick), 260; synopsis, 287; classifn., 270. See also *Fulgoraria* (*Alcithoe*) and *Fulgoraria* (*Alcithoe*).
- *acuta* n. sp., with pl. (Marwick), 295; in synopsis, 287; range, 269.
- *angusta* (Suter), classifn. (Marwick), 265.
- *arabica* Martyn, with pl. (Marwick), 295; doubtful division, 294; in synopsis, 287; range, 269.
- *jaculoides* Powell, syn., 295.
- *arabica-swainsoni* group, difficulty of division (Marwick), 294.
- *arabacula* n. sp., with pl. (Marwick), 293; in synopsis, 287; range, 269.
- *armigera* n. sp., with pl. (Marwick), 290; in synopsis, 287; range, 269.
- *bathgatei* n. sp., with pl. (Finlay), 248; syn., 276.
- *brevis* n. sp., with pl. (Marwick), 299; in synopsis, 288; range, 269.
- *compressa* n. sp., with pl. (Marwick), 290; in synopsis, 287; range, 269.
- *corrugata* (Hutton), (Marwick), 299.
- *cylindrica* n. sp., with pl. (Marwick), 290; in synopsis, 287; range, 269.
- *depressa* (Suter), with pl. (Marwick), 296; in synopsis, 287; range, 269.
- *detrita* n. sp., with pl. (Marwick), 289; in synopsis, 288; range, 269.
- *dilatata* n. sp., with pl. (Marwick), 301; in synopsis, 288; range, 269.
- *dyscrita* n. sp., with pl. (Finlay), 249; syn., 276.
- *exigua* n. sp., with pl. (Marwick), 299; in synopsis, 288; range, 269.
- *familiaris* n. sp., with pl. (Marwick), 291; in synopsis, 287; range, 269.
- *finlayi* n. sp., with pl. (Marwick), 297; in synopsis, 288; range, 269.
- *gatesi* new name, with pl. (Marwick), 302; in synopsis, 288; range, 269.
- *gracilis* Swainson, with pl. (Marwick), 300; in synopsis, 288; range, 269; occ. (Thomson), 353.
- *haweraensis* n. sp., with pl. (Marwick), 302; in synopsis, 287; range, 269.
- *hedleyi* Murd. & Suter, with pl. (Marwick), 301; in synopsis, 288; range, 269.
- *haurupiensis* n. sp., with pl. (Marwick), 292; in synopsis, 287; range, 269.
- *irregularis* n. sp., with pl. (Marwick), 292; in synopsis, 288; range, 269.
- *jaculoides* Powell, with pl. (Marwick), 295; in synopsis, 287; range, 269.
- *larochei* n. sp., with pl. (Marwick), 294; in synopsis, 287; range, 269.
- *lepida* n. sp., with pl. (Marwick), 296; in synopsis, 287; range, 269.
- *lutea* Marwick, with pl. (Marwick), 293; in synopsis, 288; range, 269; occ. (Thomson), 352.
- *mackayi* n. sp., with pl. (Marwick), 300; in synopsis, 288; range, 269.
- *morgani* (Marsh. & Murd.) occ., 333.
- *neglecta* n. sp., with pl. (Marwick), 298; in synopsis, 288; range, 269.
- Alcithoe nukumaruensis* (Marsh. and Murd.), with pl. (Marwick), 289; in synopsis, 288; range, 269; similarity to *A. detrita*, 294.
- *oliveri* n. sp., with pl. (Marwick), 295; in synopsis, 287; range, 269.
- *parva* n. sp., with pl. (Marwick), 301; in synopsis, 288; range, 269.
- *phymatias* n. sp., with pl. (Finlay), 248; syn., 276.
- *reflexa* n. sp., with pl. (Marwick), 296; in synopsis, 288; range, 269.
- *regularis* n. sp., with pl. (Finlay), 247; syn., 275.
- *residua* n. sp., with pl. (Finlay), 249.
- *Finlay*, with pl. (Marwick), 301; in synopsis, 287; range, 269.
- *robusta* n. sp., with pl. (Marwick), 291; in synopsis, 287; range, 269.
- *scopi* n. sp., with pl. (Marwick), 297; in synopsis, 288; range, 269.
- *sequax* n. sp., with pl. (Marwick), 291; in synopsis, 288; range, 269.
- *solida* n. sp. with pl. (Marwick), 298; in synopsis, 288; range, 269.
- *subgracilis* n. sp., with pl. (Marwick), 300; in synopsis, 288; range, 269.
- *swainsoni* n. sp., with pl. (Marwick), 294; apices of shell, fig. 261; in synopsis, 287; range, 269.
- *transformis* n. sp., with pl. (Marwick), 293; in synopsis, 287; range, 269.
- *turrita* (Suter), with pl. (Marwick), 288; in synopsis, 288; range, 269; confusion with *A. detrita*, 289.
- *wekaensis* n. sp., with pl. (Marwick), 288; in synopsis, 288; range, 269.
- *whakinoensis* n. sp., with pl. (Marwick), 302; in synopsis, 288; range, 269.
- Alethopteris*, occ. (Marshall), 210.
- Aletra parmata* n. sp. (Philpott), 387.
- Allan, H. H., cocksfoot and rye-grass investigation, 760; Mount Egmont forests, 760.
- Allorchestes*, N.Z. species of (Chilton), 515.
- *brevicornis*, a *Hyale* (Chilton), 515.
- *novizealandiæ* Dana, with figs. (Chilton), 516-18.
- Alsophila Colensoi* Hook. f., Peel For. (Allan), 43, 44.
- ammonite horizons, Cretaceous, geol. age (Marshall), 198.
- ammonites, importance of suture-lines (Marshall), 192; Upper Cretaceous ammonites of N.Z., 129; comparison with circum-Pacific dists., 204; geographical relationships, 194; table of occ. of repres. forms, 196.
- Ammonites aemilianus* Stol., comp. (Marshall), 178, 179.
- *bhavani* Stol., charact., &c. (Marshall), 175.
- *bhima* Stol., comp. (Marshall), 184.
- *buddha* Forbes, comp. (Marshall), 144.
- *cala* Forbes, comp. (Marshall), 150.
- *compressus* Stol., comp. (Marshall), 186.
- *daphyloides* Forbes, comp. (Marshall), 192.
- *durga* Forbes, comp. (Marshall), 182, 191.
- *filicinctus* Whiteaves, comp. (Marshall), 144.
- *forbesianum* d'Orb., comp. (Marshall), 136.

- Ammonites gardeni* Baily, comp. (Marshall), 190.
 — *garuda* Forbes, comp. (Marshall), 152.
 — *gaudama* Forbes, comp. (Marshall), 183.
 — *indra* Forbes, comp. (Marshall), 152.
 — *jukesi* Sharpe, comp. (Marshall), 139.
 — *kalika*, charact. (Marshall), 175.
 — *kandi* Stol., comp. (Marshall), 178, 179.
 — *kayei* Forbes, comp. (Marshall), 139.
 — *madrasinus* Stol., charact. (Marshall), 174-75; comp., 178, 179.
 — *majorianus*, genotype of *Puzosia* (Marshall), 180.
 — *planulatus* Sowerby, comp. (Marshall), 183.
 — *ramosus* Meek, comp. (Marshall), 135.
 — *rouyanus* d'Orb., comp. (Marshall), 136.
 — *sacya* Forbes, comp. (Marshall), 144.
 — var. *multiplexus* Stol., comp. (Marshall), 142.
 — var. *sachalinensis* Schmidt, comp. (Marshall), 142, 144.
 — *subalpinus* d'Orb., comp. (Marshall), 138.
 — *timotheanum* Mayor, comp. (Marshall), 149.
 — *timotheanus* Pictet and Roux, comp. (Marshall), 149.
 — *varuna* Forbes, comp. (Marshall), 147.
 — *velledae* Mich., comp. (Marshall), 135.
 — *vicinale* Stol., comp. (Marshall), 186.
Ammophila arenaria (L.) Link., host of *Megaloceroea reuteriana* (Myers), 470.
Amoria Gray, type charact. (Marwick), 264; not a N.Z. shell, 265.
Ampehsca, food of *Chelidonicichthys kumu* (Phillipps), 527.
 — *eschrichtii* and *A. macrocephala*, occ. of similar forms (Chilton), 513.
Amphidesma subtriangulatum (Wood), occ., 333.
 Amphipoda, N.Z. (Chilton), 512.
 Amiri limestone and Weka Pass stone, contact (Thomson), 354.
Anachis pisanopsis (Hutt.), occ., 352, 353.
Anagallis arvensis Linn. Mayor Is. (Allan & D.), 35.
 analyses—
 artesian water, Christchurch (Hilgendorf), 381.
 Green Isles aplite, diorite, and granite (Park), 386.
 red cod, food value (Carter & Malcolm), 648
 soils from Rotorua County (Aston), 737.
 wheat, for flour-product. (Foster), 741-42.
Ancilla cf. *australis* (Sowb.), occ., 333.
 — *crystallina* n. sp., with pl. (Brookes), 589.
 — cf. *hebera*, occ., 334.
 — *morgani* n. sp., with pl. (Allan), 342.
 — (*Baryspira*) *subhebera* n. sp., with pl. (Marwick), 323.
 — *virangiensis* n. sp., with pl. (Marwick), 324.
Ancistrogyrinæ n. sp. Suter, is *Parasyrinæ finlayi*, 344.
 Andersen, J. C., publication committee's report, 755.
Aneurus browni (F. B. W.), with pl. and fig., life-hist. (Myers), 488.
Angelica montana (Forst.) Cockayne, Peel For. (Allan), 43, 47; host of *Nysius* (Myers), 481.
 angiosperms, N.Z. (Oliver), 1.
 animal-life in forest-floor (Grimmett), 423.
Anasops assimilis F. B. W., life-history (Myers), 468.
 — *wakefeldi* F. B. W., life-history (Myers), 468.
Anisotome aromatica Hook. f., Peel For. (Allan), 49, 50.
 — var. *incisa* T. Kirk, Peel For. (Allan), 47, 50.
 annelid tubes, Rakaia Gorge dist. (Cox), 94.
Anomia trigonopsis Hutt., occ., 333, 334, 352, 353.
 — *undaia* Hutt., occ., 351, 352.
Anopsobius neozelanicus, in forest-floor (Grimmett), 434.
 Anthocoridae, less than eight species (Myers), 451; details, 472.
Anthoxanthum odoratum L., host of *Cermatulus nasalis* (Myers), 493.
Antigona zelandica (Gray), occ., 352, 353.
Antimitra Iredale, genus of Iredale, (Finlay), 254.
 — *vexilliformis* Marsh. and Murd., type of *Vexithara* (Finlay), 255.
 ants, in forest-floor (Grimmett), 435, 437.
Aotea n. gen. (Phillipps), 533.
 — *acus* n. sp., with pl. (Phillipps), 534.
Apaturis Iredale, genus of Iredale, (Finlay), 254.
Aphaenogaster antarcticus, in forest-floor (Grimmett), 435.
Aphera scopalveus n. sp., with pl. (Finlay), 246.
Aphrodite, food of *Thyrsites atun* (Phillipps), 528.
Apium prostratum (DC.) Labill., Mayor Is. (Allan & D.) 36.
 aplite, Green Isles, analysis (Park), 386.
 Aradidae, numerous in species (Myers), 451, 486.
Aradus australis Erichs., hist. (Myers), 486.
Aralia sp., host of *Dactyanthus Taylora* (Hill), 89.
 Araneida, in forest-floor (Grimmett), 435, 437.
Araneus crassus, in forest-floor (Grimmett), 435.
 — *pustulosus* (Walck.), *Oncacotias vittatus* distasteful (Myers), 509.
Araucaria brasiliensis, resemb. to *Araucarites marshalli* (Edwards), 126.
 — *haastii* Etting., resemb. to *Araucarites marshalli* (Edwards), 126.
 — *rulei*, position of canals (Edwards), 127.
 araucarians of N.Z. (Edwards), 126.
Araucarioxylon. See *Dadoxylon (Araucarioxylon)*.
Araucarites carinaria, resemb. to *A. marshalli* (Edwards), 126.
 — *hatcheri* Wieland, resemb. to *A. marshalli* (Edwards), 126.
 — *marshalli* n. sp., with figs. (Edwards), 126.
 — *ovatus* Hollick, resemb. to *A. marshalli* (Edwards), 126.
 Arber, E. A. N., Cairn Range fossil flora (Jobberns), 218.
Arca sociella n. sp., with pl. (Brookes), 590.
Architectonica marwicki n. sp., with pl. (Allan), 338.
Archyala opulenta n. sp. (Philpott), 398.
Arctocoris arguta (F. B. W.), life-hist. (Myers), 463, 469.
Arca Baueri, and name cabbage-tree (Andersen), 661.

- Argosarchus horridus*, in forest-floor (Grimmett), 434.
- Aristotelia fruticosa* Hook. f., Peel For. (Allan), 45, 47, 48, 49.
- *racemosa* Hook. f., poles used as net-handles (Rangi Hiroa), 599.
- *serrata* (Forst.), W. R. B. Oliver, Mayor Is. (Allan & D.), 36.
- — Peel For. (Allan), 41, 43, 47.
- Arocatus rusticus* Stal., intr. from Australia (Myers), 455; life-hist., with figs., 476, 477.
- Arripis trutta* Cuvier, Maori method of fishing (Rangi Hiroa), 620.
- Artesian Well Committee, research on Chch. area artesianians, 760.
- artesian wells, chemical analysis of water (Hilgendorf), 381; varying levels of, 370.
- — Beckenham, Christchurch (Speight), 363.
- — Christchurch area (Hilgendorf), 369.
- — — (Speight), 366.
- Arthropodium cirratum* R. Br., Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
- Arundo conspicua* Forst. f., host of *Oncocentias vittatus* (Myers), 508.
- Ascaris*, parasite of *Genypterus blacodes* (Phillips), 528.
- Ashby, E., *Callochiton kapitiensis*, details (Mestayer), 584.
- Ashley Range, geol. (Speight), 360.
- Asplenium bulbiferum* Forst., Peel For. (Allan), 40, 43, 44, 45.
- *flabellifolium* Cav., Peel For. (Allan), 41, 43, 45, 47, 49.
- *flaccidum* Forst. f., Mayor Is. (Allan & D.), 35.
- — Peel For. (Allan), 40, 41.
- *hookerianum* Col., Peel For. (Allan), 41, 43.
- *japonicum* Thunb., syn., 81.
- *lamprophyllum* sp. nov. (Carse), 81.
- *Richardi* Hook. f., Peel For. (Allan), 43, 47.
- *Trichomanes* Linn., Peel For. (Allan), 47.
- Astelia Banksii* A. Cunn., Mayor Is. (Allan & D.), 35.
- *Cockaynei* Cheesem., Peel For. (Allan), 44, 50.
- *nervosa* Banks & Soland. ex Hook. f., Peel For. (Allan), 40, 42, 43, 45.
- var. *grandis* (Hook. f. ex T. Kirk) Ckn. et Allan (Ckn. & Allan), 21.
- — var. *sylvestris* Ckn. et Allan (Ckn. & Allan), 21.
- *Solandri* A. Cunn., Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
- Asteracmea* n. gen., in key (Oliver), 549; char., 563.
- *axiaerata* (Verco), (Oliver), 564.
- *crebrestriata* (Verco), (Oliver), 564.
- *illibrata* (Verco), (Oliver), 563.
- *mellila* (Iredale), (Oliver), 563.
- *stovae* (Verco), (Oliver), 564.
- *suteri* (Iredale), (Oliver), 563.
- Aston, B. C., forest of Chapman Bush (Grimmett), 431
- Hector award, 763
- astronomy and seismology, advisory board, 764.
- ataata. See *Turbo swaragodus*.
- Atalacmea* Iredale, char. (Oliver), 581; in key, 549.
- *fragilis* (Sowerby), (Oliver), 582.
- Ataxocerithium*, occ., 333.
- Athleta huttoni* (Suter), syn., 273.
- — *pseudorarispina* (Suter), syn., 274.
- *necopinata* Suter, affn. (Marwick), 262; type of *Notoplejona*, 270.
- See also *Volutospina* (*Athleta*).
- Atrina*, occ., 334.
- *zelandica* (Gray), occ., 333.
- Aucella boekmi* n. sp., with pl. (Marwick), 305.
- *marshalli* Trechmann, type of *Pseudauccella* (Marwick), 306.
- *plicata* Zittel, with pl. (Marwick), 304.
- Aulacosphinctoides brounei* Marshall, occ. (Marshall), 211 note.
- *marshalli* Spath, occ. (Marshall), 211 note.
- Aulica Adams* and Crosse, type charact. (Marwick), 264.
- Australian Assoc. for Adv. of Sc., representation at, 751.
- Australina pusilla* Gaud., Peel For. (Allan), 43.
- Austrofusius* Kobelt, replaces *Aethocola* Iredale (Finlay), 232.
- *affiliatus* n. sp., with pl. (Finlay), 238.
- *fleucosa* (Marshall), comp. with *A. (Neocola) alpha* (Finlay), 234.
- *glans* (Bolten), new name (Finlay), 232.
- *precursor* n. sp., with pl. (Finlay), 237.
- (*Nassicola*) *contractus* n. sp., with pl. (Finlay), 236.
- — *magnificus* n. sp., with pl. (Finlay), 236.
- — *nassa* n. sp., with pl. (Finlay), 235.
- (*Neocola*) *alpha* n. sp., with pl. (Finlay), 233.
- — *apudalpha* n. sp., with pl. (Finlay), 235.
- — *beta* n. sp., with pl. (Finlay), 234.
- — *gamma* n. sp., with pl. (Finlay), 234.
- Austrotoma obsoleta* n. sp., with pl. (Finlay), 253.
- *scopalveus* n. sp., with fig. (Finlay), 253.
- Aute, Te, limestone, part of Waipukurau series (Thomson), 350, 352.
- Avena sativa* L., host of *Ustilago Avenae* (Cunningham), 79.
- Avon, River, and artesian wells (Hilgendorf), 379.
- Awa-a-Koirere, Te, a kehe fishing-channel (Rangi Hiroa), 619.
- Awamoan beds, range of Volutidae (Marwick), 268-69.
- stage, in grouping (Grange), 334.
- Awani, kehe fishing-ground (Rangi Hiroa), 619.
- series, age (Thomson), 354.
- Awa-o-Anaru, a kehe fishing-channel (Rangi Hiroa), 619.
- Awa-o-Hare, a kehe fishing-channel (Rangi Hiroa), 619.
- Awa-tapae, Te, a crayfish-hole (Rangi Hiroa), 628.
- awkward names of plants (Andersen), 673.
- Azoic age anterior to stratification of rock (Chapman), 117.

- bacteria, minuteness of (Chapman), 114.
bacteriophages, size (Chapman), 119.
Baculus anceps Paulcke, comp. (Marshall), 154.
— *chicoensis* Traak, comp. (Marshall), 154.
— *ovatus* Say, occ. (Marshall), 155.
— *rectus* n. sp., with pls. (Marshall), 154.
— *vagina* Forbes, comp. (Marshall), 154 ;
occ., 130.
Bagnisia, hab. (Hill), 88-89.
balance of trade as index of prosperity (Con-
diffe), 722.
Baluchitherium, size (Chapman), 117.
Barbatia novae-zelandiae (Smith), occ., 353.
Barea ambigua n. sp., with figs. (Philpott), 396.
Barnea, occ., 333.
barracouta. See *Thyrstites atrum*.
Barrell, Jos., geol. age of mammals (Chapman),
116.
Baryspira australis (Sow.), occ., 353.
— *waikariaensis* n. sp., with pl. (Finlay), 251.
— *waikopiroensis* (Suter), occ., 353.
— See also *Ancilla* (*Baryspira*).
Bastian, H. C., synthetic production of organic
substance (Chapman), 115.
Batley, ammonites at (Marshall), 129.
— series, stratigraphical features (Marshall),
201.
Beckenham, artesian wells (Speight), 363.
beetles in forest-floor (Grimmett), 435.
Beilschmiedia tawa (A. Cunn.) Benth. and Hook.
f., host of *Ctenoneurus hochstetteri* (Myers), 487.
— rain forest, Sounds-Nelson Botan.
Dist. (Ckn. & Allan), 20.
Bela striata Hutton, type of *Iredabula* (Finlay),
231.
Belemnites canaliculatus aucklandicus Hauer,
occ. (Marshall), 210, 211 note.
Belophos incertus (Marshall), with pl. (Allan),
341.
Bergroth, E., Nabidae the correct form of
Nabidae (Myers), 475.
birch, confusion caused by name (Andersen), 663.
Birdseye Creek, geol. (Speight), 355.
Bitoma, in forest-floor (Grimmett), 435.
blackberry. See *Rubus fruticosus*.
Blechnum capense (L.) Schlecht., identity
(Carse), 82.
— Mayor Is. (Allan & D.) 35.
— Peel For. (Allan), 42, 43, 45, 46,
47, 50, 51.
— becomes *B. procerum* (Andersen),
671.
— *discolor* Keys, Peel For. (Allan), 40, 41,
43, 44, 46.
— *filiiforme* (A. Cunn.) Ellingh., host of
Ploiarodes rubromaculatus (Myers), 477.
— *fluviale* Salom., Peel For. (Allan), 40.
— *lanceolatum* Sturm, Peel For. (Allan)
40.
— *Patersoni* Mett., Peel For. (Allan), 43.
— *penna marina* Kuhn. Peel For. (Allan),
44, 45, 47, 49, 50.
Blennius latidorsus n. sp., with pl. (Griffin), 542.
Boehm, G., *Aucella plicata* from Waikato S.
Head (Marwick), 304.
Boltenia pachydermatina Herdman, dispersal
of pebbles (Chilton), 523.
Borkhausenia Hubner, list of N.Z. species;
with figs. (Philpott), 399; genitalia, with
figs., 406; key to species, 404; phylogeny of
species, 413.
— *affinis* n. sp., with figs. (Philpott), 391.
— *afflicta* n. sp. (Philpott), 401; in key,
406; fig., 411.
— *amiculata* n. sp. (Philpott) 402; in key,
405; fig., 409.
— *annopsis* Meyr., in key (Philpott), 404;
fig., 411.
— *anaema* (Meyr.), in key (Philpott), 405;
B. serena may be syn., 405 note.
— *ancogramma* Meyr., in key (Philpott), 406;
fig., 409.
— *apantes* (Meyr.), in key (Philpott), 405.
— *apertella* (Walk.), in key (Philpott), 405;
fig., 410.
— *aphrontis* (Meyr.), in key (Philpott), 405;
fig., 411.
— *armigerella* (Walk.), in key (Philpott),
405; fig., 412.
— *asphaltis* Meyr., removed to *Guestia*
(Philpott), 401.
— *basella* (Walk.), in key (Philpott), 405;
figs., 407, 411.
— *brachyacma* Meyr., in key (Philpott), 406;
fig., 411.
— *cenchrias* Meyr., removed to *Gymnobathra*
(Philpott), 401.
— *chloradelpha* Meyr., in key (Philpott), 405;
fig., 409; affin. to *B. perichlora* Meyr., 401.
— *chloritis* (Meyr.), in key (Philpott), 405.
— *chrysogramma* (Meyr.), in key (Philpott),
406; fig., 409.
— *colliella* (Walk.), in list (Philpott), 401.
— *compsogramma* Meyr., in key (Philpott),
406; fig., 410.
— *crotala* Meyr., in key (Philpott), 406;
fig., 410; affin. to *B. plagiata* Walk., 401.
— *epichalca* (Meyr.), in key (Philpott), 405;
fig., 410.
— *epimytila* (Meyr.), in key (Philpott), 406;
fig., 409.
— *eriphaea* Meyr., in key (Philpott), 405;
fig., 409.
— *fenestrata* n. sp. (Philpott), 404; in key,
406; fig., 410.
— *freta* n. sp. (Philpott), 402; in key, 404;
fig., 411.
— *griseata* (Butl), in key (Philpott), 406.
— *hastata* Philp., in key (Philpott), 404.
— *hemimochla* (Meyr.), in key (Philpott),
406.
— *homodoxa* (Meyr.), in key (Philpott), 406;
fig., 411.
— *honorata* Philp., in key (Philpott), 405;
fig., 409.
— *hoplodesma* (Meyr.), in key (Philpott),
405; fig., 411.
— *horaea* (Meyr.), in key (Philpott), 405.
— *innotella* (Walk.), in key (Philpott), 406;
fig., 411.
— *letharga* (Meyr.), in key (Philpott), 406.
— *loxotis* Meyr., in key (Philpott), 405;
fig., 410.
— *macarella* (Meyr.), in key (Philpott), 405.

- Borkhausenia maranta* (Meyr.), in key (Philpott), 404; fig., 412.
 — *melanamma* Meyr., in key (Philpott), 406; fig., 412.
 — *monodonta* (Meyr.), in key (Philpott), 405; fig., 411.
 — *morosa* n. sp. (Philpott), 403; in key, 406; fig., 410.
 — *nycteris* (Meyr.), in key (Philpott), 406; figs., 407, 412.
 — *opaca* n. sp. (Philpott), 403, in key, 405; fig., 409.
 — *oxyina* (Meyr.), in key (Philpott), 405; fig., 409.
 — *pallidula* Philp., in key (Philpott), 406; fig. 410.
 — *paratrimma* Meyr., in key (Philpott), 406; fig., 409.
 — *penthalaea* Meyr., in key (Philpott), 406; fig., 411.
 — *perichlora* Meyr., in key (Philpott) 405; fig., 409.
 — *pharmactis* Meyr., in key (Philpott), 405; fig., 410.
 — *phagophylla* (Meyr.), in key (Philpott), 406.
 — *plagiatella* (Walk.), in key (Philpott), 406; figs., 407, 410.
 — *politis* (Meyr.), in key (Philpott), 405; fig., 410.
 — *pronephela* Meyr., in key (Philpott), 406; fig., 411.
 — *pseudospretella* (Stt.), in key (Philpott), 406; fig., 412.
 — *robiginosa* (Philp.), in key (Philpott), 405; fig., 409.
 — *sabulosa* Philp., in key (Philpott), 406.
 — *scholaea* (Meyr.), in key (Philpott), 405; fig., 412.
 — *seclusa* Philp., in key (Philpott), 406; fig., 411.
 — *serena* n. sp. (Philpott), 403; fig., 410; in key, 405; may be syn. of *B. anaema*, 405 note.
 — *siderodeta* (Meyr.), in key (Philpott), 406; fig., 410.
 — *siderota* not in key (Philpott), 404 note; fig., 412.
 — *terrena* n. sp., with figs. (Philpott), 392.
 — *thalerodes* Meyr., in key (Philpott), 405.
 — *thranias* Meyr., syn., 401.
 — *vestita* n. sp. (Philpott), 392.
 — *xanthodesma* Philp., in key (Philpott), 406; fig., 409.
 — *xanthomicta* Meyr., in key (Philpott), 406; fig., 412.
 Bortonian beds, range of Volutidae (Marwick), 268-69.
 — substage name proposed (Allan), 338.
 botanical district for N.Z., a proposed new (Cockayne & Allan), 19.
Bothriocephalus, parasite of *Genypterus blacodes* (Phillipps), 528.
Botrychium australe R. Br., Peel For. (Allan), 45, 50.
Botryodiplodia pinea (Desm.) Petr., pines infected (Curtis), 53.
Brachyglottis repanda Forst., Mayor Is. (Allan & D.), 36.
Brachylous, in forest-floor (Grimmett), 435.
 brachyptery in Heteroptera (Myers), 454.
Brahmaites Kossmat, charact. (Marshall), 172.
 — *brahma* Forbes, comp. (Marshall), 173.
 — *rotundus* n. sp., with pls. (Marshall), 173.
 Brame, J. W., *Polypodium dictyopteris*, charact. (Carse), 83.
 Bridges, R., plant names in "The Idle Flowers" (Andersen), 676.
 British Columbia, ammonite fauna (Marshall), 206.
 Brittin, G., research, fruit-tree diseases, 760.
Bromus sterilis L., host of *Puccinia Elymi* (Cunningham), 77.
 — *unioloides* H. B. K., host of *Cymodema* sp. (Myers), 485; of *Taphropeltus putoni*, 484.
Brontosaurus excelsus, size (Chapman), 118.
 Brown, J. M., fellowship, 763.
Buccinum adpersum Bruguiere, type of *Acominia* (Finlay), 240.
 — *arabicum* Martyn, type of *Alcithoe* (Marwick), 287.
 — *glandiforme* Reeve, type of *Cominista* (Finlay), 240.
 — *turidum* Philippi, syn., 240.
 — *nassoides* Reeve, type of *Eucominia* (Finlay), 239.
 Buck, P. H., fellowship, 763.
 Bueno, —, *Nezara viridula*, range (Myers), 498.
 building-materials, rise in price (Condliffe), 727.
 Bull's Point, ammonites at (Marshall), 129.
 Burbidge, P. W., research on intensity of long-wave signals, 760.
 Burrows, A., discovery of *Galaxias burrowsius* (Phillips), 532.
 bush-sickness, Rotorua County (Aston), 733.
 Butler, A. E., *Lyctocoris campestris*, food (Myers), 473.
 — *Stenotus binotatus*, variability (Myers), 472.
 cabbage-tree, origin of name (Andersen), 660.
Cueoma Rhododendri Lmk., syn., 75.
 Cairn Range, Cordy's Flat, geol. (Jobberns), 215.
 California, ammonite fauna (Marshall), 206.
Callanaites speighti (Sut.), occ., 333.
 — *yatei* (Gray), occ., 353.
Calliostoma osbornei n. sp., with pl. (Powell), 591.
 — *punctulatum*, variation in sculpture (Powell), 591.
 — *selectum* (Chemn.), occ., 334.
Calliphora imperialis (Fabr.), occ. in N.Z. (Myers), 488.
Callochiton empleurus (Hutton), with pl. (Mestayer), 583.
 — *kapitiensis* n. sp., with pl. (Mestayer), 583.
Callomaoria n. gen., with figs. (Brookes), 447.
 — *harrisi* n. sp. (Brookes), 447.
Calyptraea alta (Hutt.), occ., 352.
 — *novae-zelandiae* (Lesson), occ., 353.
 — *tenuis* (Gray), occ., 333, 334, 335.
Calystegia Soldanella (L.) R. Br., Mayor Is. (Allan & D.), 36.
 — *tuguriorum* R. Br., Peel For. (Allan), 41, 46.
 Canterbury climate, Speight's views (Allan), 47.
 — imports and exports of (Condliffe), 723.
Cantharidus, occ., 353.
 — *fenestratus*, occ. (Marwick), 309.

- Cantharidus sanguineus* (Gray), occ., 353.
Carcharias glaucus Cuvier, syn., 529.
Carcharinus brachyurus Guent., Domin. Mus. specimen a *Prionace glaucum* (Phillipps), 529.
Cardium patulum Hutt., occ. (Marwick), 309.
 — *spatiosum* Hutt., occ., 333, 334.
Carex Coxiana sp. nov. (Petrie), 6.
 — *McCurgii* sp. nov. (Petrie), 8.
 — *McMahonii* sp. nov. (Petrie), 6.
 — *Martini* sp. nov. (Petrie), 7.
 — *rekohu* sp. nov. (Petrie), 8.
 — *rotoensis* sp. nov. (Petrie), 9.
 — *secta* Boott., Peel For. (Allan), 42, 50.
 — *virgata* Sol., host of *Rhopalomorpha obscura* (Myers), 504.
Carmichaelia sp. in Sounds-Wairau Botan. Dist. (Cockayne & Allan), 19.
 — *arbores* (Forster), replacing *C. australis* R. Br. (Oliver), 5.
 — *australis* R. Br. var. *egmontiana* Ckn. et Allan var. nov. (Ckn. & Allan), 21.
 — *flagelliformis* Hook f., syn., 5.
 — *subulata* T. Kirk, Peel For. (Allan), 49.
Carpodetus serratus Forst., Peel For. (Allan), 40, 41, 46.
Carpolithus zeelandica n. sp., with fig. (Edwards), 128.
Carposina sanctimonea n. sp. (Clarke), 418.
 Carter Bequest. See N.Z. Institute: Carter Bequest.
Cassinia fulvida Hook f., var. *montana*, Peel For. (Allan), 44, 49, 50, 51.
 — *leptophylla* R. Br., host of *Nysius huttoni* (Myers), 479; of *N. clavicornis*, 480.
 — *subulata* T. Kirk, Peel For. (Allan), 49.
 — *Vauvilliersii* (Homb. et Jacq.), Hook f., Peel For. (Allan), 44, 49, 51.
 — var. *serpentina* Ckn. et Allan var. nov. (Ckn. & Allan), 20, 22.
Cassia muricata Hector, comp. with *Euspina-cassis pollens* (Finlay), 230.
 Castlecliffian beds, range of Volutidae (Marwick), 268-69.
 — stage, in grouping (Grange), 334.
 catalogue of scientific journals in N.Z., 750.
Catamacta calligypsa n. sp. (Meyrick), 415.
 cattle in forests, effect (Allan), 41-42.
Caulopsetta scapha, food of *Physiculus bachus* (Phillipps), 528.
 cedar. Maori. See *Dysoxylum spectabile*.
Celmisia cordatifolia, Buch., Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
 — *coriacea* (Forst. f.) Hook f., host of *Nysius* (Myers), 481.
 — *laricifolia* Hook f., Peel For. (Allan), 51.
 — *Macmahoni*, T. Kirk, Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
 — *Rutlandii* T. Kirk, Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
 — *spectabilis* Hook f., Peel For. (Allan), 44, 45, 47, 50.
 centipedes, in forest-floor (Grimmett), 434.
Cerithidea, occ., 333.
 — *tirangiensis* n. sp., with pl. (Marwick), 317.
Cermatulus nasalis (Westwood) with pls. and figs., life-hist. (Myers), 490, 491; eggs of, 489.
Chaerocydnus nigrosignatus F. B. W., occ. in N.Z. (Myers), 510.
 Chapman Bush, Wadestown, life of forest-floor (Grimmett), 426.
 Charteris, Bay sandstone, stratigraphical position (Speight), 361.
 Chasm Creek, coal-working (Cox), 103.
 Cheeseman, T. F., *Plagianthus cymosus* T. Kirk, hybrid origin (Ckn. & Allan), 31.
Cheilanthes Sieberi Kunze, Mayor Is. (Allan & D.), 35.
Cheimarrichthys forsteri Haast, Maori catching of (Rangi Hiroa), 640.
Chelidomichthys kumu (Lesson and Garnot), food of (Phillipps), 527.
Chermes pini Koch, pines infected (Curtis), 52.
Chiazacmea n. gen., in key (Oliver), 549; char., 558.
 — *flammea* Q. & G., with fig. (Oliver), 558.
 — *cavilla* (Iredale), (Oliver), 561.
 — *conoidea* Q. & G. (Oliver), 560.
 — *mimula* Iredale (Oliver), 561.
 — *mixta* (Reeve), with fig. (Oliver), 560.
 — *queenlandiae* n. subsp. (Oliver), 561.
 — *heteromorpha* n. sp., with pl. and fig. (Oliver), 562.
 — *mufrja* (Hedley), (Oliver), 562.
 Chile, ammonite fauna (Marshall), 207.
Chilodactylus macropterus Forster, fat of (Malcolm), 656.
 Chilopoda, in forest-floor (Grimmett), 434, 437.
Chione stutchburyi (Gray), occ., 333.
 — *subulcata* Suter, occ., 334, 352, 353.
Chiton limans Sykes, syn., 583; not a N.Z. form, 584.
 — *sulcatus* Quoy, syn., 583.
Chlamys convexus (Q. & G.), occ., 352.
 — *enfieldensis* n. sp., with pl. (Marwick), 311.
 — *radiatus* (Hutt.), occ., 351, 352, 353.
Chloroclystis fumipalpata (Feld.), correct name (Philpott), 388.
 — *maculata* Huds., syn., 388.
 Christensen, C., observations on certain N.Z. ferns, 80.
Chrysomyxa albida Kuehn., syn., 76.
 — *Rhododendri* (DC.) de Bary (Cunningham), 75.
Cimex lectularius Linn., an introd. species (Myers), 455, 472.
 Cimicidae, only one species (Myers), 451, 472.
Cirphis unipuncta Haw., food of *Cermatulus nasalis* (Myers), 493.
Cirsostrema angulata n. sp., with pl. (Marwick), 320.
 — *caelicola* n. sp., with pl. (Finlay), 231.
 citrate of ammonia, cure for iron-hunger (Aston), 737.
Citrus grandis (L.) Osbeck, host of *Ploiariodes rubromaculatus* (Myers), 477.
Cladium Huttoni, T. Kirk, host of *Tolyposporium littorale* (Cunningham), 78.
Cladophlebis australis Morris, occ. (Marshall), 210.
Clathurella hamiltoni Hutton, incl. in *Cominula* (Finlay), 239.

- Clavatulula humerosa* n. sp., with pl. (Marwick), 315.
- Clematis australis* T. Kirk, Peel For. (Allan), 49.
- *foetida* Raoul, Peel For. (Allan), 41.
- *indivisa* Willd., Peel For. (Allan), 41.
- *marata* Armstr., Peel For. (Allan), 49.
- *parviflora* var. *depauperata* Hook. f., in Sounds-Wairau Botan. Dist. (Cockayne & Allan), 19.
- Clinton River Intrusive Series (Park), 384.
- Cloudy Bay cod, *Lotella rhacinus* sold as (Phillipps), 533.
- clove hitch, no Maori name for (Rangi Hiroa), 602.
- clover, red. See *Trifolium pratense*.
- Clubiona peculiaris*, in forest-floor (Grimmett), 435.
- Cnephasia paterna* n. sp. (Philpott), 391.
- coal, in Mackenzie country (Speight), 355.
- measures, Cordy's Flat (Jobberns), 219.
- Rakaiia Gorge dist. (Cox), 101, 103.
- rise in price (Condliffe), 727.
- Cockayne, L., Mayor Isld. vegetation, 34.
- N. and S. Isld. floras (Myers), 455.
- plant-names (Andersen), 675.
- cocksfoot. See *Dactylis glomerata*.
- cod, red. See *Physiculus bachus*.
- Ceolostomidia zealandica*, in forest-floor (Grimmett), 435.
- Colenso, W., trees, &c., used as vegetables in N.Z. (Andersen), 661.
- Coleoptera*, in forest-floor (Grimmett), 435, 437.
- new species (Brookes), 440.
- Coleosporium Rhododendri* Schroet., syn., 75.
- Collembola, in forest-floor (Grimmett), 434.
- Collisella*, in key (Oliver), 549.
- *saccharina* (Linné), syn., 555.
- *spectrum*, similar to Aust. shell (Oliver), 548.
- Collisellina* Dall (Oliver), 554.
- Colobanthus mollis* n. sp. (Oliver), 5.
- *quitensis* (not Bartl.) Hook. f., syn., 5.
- Colville, F. W., leaf-mould (Grimmett), 423, 424, 428.
- Cominella* Gray, charact. (Finlay), 238; occ., 353.
- *carinata* (Hutt.), new name for (Finlay), 245 note.
- *compacta* n. sp., with pl. (Marwick), 322.
- *hamiltoni* (Hutt.), occ., 352, 353.
- *hendersoni* n. sp., with pl. (Marwick), 322.
- *intermedia* Suter, incl. in *Eucominia* (Finlay), 239.
- *lurida* (Phil.), occ., 333.
- *maculata* Gray, *Cominia maculata* the original name (Finlay), 238.
- *quoyana* A. Adams, type of *Cominula* (Finlay), 239.
- *subnodosa* Hutton, comp. with *Zelandiella fatua* (Finlay), 237.
- Cominia maculata* Gray, name prior to *Cominella maculata* (Finlay), 238.
- Cominista* n. gen. (Finlay), 240.
- *chattonensis* n. sp., with pl. (Finlay), 244.
- *obsoleta* n. sp., with pl. (Finlay), 244.
- Cominula* n. gen. (Finlay), 239.
- Cominula (Procominula) denselvrata* n. sp., with pl. (Finlay), 242; in key, 243.
- *exsculpta* (Suter), (Finlay), 243; in key, 243.
- *Præcox* n. sp. (Finlay), 243; in key, 243.
- *propinqua* n. sp. (Finlay), 243; in key, 243.
- *pukeuriensis* n. sp., with pl. (Finlay), 242; in key, 243.
- *pulchra* (Suter), with pl. (Finlay), 242; in key, 243.
- Comitas* n. gen. (Finlay), 251.
- compound words, accent of (Andersen), 664-65.
- Comstock, J. H., metamorphic and nonmetamorphic insects (Myers), 452, 453.
- Conacmea* n. subgen. (Oliver), 577.
- Conchothyrpa parasitica* Hutton, occ. (Jobberns), 220.
- Conomitra apicicostata* (Suter). (Allan), 341.
- *inconspicua* (Hutton), with pl. (Allan), 341.
- Conospira*. See *Conus (Conospira)*.
- *rivertonensis* n. sp., with pl. (Finlay), 255.
- Conus atramentosus* Reeve, type of *Lovellona Iredale*, (Finlay), 254.
- (*Conospira*) *tahuensis* n. sp., with pl. (Allan), 344.
- Coproema creolata* Cheesem., Peel For. (Allan), 41.
- *brunnea* Ckn., Peel For. (Allan), 43.
- *cuneata* Hook. f., Peel For. (Allan), 49.
- *grandifolia* Hook. f., Mayor Is. (Allan & D.), 36.
- *linariifolia* Hook. f., Peel For. (Allan), 41, 43, 44, 47, 51.
- *lucida* Forst. f., Mayor Is. (Allan & D.), 36.
- *microcarpa* Hook. f., Peel For. (Allan), 45, 47.
- *parviflora* Hook. f., Peel For. (Allan), 42, 44, 45, 46, 47, 48, 49, 50.
- *Petriei* Cheesem. var. *atropurpurea* Ckn. et Allan var. nov. (Ckn. & Allan), 22.
- var. *vera* Ckn. et Allan var. nov. (Ckn. & Allan), 22.
- *propinqua* A. Cunn., Peel For. (Allan), 45, 48, 49, 50.
- *ramulosa* Petrie, Peel For. (Allan), 45, 49, 50.
- *retusa* Hook. f., Mayor Is. (Allan & D.), 36.
- *rhamnoides* A. Cunn., Peel For. (Allan), 41, 43, 44, 45, 46, 51.
- *robusta* Raoul, host of *Romna scotti* (Myers), 470; of *Zangis amyoti*, 497.
- Mayor Is. (Allan & D.), 36.
- var. *angustata* Kirk, Mayor Is. (Allan & D.), 36.
- *rotundifolia* A. Cunn., Peel For. (Allan), 40, 41, 42, 43, 44, 46.
- *rugosa* Cheesem., Peel For. (Allan), 49.
- *serrulata* Hook. f., Peel For. (Allan), 49, 50.
- Coptochetus zelandicus* Marshall, congen. with *Melanopsis waitaraensis* (Marwick), 317.
- Corbula canaliculata* Hutt., occ. (Marwick), 308.
- *zelandica* Q. & G., occ., 353.
- Cordylina*, popular name (Andersen), 660.

- Cordylina australis* Hook. f., Mayor Is. (Allan & D.), 35.
 Cordy's Flat, geology (Jobberns), 214.
Coriaria sarmentosa Forst. f., Mayor Is. (Allan & D.), 36.
 ——— Peel For. (Allan), 49.
 Corixidae, less than eight species (Myers), 451; details, 463.
Corolia Cotoneaster Raoul, Peel For. (Allan), 48.
Corymbites, in forest-floor (Grimmett), 435.
Coryneum Salicis Togn., on willow (Murray), 69.
Corynocarpus laevigata Forst., Mayor Is. (Allan & D.), 36.
Corysanthes macrantha Hook. f., Peel For. (Allan), 43.
 Cossman, M., *Miomelon* a section of *Cymbiola* (Marwick), 265; *Plestotriton*, founding of genus, 315; *Volutidae*, classifn. of, 260, 261.
 ——— *Uxia*, notch of (Allan), 342.
 cottonwood. See *Cassinia leptophylla*.
Cotula squalida Hook. f., Peel For. (Allan), 44.
Crambus corylana n. sp. (Clarke), 417.
 ——— *scitulus* n. sp. (Philpott), 390.
 ——— *thrinodes* Meyr., syn., 391.
 ——— *tuhualis* Feld., correct name (Philpott), 391.
 ——— *tuhualis* Meyr., syn., 390.
 ——— *vulgaris* Butt., correct name (Philpott), 390.
Crassatella tralli Hutton, type of *Spissatella* (Finlay), 256.
Crassatellites obesus, occ. (Marwick), 308.
 crayfish, Maori methods of catching (Rangi Hiroa) 626; sizes of, 629.
Crepidula hahotoidea n. sp., with pl. (Marwick), 318.
 ——— *incurva* Zitt., occ., 333, 334.
 ——— *monoxyla* Lesson, occ., 352.
 crested weed-fish. See *Cristiceps aurantiacus*.
 Cretaceous ammonite horizons, geol. age (Marshall), 198.
 ——— ammonites of N.Z. (Marshall), 129.
Cristiceps aurantiacus Castelnau, with pl. (Griffin), 543.
 Cronartiaceae, new family of Uredinaceae (Cunningham), 74.
 Crustacea, in forest-floor (Grimmett), 433, 437.
Crypsitricha generosa n. sp. (Philpott), 398.
Cryptodiaporthe apiculata (Wallr.) Petr., ident. (Murray), 66.
 ——— *salicella* (Fr.) Petr., on willow (Murray), 68.
Ctenoneurus hochstetteri (Mayr.) with pl., life-hist. (Myers), 486.
 ——— *browni*, fig. (Myers), 491.
Ctenopseustis obliquana (Walk.), food of *Romna* (Myers), 471.
Cubaris, in forest-floor (Grimmett), 433.
Cucullaea waihaoensis n. sp., with pl. (Allan), 345.
Culex fatigans, food of Corixids (Myers), 464.
 cup-orchid. See *Petalochilus calyciformis*.
 currency-unit, changes in value (Condliffe), 724.
 Curtis, K. M., research in parasitic mycology, 761.
Cutlilia sidilotti, in forest-floor (Grimmett), 434.
Cyathea Cunninghamii Hook. f., Mayor Is. (Allan & D.), 35.
 ——— Peel For. (Allan), 44.
Cyathea dealbata Swartz, Mayor Is. (Allan & D.), 35.
 ——— Peel For. (Allan), 44.
 ——— *medullaris* (Forst. f.) Sw., host of *Ploiaroides rubromaculatus* (Myers), 477.
 ——— Mayor Is. (Allan & D.), 35.
Cyathodes acerosa R. Br., Mayor Is. (Allan & D.), 36.
 ——— Peel For. (Allan), 44, 45.
 ——— var. *oxycedrus* R. Br., Mayor Is. (Allan & D.), 36.
Cyclophorus serpens C. Christen., Peel For. (Allan), 40, 43.
 Cydneidae, less than eight species (Myers), 451; details, 510.
Cylichnella enysi, occ. (Marwick), 309.
Cymatium minimum (Hutt.), occ. (Marwick), 308.
 ——— *revolutum* Finlay, syn., 315.
Cymbiola, hist. of name (Marwick), 263.
 ——— *lutea* Watson, syn., 232.
 ——— *Miomelon* a section of (Marwick), 265.
 ——— (*Miomelon*) *corrugata* (Hutton), syn., 283, 299.
 ——— See also *Voluta* (*Cymbiola*).
Cymodema sp., occ. in N.Z. (Myers), 485.
 Cyperaceae, hosts of *Farysia endotricha* (Cunningham), 79; of *Tolyposporium littorale*, 77.
Cyrtophium cristatum G. M. Thomson, ident. (Chilton), 513.
 ——— *dentatum* Haswell, same as *Podocerus cristatus* (Chilton), 513.
Dacrydium cupressinum Sol., host of *Oncacotias vittatus* (Myers), 509.
Dactylanthus Taylori Hook. f., hab., with pls. (Hill), 87.
Dactylis glomerata L., host of *Dictyotus caenosus* (Myers), 501; of *Megaloceroea* sp., 470; of *Rhopalmorpha obscura*, 504; of *Stenotus bionotatus*, 471.
 ——— Mayor Is. (Allan & D.), 35.
 ——— Peel For. (Allan), 41.
Dactylopagrus macropterus (Forster), food of (Phillipps), 525.
Dadoxylon ettingshausenii (Stopes), charact. of (Edwards), 127.
 ——— *kaiparaense* n. sp., with figs. (Edwards), 127.
 ——— (*Araucarioxylon novae-zeelandiae* (Stopes), diff. from *D. kauparaense* (Edwards), 127.
 Dall, W. H., *Scaphella* and *Cymbiola*, hist. of names (Marwick), 263-64; *Volutidae*, larval form, 259 note; classifn., 260; *Zealeda* syn. with *Spinula*, 328.
Dalmaniceras Djan., charact. (Marshall), 176.
Dammara oweni, ident. (Edwards), 128.
Dammarites sp. from Kaipara, with fig. (Edwards), 127.
Damthonia Cunninghamii Hook. f., Peel For. (Allan), 47.
 ——— *pilosa* R. Br., Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
 ——— Peel For. (Allan), 46.
 ——— *semiannularis* R. Br., Peel For. (Allan), 46.
 ——— *setifolia* Hook. f., Peel For. (Allan), 43.

- Davies, W. C., research in soil bacteria and protozoa, 761.
- Days Bay Bush, life of forest-floor (Grimmett), 426.
- de Grossouvre, A., *Hauericeras*, descripn. (Marshall), 190; *Puzosia*, charact., 180.
- d'Herelle, F., parasites of micro-organisms (Chapman), 119.
- Dentalium laeve*, occ., 351.
- *marwicki* n. sp., with pl. (Mestayer), 587.
- *nanum* Hutton, occ., 351, 352, 353.
- *otamaringaensis* n. sp., with pl. (Marwick), 326.
- *solidum* Hutt., occ., 333.
- depth-finders, sonic, for bathymetrical survey of N.Z. seas, 754.
- Desmoceras*, classifn. (Marshall), 180-81.
- *diphylloides* Koss., comp. (Marshall), 192.
- *gandama* Forbes, comp. (Marshall), 183.
- *kawano* Jimbo, comp. (Marshall), 147.
- (*Hauericeras*) *gardeni* Baily, comp. (Marshall), 190.
- See also *Schluteria* (D.).
- Dexiocerella dentata* Haswell, ident. (Chilton), 513.
- *laevis* Haswell (Chilton), 513.
- Dianella intermedia* Endl., Mayor Is. (Allan & D.), 35.
- Diapreocoris barycephala* Kirkaldy, occ. in N.Z. (Myers), 464.
- *zealandiae* Hale, lacks hindwings (Myers), 454; life-history, 464.
- Dichelachne crinita* (Forst. f.) Hook. f., Mayor Is. (Allan & D.), 35.
- — Peel For. (Allan), 43, 46.
- *sciurea* Hook. f., Mayor Is. (Allan & D.), 35.
- Dichondra repens* Forst., Mayor Is. (Allan & D.), 36.
- Dicksonia fibrosa* Col., Peel For. (Allan), 40.
- *squarrosa* (Forst. f.) Sw., host of *Ploiaroides rubromaculatus* (Myers), 477.
- — Peel For. (Allan), 44.
- Dicranoloma*, Peel For. (Allan), 45.
- Dictyotus caenosus* (Westwood), eggs (Myers), 489; nat. hist., with pls. and figs., 499.
- die-back of *Pinus radiata* and *P. muricata* (Curtis), 52-57.
- Diels, L., *Veronica* and *Hebe* (Ckn. & Allan), 25.
- Diemenia immarginata* (Dall), occ. in N.Z. (Myers), 488.
- Digitalis purpurea* Linn., Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
- Dinosaurius* eggs discovered (Chapman), 118.
- diorite, Green Isles, analysis (Park), 386.
- Diplazium japonicum* Bedd., identity (Carse), 81.
- Diplodia pinea* (Desm.) Kickx, pine-infection (Curtis), 56.
- *salicina* Lev., on willow (Murray), 69.
- Diplodocus carnegii*, size (Chapman), 118.
- Diplodonta infrequens* n. sp., with pl. (Marwick), 312.
- *zealandica* (Gray), occ., 353.
- Diplomoceras indicum* Forbes, comp. (Marshall), 155.
- *rugatum* Forbes, comp. (Marshall), 155.
- *subcompressum* Forbes, comp. (Marshall), 155.
- Diplomoceras wakanene* n. sp., with pls. (Marshall), 155.
- Diplopoda, in forest-floor (Grimmett), 434, 437.
- Discaria toumatou* Raoul, Peel For. (Allan), 48, 49.
- Discina kawhiana* Boehm, occ. (Marshall), 211 note.
- Divaricella cumingi* Ad. & Ang., occ., 333.
- Djanélidze, A., *Dalmasiceras* Djan., charact. (Marshall), 176.
- Dodonaea viscosa* Jacq., Mayor Is. (Allan & D.), 36.
- domestic produc. in N.Z. (Condliffe), 722.
- Domett, A., periphrasis for *eschscholtzia* (Andersen), 672.
- Dominion Museum and Art Gallery, Board of Trustees for, 754; subsidy for, 750.
- Dosinia*, occ., 333, 334, 353.
- Dracophyllum latifolium* A. Cunn., Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
- — var. *Matthewsii* Carse, syn., 86.
- *longifolium* R. Br., Peel For. (Allan), 44, 49, 50, 51.
- *Matthewsii* sp. nov. (Carse), 86.
- *Sinclairii* Cheesem., Mayor Is. (Allan & D.), 36.
- *uniflorum* Hook. f., Peel For. (Allan), 49, 50.
- *Urvilleanum* A. Rich., Peel For. (Allan), 50.
- Drapetes Dieffenbachii* Hook., Peel For. (Allan), 51.
- dreams, omens in warehou-fishing (Rangi Hiroa), 625.
- Drilla*, occ., 333.
- Drimys* Forst., usage of name *Wintera* (Oliver), 3.
- *axillaris* Forst., type of *Drimys* (Oliver), 4.
- *Wintera* Forst., S. American species (Oliver), 3.
- Dryocora howittii*, in forest-floor (Grimmett), 435.
- Dryopteris dentata* (Forst.) C. Chr., shd. prob. replace *D. parasitica* (Carse), 81.
- *parasitica* (L.), probably *D. dentata* (Carse), 81.
- *punctata* C. Chr., a *Hypolepis* (Carse), 80.
- Dunn, E. J., dispersal of pebbles by marine organisms (Chilton), 524 note.
- Dysderidae, in forest-floor (Grimmett), 435.
- dysentery, destruc. of bacteria of (Chapman), 119.
- Dyscozylum spectabile* (Forst. f.) Hook. f., Mayor Is. (Allan & D.), 36.
- — forest, Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
- — poles used in fish-traps (Rangi Hiroa), 599.
- earthquakes, Rakaia Gorge dist. (Cox), 107.
- earth's crust, age (Chapman), 112.
- earthworms in forest-floor (Grimmett), 433.
- earwigs, in forest-floor (Grimmett), 434.
- Easterfield, T. H., research in orchard chemistry, 761; N.Z. mineral oils, 761; Hector Award report, 1925, 763.
- Echeneis lineata* Menzies, with pl. (Griffin), 546.

- Echinophoria* Sacco, value of group (Marwick), 319.
- Echiurus novae-zelandiae*, food of *Latridopsis ciliaris* (Phillipps), 526.
- *unicinatus*, food of *Latridopsis ciliaris* (Phillipps), 526.
- economic develop. of N.Z. and price-levels (Condliffe), 722.
- Edwardsia microphylla* Salisb., Peel For. (Allan), 41, 42, 43, 45, 46.
- eel, green. See *Gymnothorax prasinus*.
- yellow. See *Gymnothorax prasinus*.
- Elaeocarpus Hookerianus* Raoul, Peel For. (Allan), 40, 41, 42.
- Elateromyces* Bubak, should be *Farysia* Raciborski (Cunningham), 78.
- *endotrichus* (Berk.), G. H. Cunn., syn., 78.
- *niger* G. H. Cunn., syn., 78.
- *olivaceus* (DC.) Bubak, syn., 78.
- Eleocharis sphacelata* R. Br., Mayor Is. (Allan & D.), 35.
- Eleotris gobioides* (Cuvier), Maori catching of (Rangi Hiroa), 640.
- Elliott, M. A., Treasurer's report, 1924, 755-59.
- Elytranthe flavida* Engl., Peel For. (Allan), 45, 46.
- Enarsus*, in forest-floor (Grimmett), 435.
- Endodonta anguiculus*, in forest-floor (Grimmett), 436.
- *biconcava*, in forest-floor (Grimmett), 436.
- *coma*, in forest-floor (Grimmett), 436.
- *pseudoleidon*, in forest-floor (Grimmett), 436.
- *tapirina*, in forest-floor (Grimmett), 436.
- Entelea arborescens* R. Br., Mayor Isld. (Allan & D.), 36.
- used as net-floats (Rangi Hiroa), 602; for rafts, 628.
- Eohippus*, age (Chapman), 116.
- Epichorista candida* n. sp. (Clarke), 419.
- Epilobium cinereum* A. Rich., Mayor Is. (Allan & D.), 36.
- *linnaeoides* Hook. f., Peel For. (Allan), 43.
- *melanocaulon* Hook. var. *typica* Ckn. et Allan var. nov. (Ckn. & Allan), 22.
- var. *viride* Ckn. et Allan var. nov. (Ckn. & Allan), 22.
- *microphyllum* A. Rich., Peel For. (Allan), 46.
- *nummularifolium* R. Cunn., Peel For. (Allan), 50.
- *pallidiflorum* Soland., Peel For. (Allan), 50.
- *pedunculare* A. Cunn., Peel For. (Allan), 46.
- *pernitens* Ckn. et Allan sp. nov. (Ckn. & Allan), 23.
- *rotundifolium* Forst., Peel For. (Allan), 43.
- Epmephelus octofasciatus* n. sp., with pl. (Griffin), 540.
- Erato vulcania* n. sp., with pl. (Marwick), 314.
- Erechitites glabrescens* T. Kirk., Peel For. (Allan), 43.
- *quadridentata* DC., Peel For. (Allan), 46.
- Ericaceae, hosts of *Chryso-myxa Rhododendri* (Cunningham), 75.
- Erigeron canadense* Linn., Mayor Is. (Allan & D.), 35.
- Eriocampoides limacina* (de Geer), food of *Cermatulus nasalis* (Myers), 493.
- *Langis amyoti* (Myers), 497.
- Escherich, K., and Pillai, floor-fauna of pine forests (Grimmett), 439.
- eschscholtzia, on the name (Andersen), 672-73.
- Eucalyptus globulus* Labill., host of *Ctenoneurus hochstetteri* (Myers), 487; of *Nysius anceps*, 480.
- Euchaetomera oculata* Hansen, occ. (Chilton), 522.
- *typica* Sars, occ. (Chilton), 522.
- Euchersadaulta* n. gen., charact. (Philpott), 414.
- *lathriopa* (Meyr.) with fig. (Philpott), 395, 414.
- *tristis* n. sp., with figs. (Philpott), 393.
- Eucominia* n. gen. (Finlay), 239.
- *elegantula* n. sp., with pl. (Finlay), 240.
- *elegantula verrucosa* n. subsp., with pl. (Finlay), 241.
- *excoriata* n. sp., with pl. (Finlay), 241.
- *nana* n. sp., with pl. (Finlay), 241.
- Eucratsatella media* n. sp., with pl. (Marwick), 311; occ., 308.
- Eulima waihaeensis* n. sp., with pl. (Allan), 339.
- Eulopia*. See *Myrtaea* (*Eulopia*).
- Euphausia*, food of *Thyrsites atun* (Phillipps), 528.
- *lucens* Hansen, occ. (Chilton), 520.
- *recurva* Hansen, occ. (Chilton), 519.
- *similis* Sars var. *armata* Hansen, occ. (Chilton), 520.
- *spinifera* G. O. Sars, occ. (Chilton), 520.
- Euphausiacea, N.Z. species of (Chilton), 519.
- Euphorbia glauca* Forst. f., Mayor Is. (Allan & D.), 36.
- Euphrasia Hectori* sp. nov. (Petrie), 15.
- Euplectus*, in forest-floor (Grimmett), 435.
- Eupodiidae, in forest-floor (Grimmett), 436.
- Eurystylus australis* Popp., an introd. species (Myers), 655; details, 472.
- Euspinacassis pollens* n. gen. and sp., with pl. (Finlay), 230.
- Euthemisto antarctica* Dana, ident. (Chilton), 512.
- *gaudichaudii* Guérin, ident. (Chilton), 512.
- Euthria*, food of *Pagrosomus auratus* (Phillipps), 528.
- Euthriofusus spinosus* Suter, a Turrid, unrelated to *E. tangituensis* (Marwick), 320.
- type of *Speightia* (Finlay), 253.
- *tangituensis* n. sp., with pl. (Marwick), 320.
- Evarne striata* (Hutton), occ., 353.
- Exocarpus Bidwillii* Hook. f., Peel For. (Allan), 50.
- exports and imports of N.Z. (Condliffe), 722.
- Farmer, J. B., leaf-mould, formation (Grimmett), 423.
- Farr, C. C., research on porosity of porcelain insulators, 761; on physical properties of gas-free sulphur, 761; on goitre incidence in Chch., 761; on occurrence of helium, 761.
- Farysia endotricha* (Berk.) Sydow, with fig. (Cunningham), 78.
- *nigra* n. comb. (Cunningham), 78.
- *olivacea* (DC.) Sydow (Cunningham), 78.

- fats, storing of, by animals (Malcolm), 647.
 fellowship. See N.Z. Institute: fellowship.
Fenestrosyrinx n. gen. (Finlay), 254.
Festuca sp. on Mineral Belt (Cockayne & Allan), 19.
Ficus transennus Suter, a *Semitriton* (Marwick), 315.
 Field, H., pronunciation of names (Andersen), 673.
 Finlay, H. J., research on Tertiary Mollusca, 762; purchase of books on palaeontology, 762.
 fish, confusion in name kokopu (Rangi Hiroa), 640.
 — food of (Phillipps), 525.
 — Maori netting (Rangi Hiroa), 597.
 fishes of N.Z. (Griffin), 538.
 — (Phillipps), 529.
 — food values (Carter and Malcolm), 647, 650.
 — preparn. of catalogue, 764.
 fishing, season for (Rangi Hiroa), 597.
Fissurella rubiginosa Hutton, syn., 565.
 Flagpole Hill range, Cordy's Flat, geol. (Jobberns), 214.
 flatworms, in forest-floor (Grimmett), 432.
 floristic botany of N.Z. (Ckn. & Allan), 21.
 flours and wheats of N.Z., quality (Foster), 738.
 food of N.Z. fishes (Phillipps), 525.
 — values of N.Z. fish (Carter and Malcolm), 647, 650.
 foot in classic metre (Broadhead), 716.
 Ford, S. O. See Seward, A. C., and Ford, S. O.
 forest-floor covering, life of (Grimmett), 423.
 Forster, G., *Areca* and *Cordylme*, edibility (Andersen), 660.
Forstera Bidwillii Hook. f., Peel For. (Allan), 50.
 fossil localities, Waipukurau, geol. (Thomson), 347-48.
 — mollusca, Waihao greensands (Allan), 338.
 fossils from Huiroa oil-bore (Grange), 337.
 — Lyttelton Harbour (Speight), 361.
Fossularia januaria n. sp., with pl. (Marwick) 310.
 Foster, F. W., collating notes, &c., of late Sir David Hutchins, 762.
Fragaria vesca L., host of *Orthoeca nigriceps* (Myers), 483.
 Fraser, W. M., and *Xeronema Callistemon* (Oliver), 3.
Freyinetia Banksii A. Cunn., host of *Nysius clavicornis* (Myers), 479.
 Froggatt, W. W., *Oechalia consociata*, details (Myers), 489.
 Frosch, F., and Ahmen, H., bacteria of foot-and-mouth disease (Chapman), 114.
Fuchsia Colensoi Hook. f., Peel For. (Allan), 41, 46.
 — *excorticata* (Forst.) L., host of *Nysius clavicornis* (Myers), 480; of *Oncacantias vitatus*, 508; of *Taphropeltus putoni*, 484.
 — Peel For. (Allan), 40, 41, 42, 43, 44, 46, 49, 51.
 Fukushi, T., *Marssonina* on willow (Murray), 60.
Fulgoraria Schumacher, charact. (Marwick), 261.
 — *arabica* (Hutt.) Suter, now *Waihoacia superstes* (Marwick), 278.
 — *gracilis* Suter, now *Alcithoe scopi* (Marwick), 297.
Fulgoraria morgani Marsh. & Murd., syn., 302.
 — (*Alcithoe*) *aculeata* (Hutton), syn., 278.
 — — *arabica* var. *turrita* Suter, syn., 288.
 — — *biconica* Suter, syn., 272.
Fulgoraria (Alcithoe) hedleyi Murd. & Sut., syn., 301.
 — — *turrita* Suter, syn., 288.
 — — *turrita nukumaruensis* Marsh. & Murd., syn., 289.
 fungous diseases of *Pinus* (Curtis), 52.
 — of *Salix* (Murray), 58.
Fusinus bensoni n. sp., with pl. (Allan), 339.
 — *delicatulus* (Marsh. & Murd.), (Allan), 340.
 — *modestus* Marsh. & Murd., a nom. nud. (Allan), 339.
 — *solidus* Suter, occ. (Marwick), 308, 309.
Gadum rhacinum Forster, syn., 532.
Gadus rhacinus Forster, syn., 532.
Gahnia, host of *Metagera obscura* (Myers), 481.
 — *gahniaeformis* (Gaud.) Heller, Mayor Is. (Allan & D.), 35.
 — *pauciflora* T. Kirk, host of *Farysia endotricha* (Cunningham), 79.
 — *xanthocarpa* Hook. f., host of *Margaretta dominica* (Myers), 484.
Galaxias brevipennis Guenther, Maori name of (Rangi Hiroa), 640.
 — *burrousus* n. sp., with pl. (Phillipps), 531.
 — *fasciatus* Gray, Maori names of (Rangi Hiroa), 640.
Galeodea muricata (Hector), relat. to *Phalium grangeri* (Marwick), 319.
 — *scnex* Suter, relat. to *Phalium grangeri* (Marwick), 319.
Galeodes biconica Suter, syn., 272.
 — *maoriana* Suter, type of *Maua* (Marwick), 271; syn., 273; a *Volute*, 262.
 — (*Pugilina*) *angusta* Suter, syn., 272.
Galeus glaucus Rondelet, syn., 529.
Gamasoidea, in forest-floor (Grimmett), 436.
Genypterus blacodes (Bloch and Schn.), food of (Phillipps), 528.
Gastrobohrus, in forest-floor (Grimmett), 435.
Gastroaccus australis Tattersall, occ. (Chilton), 522.
Gaudryceras de Grossouvre, charact. (Marshall), 141.
 — *colleti*, ident. with *Pseudophyllites indra* (Marshall), 153.
 — *crenatum* n. sp., with pls. (Marshall), 146.
 — *jukesii* Sharpe, comp. (Marshall), 142; occ., 130, 141.
 — *kawanoi* Jimbo, comp. (Marshall), 147.
 — *kayeii* Forbes, classifn. (Marshall), 139; comp., 139, 143; occ., 131.
 — *mite* Hauer, comp. (Marshall), 142.
 — *multiplexum*, occ. (Marshall), 143.
 — *particostatum* n. sp., with pls. (Marshall), 143.
 — *planorbiforme* Bohm, comp. (Marshall), 139.
 — *politissimum* Kossmat, with pls. (Marshall), 145.
 — *propemite* n. sp., with pls. (Marshall), 142.
 — *sacya* Forbes, comp. (Marshall), 144; occ., 130.

- Gaudryceras striatum* var. *pictum* Yabe, comp. (Marshall), 144.
 — *subsaca* n. sp., with pls. (Marshall), 144.
 — *tenuiliratum* Yabe, comp. (Marshall), 143.
 — *tenuiliratum* var. *ornatum* Yabe, species that should be included (Marshall), 140.
 — *varicostatum* van Hoepen, charact. (Marshall), 141; comp., 143.
 — *vertebratum*, occ. (Marshall), 143.
 — *vertebratum-varagurense*, comp. (Marshall), 142.
 — See also *Lytoceras* (*Gaudryceras*).
Gaultheria antipoda Forst. f. var., Mayor Is. (Allan & D.), 36.
 — Peel For. (Allan), 44, 45, 49, 50, 51.
 — *depressa* Hook. f., Peel For. (Allan), 49, 50, 51.
 — *oppositifolia* Hook. f., Mayor Is. (Allan & D.), 36.
 — *rupestris* R. Br., Peel For. (Allan), 44, 50.
Gaya Allanii Ckn. sp. nov., with figs. (Ckn. & Allan), 23.
 — *ribifolia* Ckn., Peel For. (Allan), 43, 45, 47, 49.
 Geikie, A., dispersal of erratics (Chilton), 524 note.
Gemmula bimariginata (Suter), (Allan), 342.
 — *complicata* (Suter), (Allan), 343.
 — *duplex* (Suter), (Allan), 343.
Geniostoma ligustrifolium A. Cunn., Mayor Is. (Allan & D.), 36.
Gentiana amabilis sp. nov. (Petrie), 14.
 — *Spedeni* sp. nov. (Petrie), 14.
 geological and vulcanological research, appoint. of officer, 755.
 — sections, Rakaia Gorge (Cox), 95, 110.
 Geophilomorpha, in forest-floor (Grimmett), 434.
Geoplana agricola, in forest-floor (Grimmett), 432.
 — *sanguinea*, in forest-floor (Grimmett), 432.
 — *spectabilis*, in forest-floor (Grimmett), 432.
 — *subquadrangulata*, in forest-floor (Grimmett), 432.
 Gerridae, only one species (Myers), 451, 474.
Gigantosaurus, size (Chapman), 118 note.
 Gilling, C. D., dispersal of pebbles and marine organisms (Chilton), 524.
Girella cyanea Macleay, occ. (Phillipps), 535.
 glaciation, Rakaia Gorge dist. (Cox), 108.
Gleichenia circinata Sw., charact. (Carse), 83-84.
 — var. *alpina*, charact. (Carse), 84.
 — var. *heciostophylla* (A. Cunn.), charact. (Carse), 83-84.
 — *Cunninghamii* Heward, Peel For. (Allan), 44.
 — *dicarpa* R. Br., syn., 83.
 — *microphylla* R. Br., charact. (Carse), 83-84.
Globisium crassiliratum n. sp., with pl. (Finlay), 230.
Gloeosporium Capreae Allesch., with fig., on willow (Murray), 64, 65.
 — *Salicis* West., on willow (Murray), 64.
Glycera ovigera, food of *Dactylopagrus macropterus* (Phillipps), 525.
Glycymeris globosa, occ. (Marwick), 308.
 — *laticostata* (Q. & G.), occ., 334.
 — *lorrensis* Marwick, occ. (Marwick), 308.
 — *manaiensis* Marwick, occ., 333, 334, 335.
Glyphipteryx scintilla n. sp. (Clarke), 420.
Glyphis rubiginosa (Hutton), syn., 565.
Glyptodon claviceps, size (Chapman), 118.
Gnaphalium collinum Labill., Peel For. (Allan), 46.
Gnomonia and *Marssonina*, relation between (Murray), 66.
 — *apiculata* (Wallr.), Wint., on willow (Murray), 66.
 — *bullata* n. sp., with figs. (Murray), 65.
 — *leptostyla*, relation to *Marssonina juglandis* (Murray), 66.
 — *pleurostyla* Auersw., on willow (Murray), 66.
 — *salicella* (Fr.) Shroet., ident. of (Murray), 66.
 — *salicina* Moesz, on willow (Murray), 66.
 Goodell, —, Greek metric (Broadhead), 716.
 Goodrich, —, charact. of Synbranchiformes (Phillips), 534.
 goods in N.Z., value of landed (Condliffe), 723.
 granite enclosures in a quartz-biotite-diorite at Green Islets (Park), 384.
 — Green Islets, analysis (Park), 386.
 granite-trout. See *Haplodactylus meandratulus*.
 grayling. See *Prototroctes oxyrhynchus*.
 Great Barrier Reef Committee, report, 753.
 Green Islets, Southland, granite enclosures in a quartz-biotite-diorite (Park), 384.
Griselinia littoralis Raoul, Peel For. (Allan), 40, 41, 42, 43, 44, 45, 46, 47, 50.
 — *lucida* Forst., Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
Grossourites gemmatus Huppe, occ. (Marshall), 130.
 growth, organic, rate of (Chapman), 117.
Gunnarites Kilian and Reboul, charact. (Marshall), 159.
 — *antarcticus* Stuart Weller, with pls. (Marshall), 162; charact., 159.
 — *inflatus* Kilian and Reboul, with pls. (Marshall), 160.
 — *nordenskjoldi* Kilian and Reboul, with pls. (Marshall), 162.
 — *zelandicus* Marshall, with pls. (Marshall), 161.
 — See also *Kosmaticeras* (*Grossourites*).
 gurnard. See *Chelidonichthys kumu*.
 Guthrie-Smith, H., fellowship gazetted, 749.
Gymnobathra zephyrana n. sp. (Clarke), 419.
Gymnoconia Peckiana, uredo of *Kuehneola albida* referred to this in error (Cunningham), 76.
Gymnothorax bernrdi Snyder, aff. with *G. ramosus* (Griffin), 540.
 — *krullii*, syn. with *G. parasinus* (Griffin), 539.
 — *parasinus* Richardson, ident. (Griffin), 539.
 — *prionodon* Ogilby, with pl. (Griffin), 538.
 — *ramosus* n. sp., with pl. (Griffin), 539.
 Haddon, A. C., elected honorary member, 764.
Haemaphysalis bispinosa Neumann, assoc. with *Dictyotus caenosus* (Myers), 501; with *Rhopalomorpha obscura*, 504.
 Haha, Te, a kehe fishing-ground (Rang Hiroa), 617.
Haknia australis Erichs., notes (Myers), 510.
 — in forest-floor (Grimmett), 435.
 hake. See *Jordanidia solandri*.

- Hale, H. M., Corixidae, food (Myers), 464; *Diapropocoris barycephala*, and *D. zealandiae*, report on, 465.
- Halobates sericeus* Esch., occ. in N.Z. (Myers), 474.
- Halorrhagis erecta* (Murr.) Schindl., Mayor Is. (Allan & D.), 36.
- *procumbens* (Sol.), Cheesem., Mayor Is. (Allan & D.), 36.
- Hamilton, H., research on cave-fauna of N.Z., 762.
- *Xenophyes cascus*, discovery (Myers), 465; *Xeronema Callistemon*, discovery (Olver), 3.
- Hamites* (*Anisoceras*), use of name (Marshall), 155.
- Hangai-koroua, a crayfish-hole (Rangi Hiroa), 628.
- Haowhenua, a kehe fishing-channel (Rangi Hiroa), 618.
- Haplodactylus meandratus* (Richardson), Maori method of catching (Rangi Hiroa), 612, 634.
- Haplodermidae, in forest-floor (Grimmett), 436.
- harakeke. See *Phormium tenax*.
- Hardcastle, J., dispersal of pebbles and marine organisms (Chilton), 524.
- Harris, G. F., Volutidae, classifn. (Marwick), 261.
- Hart, C. A., Heteroptera, wing nomenclature (Myers), 449 note.
- Hart's coal-mine, Cordy's Flat, geol. (Jobberns), 219.
- harvest-spiders, in forest-floor (Grimmett), 436.
- Haswell, W. A., *Podocerus* and *Dexiocerella*, placing of (Chilton), 513.
- haui, set-net for kehe (Rangi Hiroa), 634.
- Hauericeras* de Grossouvre, charact. (Marshall), 190.
- *gardeni* Baily, comp. (Marshall), 190.
- *ngapuhi* n. sp., with pls. (Marshall), 190.
- *welschi* de Grossouvre, comp. (Marshall), 191.
- See also *Desmoceras* (*Hauericeras*).
- Haug, —, ammonites, geol. horizons (Marshall), 199.
- Hebe* to replace certain section of *Veronica* (Ckn. & Allan), 24.
- *Allanii* Ckn. sp. nov. (Ckn. & Allan), 25.
- — Peel For. (Allan), 50.
- *amplexicaulis* (J. B. Armstg.) Ckn. et Allan, Peel For. (Allan), 43.
- — var. *erecta* Ckn. et Allan var. nov. (Ckn. & Allan), 26.
- — var. *suberecta* Ckn. et Allan var. nov. (Ckn. & Allan), 26.
- — var. *vera* Ckn. et Allan var. nov. (Ckn. & Allan), 26.
- *buaiifolia* (Benth.) Ckn., Peel For. (Allan), 49, 50.
- — var. *odora* T. Kirk, Peel For. (Allan), 49.
- — *pauciramosa* Ckn. et Allan var. nov. (Ckn. & Allan), 27.
- *divaricata* Ckn. & Allan (= *Veronica Menziesii* Benth. var. *divaricata* Cheesem.), Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
- *Gibbsii* Ckn. & Allan (= *Veronica G.*) Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
- Hebe Kirkii* × *H. leiophylla*, Pecl. For. (Allan), 49.
- *leiophylla* (Cheesem.), Ckn. & Allan, Peel For. (Allan), 43.
- — × *H. Kirkii*, Peel For. (Allan), 49.
- *lycopodioides* (Hook. f.) Ckn. & Allan, Peel For. (Allan), 49.
- *rigidula* Ckn. & Allan (= *Veronica r.*), Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
- *salicifolia* (Forst. f.) Pennell var., Mayor Is. (Allan & D.), 36.
- — var. *communis* Ckn., Peel For. (Allan), 40, 43, 46, 47, 49, 51.
- *Simmionsii* Ckn. & Allan (= *Veronica S.*), Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
- *Traversii* (Hook. f.) Ckn. et Allan, Peel For. (Allan), 49.
- *Treadwellii* Ckn. et Allan sp. nov. (Ckn. & Allan), 27.
- Hector award, 1923, 748; 1925, 763; report on prize fund, 763.
- Hedley, C., *Maculopeplum*, charact. (Marwick), 264; Volutidae, classifn., 261.
- Hedycarya arborea* Forst., Mayor Is. (Allan & D.), 35.
- Heliconiscus ulibrata* Verco, syn., 563.
- *latistrigata* (Angas), syn., 556.
- Helichrysum bellidioides* Willd., Peel For. (Allan), 49.
- *flicaula* Hook f., Peel For. (Allan), 49.
- *glomeratum* Benth. & Hook. f., Peel For. (Allan), 43, 45.
- *Selago* Benth. & Hook. f., Peel For. (Allan), 43.
- Heliothus obsoleta* (Fabr.), food of *Cermatulus nasalis* (Myers), 493.
- Hemichenopus*. See *Perisoptera* (*Hemichenopus*).
- Hemiconus ornatus*, occ. (Marwick), 309.
- Hemiplax*, food of *Chelidonicichthys kumu* (Phillipps), 527.
- Hemiptera, in forest-floor (Grimmett), 434.
- Hemiteles Smithii* Hook., Peel For. (Allan), 43.
- Henicocephalidae, less than eight species (Myers), 451; details, 474.
- Henicocephalus*, life-hist., with fig. (Myers), 474, 476.
- Herbert, Mount, date of vulcanism (Speight), 363.
- Herpilirion*, range (Oliver), 3.
- Heteroptera of N.Z., biological notes (Myers), 449.
- hexameter, quantity and accent (Broadhead), 720.
- Hexaplex espinosus* (Hutton), occ., 353.
- Hexathele hochstetteri*, in forest-floor (Grimmett), 427, 435.
- Hibiscus trionum* L., Mayor Is. (Allan & D.), 36.
- Hicks Bay, frequented by kahawai (Rangi Hiroa), 622.
- Hierodoris insignis* n. sp. (Philpott), 397.
- Hieroxestis omoscopa* Meyr., figs. (Philpott), 407.
- Hill, H., theory of The Great Wairarapa, a lost river, discounted (Thomson), 348; Waipukurau dist., observns., 347-48.

- Hill's coal-mine, Cordy's Flat, geol. (Jobberns), 220.
- hinaki, nature of traps so called (Rangi Hiroa), 634.
- Histiophorus gladius* Guenther, syn., 536.
- *herschellii* Hutton, syn., 536.
- *indicus* Cuvier, syn., 536.
- Hoe, Te, a kehe fishing-channel (Rangi Hiroa), 618.
- Hoehnel, — von, *Phoma macrosperma*, ident. of (Curtis), 57.
- Hoepen, E. C. N. van, *Hauericeras* and *Puzosia* (Marshall), 190.
- Hoheria angustifolia* Raoul, Peel For. (Allan) 41, 42, 43, 45, 46.
- Holcodiscus* Koss., use of name (Marshall), 158-59.
- *bhavani* Koss., charact. (Marshall), 175.
- *buddhaicus* Kossmat, comp. (Marshall), 164.
- *karapadensis* Kossmat, comp. (Marshall), 164.
- Holcostephanus antarcticus* Stuart Weller, comp. (Marshall), 162.
- Holcus lanatus* Linn., Mayor Is. (Allan & D.), 35.
- Peel For. (Allan), 41.
- Horoera, a kehe fishing-ground (Rangi Hiroa), 619.
- houama. See *Entelea arborescens*.
- Howes, W. G., *Leptocoris* n. sp. (Myers), 451 note.
- Hudson, G. V., *Cermatulus nasalis*, food and hab. (Myers), 494; *Oncacanthus vittatus*, red-coloured, 509.
- Hudson, S., *Nysius clavicornis* on Ruapehu glacier (Myers), 480; and *Oncacanthus vittatus*, 509; *Pentatomia*, new sp. of, 489.
- Huiroa oil-bore, fossils (Grange), 337.
- humus of forest, life of (Grimmett), 423.
- Hungerford, H. B., Corixidae, food (Myers), 463.
- Hutchinson, J., use of name *Wintera* for *Drimys* (Oliver), 3.
- Hutchinsonian beds, range of *Volutidae* (Marwick), 268-69.
- Hutton, F. W., *Rhopalimorpha ignota*, ident. (Myers), 505.
- Hyalae chiltoni* G. M. Thomson, descrip., &c. (Chilton), 518; syn., 517.
- *grandicornis* Kroeyer, and *Alorchestes brevicornis* (Chilton), 515.
- Hyaloceras Saccardoii* (Speg.) v. Hoehn., with fig., on willow (Murray), 69.
- "hydraulic limestone" and ammonite beds (Marshall), 131.
- Hydriomena callichlora harmonica* n. subsp. (Clarke), 417.
- Hydrocotyle americana* Linn., Peel For. (Allan), 41.
- *asiatica* Linn., Peel For. (Allan), 50.
- *moschata* Forst., Peel For. (Allan), 41.
- Hytobia nubeculosa*, in forest-floor (Grimmett), 435.
- Hymenanthera dentata* var. *alpina* T. Kirk, Peel For. (Allan), 47, 49, 50.
- *novae-zelandiae* (A. Cunn.), Hemsl., Mayor Is. (Allan & D.), 36.
- Hymenophyllum* spp., Peel For. (Allan), 43.
- *demissum* Swartz, Peel For. (Allan), 40, 43.
- Hymenophyllum multifidum* Swartz, Peel For. (Allan), 43.
- *pellatum* Desv., Peel For. (Allan), 43.
- *pulcherrimum* Col., Peel For. (Allan), 43.
- Hymenoptera, in forest-floor (Grimmett), 435.
- Hypericum Androsaeum* Linn., Peel For. (Allan), 41.
- hyphening of words (Andersen), 664 et seq.
- Hypochaeris radicata* Linn., Peel For. (Allan), 46.
- Hypolepis*, char. of (Carse), 80-81.
- *Millefolium* Hook., Peel For. (Allan), 45, 49.
- *punctata* (Thunb.) Met., charac. (Carse), 82-83.
- *rugosula* (Labill.) J. Smith, charac. (Carse), 82-83.
- *tenuifolia* Bernh., forms of (Carse), 82-83.
- Hysterangiaceae, new genus (Cunningham), 71.
- ichneumon, in forest-floor (Grimmett), 435, 437.
- Ichneutica lindsayi* n. sp. (Philpott), 387.
- Iehu Nukunuku. See Nukunuku.
- Ihering, von, H., *Maculopeplum*, charact. (Marwick), 264.
- imports and exports of N.Z. (Condliffe), 722.
- index-numbers, use of, as a measure of price-changes (Condliffe), 724.
- industrial populn. of N.Z. (Condliffe), 722.
- Inglis, J. K. H., research on essential oils of N.Z. plants, 762.
- Inquisitor asper* n. sp., with pl. (Marwick), 325.
- Insolentia* n. gen. (Finlay), 251.
- intermontane basins of Canterbury (Speight), 355.
- Iredale T., *Liota serrata*, wrongly called juvenile of *Angaria* (Powell), 592; *Maculopeplum*, charact. (Marwick), 264.
- Iredalula* n. gen. (Finlay), 231.
- iron-hunger, Rotorua County (Aston), 733; cure for, 737.
- Isopoda, in forest-floor (Grimmett), 433.
- Istophorus gladiifer* Lacepede, syn., 536.
- *gladius* (Broussonet), with pl. (Phillipps), 536.
- Isuropsis glaucus* Gill. syn., 530.
- Iseurus glaucus* (Mueller and Henle), with pl. (Phillipps), 530.
- Izatha heroica* n. sp. (Philpott), 396.
- *toreuma* n. sp. (Clarke), 419.
- Jack, R., research on electric charge of rain, 762.
- Jacob, C., *Desmoceras*, classifn. (Marshall), 182.
- Jacobites* Kilian and Reboul, charact. (Marshall), 167.
- *anderssoni* Kilian and Reboul, with pls. (Marshall), 168.
- *angularis* n. sp., with pls. (Marshall), 169.
- *minimus* n. sp., with pls. (Marshall), 169.
- *vastapuensis* n. sp., with pls. (Marshall), 170; comp., 178.
- *whangaroensis* n. sp., with pls. (Marshall), 170.
- See also *Kossmaticeras*.
- Japan, ammonite fauna (Marshall), 205.

- Jasus hugelii* Heller, Maori methods of catching (Rangi Hiroa), 626; sizes of, 629.
 — *alandii* M. Edwards, Maori methods of catching (Rangi Hiroa), 626; sizes of, 629.
Jordanidia solandri (Cuv. and Val.), food of (Phillipps), 527; sold as hake, 533.
Julidae, in forest-floor (Grimmett), 434.
Juncus, host of *Nysius* (Myers), 481.
 — *effusus* Linn., host of *Cymodema* sp. (Myers), 485; of *Dictyotus caenosus*, 501; of *Orthoeca nigricaps*, 483; of *Rhopalimorpha obscura*, 504; of *Taphropeltus putoni*, 484.
 — *lampocarpus* Ehr., host of *Reduviolus capsiformis* (Myers), 475.
 Jurassic, fern-foliage in (Marshall), 210.
 — of N.Z., Myalinidae from (Marwick), 304.
- kahawai. See *Arripis trutta*.
 kahikatea. See *Podocarpus dacrydioides*.
 Kai-iwi beds, range of Volutidae (Marwick), 268-69.
 Kaipara, Cretaceous plants (Edwards), 121-28.
 Kaitangata, a crayfish-hole (Rangi Hiroa), 628.
 kareao. See *Rhipogonum scandens*.
 Karetu basin, geol. (Speight), 355.
 Karsten, —, *Diplodia pinea* affecting pines (Curtis), 56.
 katirimu, an old kehe; in song (Rangi Hiroa), 619, 620.
 Kauparara, a kehe fishing-channel (Rangi Hiroa), 618.
 Kawhia, *Osmundites* from (Marshall), 210.
 kehe. See *Haplodactylus meandratus*.
Kellia antiqua n. sp., with pl. (Marwick), 312.
 Kielx, —, *Diplodia pinea* affecting pines (Curtis), 56.
 kiekie. See *Freycinetia Banksii*.
 Kilian, W., *Maorites tenuicostatus*, remarks (Marshall), 177; *Neomadrasites nodulosus*, charact., 172; *Tainuia*, remarks on, 186.
 Kilian, W., and Reboul, P., ammonites Seymour Is. (Marshall), 198; *Desmoceras* and *Puzosia*, classifn., 181; *Gunnarites* group, 159; *G. antarcticus*, charact., 163; *Jacobites*, charact., 167; *Madrasites*, charact., 163.
 Kirk, H. B., librarian's report, 755; Stewart Isld., control of animal-life on, 751.
 Kirkaldy, G. W., *Cermatulus nasalis*, food (Myers), 494; Hawaiian and N.Z. floras, 460; Heteroptera, wing-nomenclature, 449 note; insect-metamorphosis, 452-53; *Oechalia grisea*, egg, 489; food, 490; distrib., 490.
Kitchanites Spath, genus estabd. (Marshall), 183.
 — *darwini* Spath, comp. (Marshall), 183.
 — *japonicus* Spath., comp. (Marshall), 183.
 Klebahn, H., *Gnomonia leptostyla* and *Marssonina juglandis*, relationship (Murray), 66.
 Klotz, O., death of, 764.
Knighthia excelsa R. Br., Mayor Is. (Allan & D.), 35.
 kohekohe. See *Dysoxylum spectabile*.
 kokopu, name applied to various species of fish (Rangi Hiroa), 640.
 konini. See *Fuchsia excorticata*.
 Korouanui, a kehe fishing-channel (Rangi Hiroa), 618.
- Kossmat, F., *Acanthoceras* Neumayr, charact. (Marshall), 157; *Desmoceras*, classifn., 181; *Gandryoceras*, charact., 141; *Hauericeras* and *Puzosia*, 190; *Phyllocera forbesianum*, divis. of, 137; suture-line, development, 138.
Kosmaticeras de Gross., use of name (Marshall), 158-59.
 — *antarcticum* Stuart Weller, charact. (Marshall), 159.
 — — var. *nordenskjoldi*, comp. (Marshall), 162.
 — *bhavani* Kossmat, comp. (Marshall), 178.
 — *cumshewaense* (? Whiteaves) Kilian and Reboul, occ. (Marshall), 130.
 — *gemmatum* Hupe, classifn. (Marshall), 189.
 — *tenuicostatum* Marshall, comp. (Marshall), 177, 178; occ., 130.
 — *zelandicum* Marshall, comp. (Marshall), 161; occ., 130.
 — (*Grossouvrites*) *gemmatum* Huppe, occ. (Marshall), 130.
 — (*Gunnarites*) *antarcticum* Kilian and Reboul, comp. (Marshall), 162.
 — — *antarcticum* var. *inflatum* Kilian and Reboul, comp. (Marshall), 160.
 — — aff. *bhavani*forme Kilian and Reboul, occ. (Marshall), 130.
 — (*Jacobites*) *anderssoni* Kilian and Reboul, comp. (Marshall), 168.
 — (*Madrasites*) *aemilianum* Stol., occ. (Marshall), 130.
 — — *bhavani* Stol., occ. (Marshall), 130.
 — — var. *densicostatum* Kilian and Reboul, comp. (Marshall), 175, 177, 178, 179.
 — — *mcKanyi* Hector, occ. (Marshall), 130.
 Kowhae-tu, a kehe fishing-channel (Rangi Hiroa), 618.
 Kraeusel, R., *Ararucarites marshalli*, similar forms (Edwards), 126.
Kuehneola albida Magnus (Cunningham), 76.
 — *Uredinis* (Link.) Arth., syn., 76.
 kupenga, technique of netting (ta kupenga), (Rangi Hiroa), 599.
- Laevilitorina vredalei* n. sp., with pl. (Brookes), 589.
Lagenophora petiolata Hook. f., Peel For. (Allan), 44, 50.
Lagochilus lignarius, in forest-floor (Grimmett), 436.
Lamna glauca Guenther, syn., 530.
 — *pallanzanii* Day, syn., 530.
 Lamy, Dr., *Patelloida flammea*, ident. (Oliver), 559.
 landed value of goods in N.Z. (Condliffe), 723.
 landing-net, Maori (Rangi Hiroa), 623.
Laoma marina, in forest-floor (Grimmett), 436.
Lapparia Conrad, charact. (Marwick), 265.
 — *corrugata* (Hutton), syn., 283, 299.
 — *hebes* (Hutton), generic position (Marwick), 265; syn., 276.
 — *parki* Suter, type of *Spinomelon* (Marwick), 265; syn., 283.
Lappistes pehuensis n. sp., with pl. (Marwick), 319.

- Latirus (Peristernia) neozelanicus* (Suter), with pl. (Allan), 341.
- Latridopsis ciliaris* (Forster), food of (Phillipps), 526; brought from Hawaiki (Rangi Hiroa), 633.
- Laurand, —, metre and quantity (Broadhead), 716.
- Leander, food of *Chelidonicichthys kumu* (Phillipps), 527.
- Leda semiteres*, occ. (Marwick), 309.
- Lee's Valley, geology (Speight), 355.
- Lepidium oleraceum* Forst. f. var., Mayor Is. (Allan & D.), 35.
- Lepidoptera, new species (Clarke), 417.
- Lepidotrigla brachyoptera*, food of (Phillipps), 527.
- Leptocoris (Serinetha)*, new species found (Myers), 451 note.
- Leptocroca asphaltis* (Meyr.), figs. (Philpott), 395.
- *scholaea* (Meyr.), with figs., correct name (Philpott), 393.
- *vacua* n. sp., with figs. (Philpott), 393.
- *variabilis* n. sp., with figs. (Philpott), 394.
- Leptomys simplex* n. sp., with pl. (Marwick), 331.
- Leptopteryx hymenophylloides* Presl, Peel For. (Allan), 44.
- Leptospermum*, leaves used as tea (Andersen), 661.
- *ericoides* A. Rich., Mayor Is. (Allan & D.), 36.
- Peel For. (Allan), 43, 44, 45, 46, 49, 50, 51.
- *perforatum* Forst. syn., 5.
- *scoparium* Forst., host of *Romna* (Myers), 471.
- Mayor Is. (Allan & D.), 36.
- Peel For. (Allan), 44, 49, 50.
- Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
- rods used in netting (Rangi Hiroa), 599.
- Leptosphaeria Salicinearum* (Pass.) Sacc., on willow (Murray), 68.
- Lepyrodia Traversii* F. v. Muell., distrib. (Carse), 84-85.
- Leucopogon fasciculatum* (Forst. f.) A. Rich., Mayor Is. (Allan & D.), 36.
- host of *Targarema stali* (Myers), 483.
- *Fraseri* A. Cunn., Peel For. (Allan), 49, 50.
- A. Cunn., Mayor Is. (Allan & D.), 36.
- Leycesteria formosa* Wall, Peel For. (Allan), 46.
- Libocedrus Bidwillii* Hook. f., Peel For. (Allan), 44.
- life, possible origin (Chapman), 112.
- Lima gigantea* Sow., occ. (Marshall), 211 note.
- *paleata*, occ. (Marwick), 309.
- *watersi* n. sp., with pl. (Marwick), 329.
- (*Limatula*) *bullata* Börn, occ., 353.
- Limatula trulla* n. sp., with pl. (Marwick), 311.
- Limbriconereis sphaerocephala*, food of *Dactylopagrus macropterus* (Phillipps), 525.
- Limopsis aurita* (Brocchi), not a N.Z. shell (Allan), 345; occ. 351.
- *campa* n. sp. (Allan), 345.
- *waihaensis* n. sp., with pl. (Allan), 346.
- *zelandica* Hutton, distrib. (Allan), 345.
- *ziteli* Ihering, distrib. (Allan), 345.
- Lincoln, artesian wells, 369.
- ling. See *Genypterus blacodes*.
- linguistics, N.Z. plant-names (Andersen), 659.
- Linum* sp., host of *Nystius huttoni* (Myers), 479.
- Liotina tryphenensis* n. sp., with figs. (Powell), 592.
- Lironoba polyvincta* Finlay, type of *Nobolira* (Finlay), 227.
- Lithobiomorpha*, in forest-floor (Grimmett), 434.
- Litsaea calicularis* (Sol.) Benth. et Hook., Mayor Is. (Allan & D.), 35.
- Lobelia anceps* L., Mayor Is. (Allan & D.), 36.
- Lobium perenne* L., host of *Dictyotus caenosus* (Myers), 501; of *Stenotus binotatus*, 471.
- Mayor Is. (Allan & D.), 35.
- Lomaria capensis (Blechnum capensis)*, becomes *E. procerum* (Andersen), 671; syn. 82.
- *procera*, syn., 82.
- Lomas, E. K., research on intelligence of school-children, 762.
- Lornia limata* n. sp., with pl. (Marwick), 316.
- Lota rhacina* Richardson, syn., 532.
- Lotella rhacinus* (Forster), with pl. (Phillipps), 532.
- Lotin Point, a maomao fishing-ground (Rangi Hiroa), 633.
- Lotia*, in key (Oliver), 549.
- Lotus arboreus* Forst., syn., 5.
- Lovellona* Iredale, genus of Iredale (Finlay), 254.
- lucerne. See *Medicago sativa*.
- Lucinida concinna* (Hutton), occ., 353.
- *dispar* (Hutt.), occ., 334.
- *tirangiensis* n. sp., with pl. (Marwick), 330.
- Lutraria solida* Hutt., occ., 353.
- Luzula campestris* DC., Peel For. (Allan), 50.
- Lycopodium Billardieri* Spring., Peel For. (Allan), 43, 51.
- *fastigiatum* R. Br., Peel For. (Allan), 47, 49, 50, 51.
- *scariosum* Forst., Peel For. (Allan), 49, 50.
- *volubile* Forst. f., Peel For. (Allan), 41, 43, 51.
- Mayor Is. (Allan & D.), 35.
- Lycosa umbrata* Koch., in forest-floor (Grimmett), 435.
- Lycocoris campestris* (Fabr.), an introd. species (Myers), 455; life-hist., 472-73.
- Lygaeidae, numerous in species (Myers), 451, 477.
- Lyria* Gray, charact. (Marwick), 263, 271.
- *zelandica* Finlay, with pl. (Marwick), 271; range, 268.
- See also *Voluta (Lyria)*.
- Lytoceras fimbriatum* Koss., charact. (Marshall), 147.
- *indra* Forbes, comp. (Marshall), 152.
- *kayei* Forbes, comp. (Marshall), 139.
- *mite* von Hauer, comp. (Marshall), 142.
- *sacya* Forbes, comp. (Marshall), 144.
- *varagurense* var. *patagonicum* Paulcke, comp. (Marshall), E. 142.
- *varuna* Forbes, comp. (Marshall), 147.
- (*Gaudryceras*) *multiplexum* Koss., comp. (Marshall), 142.
- *odiense* Koss., comp. (Marshall), 147.
- *politissimum* Koss., comp. (Marshall), 145.
- *sacya* Forbes, comp. (Marshall), 144.

- Lytoceras (Gaudryceras) varagurense*, comp. (Marshall), 142.
 ——— *varuna* Forbes, comp. (Marshall), 147.
 ——— *vertebratum* Koss., comp. (Marshall), 142.
 ——— (*Pseudophyllites*) *indra* Forbes, comp. (Marshall), 152.
 ——— (*Tetragonites*) *cala* Forbes, comp. (Marshall), 150.
 ——— *epigonum* Koss., comp. (Marshall), 149.
 ——— *kingianum* var. *involutior* Pauleke, comp. (Marshall), 151.
- Macandrellus oliveri* n. sp., with pl. (Mestayer), 586.
 McAtee, —, forest-floor fauna (Grimmett), 439.
 McCulloch, A. R., ident. of *Gymnothorax ramosus* (Griffin), 540.
 McKay, A., ammonite occ. (Marshall), 131.
 ——— Waipawa series, inaccurate descripn. (Thomson), 349; Waipukurau dist., observns, 347.
Macrophoma Salicaria (Sacc.) Berl. & Vogl., with fig., on willow (Murray), 69.
 ——— *Salicis* Dearn. & Barth., with pl. and fig., on willow (Murray), 62.
Macropiper excelsum (Forst. f.) Miq. var. *major* Cheesem., Mayor Is. (Allan & D.), 35.
Mcropsalis, in forest-floor (Grimmett), 436.
Macruronus novae-zelandiae (Hector), food of *Jordanada solandri* (Phillipps), 527; of *Thyrstes atun*, 528.
Maetra discors (Gray), occ. 334.
 ——— *ordinaria* E. A. Smith, occ., 334, 335.
 ——— *scalpellum* Reeve, food of *Latridopsis ciliaris* (Phillipps), 526.
Maculopeplum Dall, charact. (Marwick), 263-64.
 ——— *elegantissimum* (Suter), syn., 280.
Madrasites bhavani Forbes, occ. (Marshall), 130.
 ——— *buddhaicum* Kossmat, occ. (Marshall), 164.
 ——— *fortior* n. sp., with pls. (Marshall), 166.
 ——— *haumuriensis* Hector, occ. (Marshall), 130.
 ——— *mooravatoorensis* Stol., occ. (Marshall), 164.
 ——— *multicostatus* n. sp., with pls. (Marshall), 164.
 ——— *regularis* n. sp., with pls. (Marshall), 165.
 ——— *sulcatus* n. sp., with pls. (Marshall), 164.
 ——— See also *Kossmaticeras (Madrasites)*.
 Madrid, Real Sociedad Espanola de Historia Natural, added to exch. list, 748.
maeCoyi, misspelling for *McKayi, Kossmaticeras* (Marshall), 130.
Magnatica altior n. sp., with pl. (Finlay), 228.
 ——— *clifdenensis* n. sp. (Finlay), 229.
 ——— *rectilatera* n. sp. (Finlay), 229.
 Magnus, P., name *Marssonina* (Murray), 59.
 Maharaakeke beds, origin of name (Thomson), 353.
 ——— clays, part of Waipukurau series (Thomson), 350.
 Makaretu clays, part of Waipukurau series (Thomson), 350, 352.
 mako. See *Isurus glaucus*.
 makomako. See *Aristotelia racemosa*.
 Malcolm, J., research on food values of N.Z. fish, 782; on N.Z. plant products, 762.
- Malletia australis* Quoy & Gaimard, food of *Dactylopagrus macropterus* (Phillipps), 525.
 ——— (*Minormalletia*) *tenera* n. sp., with pl. (Marwick), 328.
Mallobathra nocturna n. sp. (Clarke), 421.
 Malvern Hills, geol. Cordy's Flat (Jobberns), 214.
 Mangawhio Lake, geol. (Grange), 333.
Mangilia flexicostata Suter, type of *Stilla* (Finlay), 254.
 ——— *iramanakiensis* n. sp., with pl. (Marwick), 325.
Mantellum inconspicuum n. sp., with pl. (Marwick), 311.
 manuka, and name tea-tree (Andersen), 661.
 manuka. See *Leptospermum scoparium*.
 Manuka Range, Cordy's Flat, geol. (Jobberns), 215.
 Manutaunoa, a kehe fishing-channel (Rangi Hiroa), 618.
 maomao. See *Scorpius violaceus*.
 Maori names of plants (Andersen), 670, 677.
 ——— netting (Rangi Hiroa), 597.
Maoridrilus in forest-floor (Grimmett), 433.
Maorites n. gen., charact. (Marshall), 173.
 ——— *densicostatus* Kilian and Reboul, with pls. (Marshall), 178.
 ——— *suturalis* n. sp., with pls. (Marshall), 179; comp., 178.
 ——— *tenuicostatus* Marshall, with pls. (Marshall), 177.
 maps and sketches, geological—
 Cordy's Flat, Malvern Hills (Jobberns), 215.
 Lorne westd. to rly. crossing (Marwick), 307.
 N.Z., showing ammonite localities (Marshall), 133.
 Rakaia Gorge district (Cox.), 92, 93.
 Upper Ashley and Upper Waipara valleys (Thomson), 356.
 Waitotara Valley, N. & S. of Ngamatapouri (Grange), 332.
Marattia frazinea Smith, Mayor Is. (Allan & D.), 35.
Marcia, Charteris Bay (Speight), 362.
 ——— *sulcata* (Hutt.), occ., 334.
Margareta dominica F. B. W., with pl., life-hist. (Myers), 484.
Marginella whitecliffensis n. sp., with pl. (Marwick), 324.
 marine organisms, dispersal on pebbles (Chilton), 523.
Mariscus ustulatus (A. Rich.) C. B. Clarke, Mayor Is. (Allan & D.), 35.
 marram-grass. See *Ammophila arenaria*.
 Marsden, E., research on seismological phenomena, 762.
 Marshall, P., Cretaceous plants from Kaipara (Edwards), 121.
 ——— *Cymbiola* of Pakaurangi are not *Volutes* (Marwick), 264.
 ——— report of Tongariro Nat. Park Board, 753.
Marssonina Fisch., not Karst., changed to *Marssonina* (Murray), 59.
 ——— and *Gnomonia*, relation between (Murray), 66.
 ——— *juglandis*, relation to *Gnomonia leptostyla* (Murray), 66.
 ——— *nigricans* (Ell. & Ev.) P. Magn., diff. from *M. sulcicola* (Murray), 61.

- Marssonia rubiginosa* (Eli. & Ev.) P. Magn., diff. from *M. salicicola* (Murray), 61.
 — *salicicola* (Bres.) P. Magn., with pl. and figs., on willow (Murray), 58.
 Marwick, J., Charteris Bay sandstone (Speight), 362.
 Mataahu, a kehe fishing-ground (Rangi Hiroa), 618.
 Mataikaro, famous kehe reef (Rangi Hiroa), 619, 620.
 mata torea, extra meshes in netting (Rangi Hiroa), 608.
Maura n. gen. (Marwick), 263, 271; in classifn., 270.
 — *angusta* (Suter), with pl. (Marwick), 272; in synopsis, 271; range, 268.
 — *biconica* (Suter), with pl. (Marwick), 272; in synopsis, 271; range, 268.
 — *curvispina* n. sp., with pl. (Marwick), 273; in synopsis, 271; range, 268.
 — *huttoni* (Suter), with pl. (Marwick), 273; in synopsis, 271; juvenile form; fig., 263; range, 268.
 — *insignis* n. sp., with pl. (Marwick), 274; in synopsis, 271; range, 268.
 — *maoriana* (Suter), with pl. (Marwick), 273; in synopsis, 271; ontogeny, with fig., 263; range, 268.
 — *pseudorarisipina* (Suter), (Marwick), 274.
 Mawhai, Te, a kehe fishing-ground (Rangi Hiroa), 617.
 Mayor Isld. vegetation (Allan & Dalrymple), 34-36.
Mecodema clarkei n. sp. (Brookes), 442.
 — *exiltiosus* n. s. (Brookes), 441.
Medicago sativa L., host of *Dichytus caenosus* (Myers), 501; of *Nysius huttoni*, 479; of *Reduvius capsiformis*, 475.
Megaloceroea reuteriana F. B. W., life-history (Myers), 470.
Megatherium, size (Chapman), 118.
 Meinzer, O. E., sand in artesian wells (Speight), 368.
Melaleuca perforata Forst. syn., 5.
Melampsalta cruentata (Fabr.), food of *Cermatulus nasalis* (Myers), 493.
Melanopsis waitaraensis n. sp., with pl. (Marwick), 317.
Melatoma buchanani (Hutton), occ., 353.
 — *wanganuiensis* (Hutton), occ., 353.
 — (*Splendrulla*) *laevis* (Hutton), occ., 353.
Melicope simplex A. Cunn., Peel For. (Allan), 41, 45, 49.
Melicytus lanceolatus Hook. f., Peel For. (Allan), 41.
 — *micranthus* Hook. f., Peel For. (Allan), 40.
 — *ramiflorus* Forst., Peel For. (Allan), 41, 43, 45, 46.
 — Mayor Is. (Allan & D.), 36.
Mesembryanthemum australe Sol., Mayor Is. (Allan & D.), 35.
 Mestayer, M., expen. of Hutton grant, 763.
Metagera obscura F. B. W., in forest-floor (Grimmett), 434.
 — life-hist. (Myers), 481.
Metaglymma, in forest-floor (Grimmett), 435.
Metamelon, n. gen. (Marwick), 285; classifn., 270.
Metamelon cliffdenensis (Finlay), with pl. (Marwick), 286; in synopsis, 285; range, 268.
 — *inermis* (Finlay), with pl. (Marwick), 285; in synopsis, 285; range, 268.
 — *marshalli* n. sp., with fig. (Marwick), 286; in synopsis, 285; range, 268.
 — *minima* n. sp., with pl. (Marwick), 287; in synopsis, 285; range, 268.
 — *reverta* (Finlay), with pl. (Marwick), 286; in synopsis, 285; range, 268.
 metamorphosis of insects (Myers), 452-53.
Metasphaera orthospora Sacc., on willow (Murray), 68.
 meteorology—
 climate of Canterbury (Allan), 47.
 rainfall, Peel Forest (Allan), 38.
 rainfall and evaporation at Lincoln, 1916-23 (Hilgendorf), 378.
 metre and rhythm (Broadhead), 715.
Metrosideros hypericifolia A. Cunn., Peel For. (Allan), 41.
 — *lucida* A. Rich., Peel For. (Allan), 43, 44, 45, 50.
 — *perforata* (Forst.) A. Rich. supersedes *M. scandens* Sol. ex Gaertn. (Ckn. & Allan), 27; (Oliver), 5.
 — *scandens* Sol., host of *Cermatulus nasalis* (Myers), 493; of *Nysius clavicornis*, 480.
 — superseded by *M. perforata* (Forst.) A. Rich. (Ckn. & Allan), 27; syn., 5.
 — *tomentosa* A. Rich., Mayor Is. (Allan & D.), 36.
Micrococcus in pre-Cambrian age (Chapman), 117.
Microlaena avenacea Hook. f., Peel For. (Allan), 40, 42.
 — *Colensoi* (Hook. f.) Petrie, Peel For. (Allan), 50.
Microtis unifolia Reichenbach, Peel For. (Allan), 50.
Miltha neozelanica Hutt., occ., 333.
 Milton, J., view of creation (Chapman), 113.
 Mineral Belt, Nelson, botany (Ckn. & Allan), 20.
 mineral water of spring near mouth of Sexton Creek (Grange), 335-36.
Minormalletia. See *Malletia* (*Minormalletia*).
Miomelon Dall, charact. (Marwick), 265.
 — *benitens* n. sp., with pl. (Finlay), 250; syn., 283.
 — *cliffdenensis* n. sp., with pl. (Finlay), 246; syn., 286.
 — *corrugata* (Hutton), syn., 299.
 — *inermis* n. sp. (Finlay), 247; syn., 285.
 — *reverta* n. sp. (Finlay), 247; syn., 286.
 — See also *Cymbiola* (*Miomelon*).
 Miridae, numerous in species (Myers), 451; details, 469.
 Misery, Mount, Cordy's Flat, geol. (Jobberns), 218.
 missionary-plant, origin of name (Andersen), 663.
 Missouri, University of, added to exch. list, 748.
 mites, in forest-floor (Grimmett), 436.
Mitra inconspicua, occ. (Marwick), 308; syn., 341.
Mitromorpha Carpenter, genus of Iredale (Finlay), 254.
 — *expeditionis* Oliver, type of *Apaturris* Iredale (Finlay), 254.

- Mitromorpha filosa* Carp., type of *Mitromorpha* Iredale (Finlay), 254.
Modiolus, occ., 334.
 — *australis* (Gray), occ., 352.
 Moesz, —, *Gnomonia salicina* on willow (Murray), 66.
 Mohakatino beds, in grouping (Grange), 334.
 Mokau beds, range of Volutidae (Marwick), 268-69.
 — — in grouping (Grange), 334.
 moki. See *Latridopsis ciliaris*.
 Mollusca, in forest-floor (Grimmett), 436, 437.
 — N.Z., new species (Brookes), 588.
 — — new species (Powell), 591.
 — — No. 3 (Mestayer), 583.
Monalaria concinna (Suter), occ. (Marwick), 309.
Monodonta, occ., 334.
 morainic mounds, Waimarino Plains (Park), 382.
 Morant's Island, prob. not an ammonite loc. (Marshall), 132.
Mortomceras soutoni Baily, charact. (Marshall), 186.
 mosquito, food of Corixids (Myers), 464.
 Motu River, famous for kahawai (Rangi Hiroa), 622.
 Motu-kiore, a maomao fishing-ground (Rangi Hiroa), 633.
Motulara, fossils (Marshall), 211 note.
 mould of forest-floor, life of (Grimmett), 423.
Muehlenbeckia, host of *Metagerra obscura* (Myers), 481.
 — *australis* (Forst. f.) Meissn., host of *Cermtulus nasalalis* (Myers), 493; of *Romna scotti*, 470.
 — — Peel For. (Allan), 46.
 — *complexa* (A. Cunn.) Meissn., Peel For. (Allan), 46, 49.
 — — Mayor Is. (Allan & D.), 35.
 — *debilis* sp. nov. (Petrie), 10.
 Mundy, R., *Xenophyses cascus*, habitat (Myers), 468.
Munida gregaria, food of cod (Malcolm), 647.
Muraena krullii Hector, syn., 539.
 — *prasina* Richardson, syn., 539.
Murex zelandicus Q. & G., occ., 353.
 mutton-bird-oil, analysis (Malcolm), 650.
 Myalinidae from Jurassic of N.Z. (Marwick), 304.
 Mycetozoa in forest-floor (Grimmett), 429.
 Myers, J. G., Hystirangiaceae, new genus (Cunningham), 71.
Myodora, occ., 334.
 — *striata* (Q. & G.), occ., 353.
Myoporum laetum Forst. f., Mayor Is. (Allan & D.), 36.
Myosotis Colensoi (T. Kirk) Ckn. et Allan comb. nov. supersedes *M. decora* T. Kirk ex Cheesem. (Ckn. & Allan), 28.
 — *decora* T. Kirk ex Cheesem. superseded by *M. Colensoi* (Ckn. & Allan), 28.
 — *Forsteri* Lehm., Peel For. (Allan), 43.
 — *Monroi* Cheesem., in Sounds-Wairau Botan. Dist. (Cockayne & Allan), 19.
Myosurus of N. and S. America (Oliver), 4.
 — *apetalus* Gay (Oliver), 4.
 — *aristatus* (not Benth.) Hook. f., syn., 4.
 — *novae-zelandiae* sp. nov. (Oliver), 4.
 myriapods and leaf-mould (Grimmett), 428.
Myrtaea (Eulopia) papatikiensis n. sp., with pl. (Marwick), 330.
Myrtus obcordata Hook. f., Peel For. (Allan), 49.
 — *pedunculata* Hook. f., Peel For. (Allan), 40, 43.
 Mysidacea, N.Z. species (Chilton), 521.
Mytilus, occ., 334.
 — *huttoni* Cossm., occ. (Marwick), 309.
Myzaphis abietina (Walk.), eaten by *Lycocoris campestris* (Myers), 473.
 Nabidae, less than eight species (Myers), 451; details, 475.
 Nabididae, correct form of Nabidae (Myers), 475.
Nabis savandersi Hutt., syn., 475.
Naccula Iredale, in key (Oliver), 549; charact., 566.
 — *punctata* (Q. & G.), (Oliver), 566.
Nacella cantharus (Reeve), syn., 570.
 — *compressa* Verco, syn., 566.
 — *crebestrata* Verco, syn., 564.
 — *parva* Angas, syn., 566.
 — *stovae* Verco, syn., 564.
 names of N.Z. plants (Andersen), 659; awkward names, 673; pronunciation accdg. to derivation, 673.
Nassa cingulata Hutton, type of *Zephus* (Finlay), 239.
Nassicola, section of *Austrofusus*, wh. see (Finlay), 233.
Natica australis Hutton, occ., 353.
 National Research Council, 750, 752.
Navomorpha philpotti n. sp. (Brookes), 446.
 Nedler's Point, ammonites (Marshall), 131-32.
Neides wakefieldi F. B. W., occ. (Myers), 485.
 Neididae, only one species (Myers), 451.
Neilo awamoana n. sp., with pl. (Finlay), 255.
 — *sublaevis* n. sp., with pl. (Marwick), 329.
 — *waitaraensis* n. sp., with pl. (Marwick), 329.
Nematobranchion flexipes Ortmann, occ. (Chilton), 520.
Nematoselis microps G. O. Sars, occ. (Chilton), 520.
Nemocardium semitectum n. sp. (Marwick), 312; occ., 308.
Neocola, section of *Austrofusus*, wh. see (Finlay), 233.
Neodrilus, in forest-floor (Grimmett), 433.
Neomadrasites nodulosus n. sp., with pls. (Marshall), 171.
Neothyris in Tukituki sands (Thomson), 350.
Nertera depressa Banks & Soland., Peel For. (Allan), 50.
 — *dichondraefolia* Hook. f., Peel For. (Allan), 40.
 nets, Maori fishing-, varieties (Rangi Hiroa), 612.
 netting, Maori (Rangi Hiroa), 597.
 New Caledonia, plant relationships with N.Z. (Oliver), 3.
 new native plants (Petrie), 6.
 N.Z. Institute—
 astronomy and seismology, advisory board, 764.
 Aust. Assoc. Adv. Sc., representation, 751.
 bathymetric survey of N.Z. seas, 754.
 binding expenditure, 750.
 bulletins published, 748.

N.Z. Institute—continued.

- Carter Bequest, committee set up to discuss terms, 749; investment of funds, 750.
 catalogue of N.Z. fishes, 764.
 catalogue of scientific journals, 750.
 depth-finders, sonic, for bathymetric survey of N.Z. seas, 754.
 Dominion Museum and Art Gallery, subsidy for new building, 750; placing under Board of Trustees, 754.
 exchange list, additions, 1925, 748.
 fellows elected, 1925, 763; fellows of 1924 gazetted, 749.
 finances, proposals regarding, 750.
 geological and vulcanological research, 754.
 Great Barrier Reef Committee report, 753.
 Hector award 1923, 748; 1925, 763.
 honorary member, election, 764.
 incorporated societies' reports, 1924, 748, 749.
 library committee's report, 755.
 National Research Council, 750, 752.
 notices of motion negatived, 764.
 officers and committees elected, 1925, 765.
 Pacific islds., scientific visit, 752.
 Pan-Pacific Conference, holding at Auckland, 764.
 Pan-Pacific Food Congress, report, 754.
 proceedings, 1925, 747.
 publications: delay in publishing *Trans.*, 748; price of *Trans.*, 755; storage of *Trans.*, 749; p. committee's report, 755.
 research grants, re-establishment of vote, 750; administration of, 759; report of committee, 760.
 Science Congress, 1926, 764.
 standing committee, report, 1924, 748; notice to be given for meetings, 764.
 Stewart Isld., control of animal-life, further reserves, &c., 751, 753.
 Tongariro Nat. Park, planting heather, 751; report of Board, 753.
 Transactions. See publications.
 treasurer's report, 755.
Nezara viridula (Linn.), occ. in N.Z. (Myers), 488, 498.
 Ngamatapouri, geol. of dist. (Grange), 331.
 Ngareiawa, a kehe fishing-channel (Rangi Hiroa), 619.
 Ngautahi, a kehe fishing-channel (Rangi Hiroa), 619.
 Ngawahakararangi, a crayfish-ground (Rangi Hiroa), 628.
 Nicholls Creek, geol. (Speight), 355.
Nobolira n. gen. (Finlay), 227.
Nonnotus, in forest-floor (Grimmett), 435.
Notacirca n. gen. (Finlay), 231.
Nothofagus cliffortioides (Hook. f.) Oerst., Peel For. (Allan), 44, 46, 47.
 — *fusca* (Hook. f.) Oerst., Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
 — *Menziesii* (Hook. f.) Oerst., Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
 — *Solandri* (Hook. f.) Oerst., host of *Targarema stali* (Myers), 483.
 — forest, Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
 — *truncata* forest, Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.

- Nothopanax anomalum* Seem., Peel For., (Allan), 41.
 — — × *N. simplex* Seem. (Ckn. & Allan), 29.
 — *arboresum* (Forst. f.) Seem., host of *Zangie amyoti* (Myers), 497; syn., 4.
 — — Peel For. (Allan), 40, 41, 42, 43, 45, 46, 51.
 — — Mayor Is. (Allan & D.), 36.
 — — × *Pseudopanax crassifolium* var. *unifoliolatum* (Ckn. & Allan), 28.
 — *Colensoi* Seem., Peel For. (Allan), 43 51.
 — *kermadecensis* n. sp. (Oliver), 4.
 — *McIntyreii* sp. nov. (Petrie), 12.
 — *parvum* (T. Kirk) Ckn. = *N. anomalum* × *simplex*, with figs. (Ckn. & Allan), 29.
 — *simplex* Seem., Peel For. (Allan), 43, 44, 45, 51.
 — — × *N. anomalum* (Ckn. & Allan), 29.
 — *Sinclairii* (Hook. f.) Seem., Mayor Is. (Allan & D.), 36.
Nothrus, in forest-floor (Grimmett), 436.
Notoacmea Iredale, in key (Oliver), 549; charact., 568.
 — *badia* Oliver, type of *Thalassacmea* (Oliver), 579.
 — *corrodenta* (May), (Oliver), 581.
 — *daedala*, shell (Oliver), 547.
 — *flammea* (not Q. & G.), syn., 573.
 — *fragilis*, shell (Oliver), 547.
 — *mayi* May (Oliver), 571.
 — *mixta mimula* Iredale, syn., 561.
 — *petterdi* (Tenison-Woods), with fig. (Oliver), 574.
 — *pileopsis* (Q. & G.), (Oliver), 568.
 — *cellanoides*, with pl. (Oliver), 570.
 — *sturnus* (Hombron and Jacquinot), (Oliver), 570.
 — *subantarctica* n. subsp. (Oliver), 571.
 — *scopulina* Oliver, type of *Subacmea* (Oliver), 580.
 — *septiformis* (Q. & G.), (Oliver), 572; similar to Brit. shell, 547.
 — *scabrilirata* (Angas), (Oliver), 573.
 — *suteri* (not Iredale), syn., 563.
 — Iredale, syn., 563.
 — (*Conacmea*) *alta* n. sp., with pl. (Oliver), 579.
 — *corrosa* n. sp., with pl. and fig. (Oliver), 578.
 — *parvicornioidea* (Suter), (Oliver), 577.
 — (*Parvacmea*) *daedala* (Suter), (Oliver), 575.
 — *helmsi* (Smith), with fig. (Oliver), 576.
 — *nukumaruensis* n. sp., with pl. (Oliver), 575.
 — *subtilis* (Suter), (Oliver), 575.
 — *vireacens* n. sp., with pl. (Oliver), 577.
 — (*Subacmea*) *scopulina* n. sp., with fig. and pl. (Oliver), 580.
 — (*Thalassacmea*) *badia* n. sp., with pl. and fig. (Oliver), 579.
 Notocene history of N. Isld and S. Isld. dissimilar (Thomson), 354.
 Notonectidae, less than eight species (Myers), 451; details, 468.
Notoplejona n. gen. (Marwick), 270; in classifn. 270.

- Notoplejona lata* n. sp., with pl. (Marwick), 271; range, 268.
 — *necopinata* (Suter), with pl. (Marwick), 270; range, 268.
Notospartium torulosum T. Kirk, Peel For. (Allan), 43, 49.
Notothlaspi australe Hook. f., var. *stellatum* T. Kirk, in Sounds-Wairau Botan. Dist. (Cockayne & Allan), 19.
 — *rosulatum* Hook. f. var. *Hursthouseni* var. nov. (Petrie), 11.
 Novak, J., *Parapuzosia*, charact. (Marshall), 183.
Nowakites Spath, charact. (Marshall), 189.
 — *carezi* de Grossouvre, genotype (Marshall), 189.
 — *denticulatus* n. sp., with pls. (Marshall), 189.
Nucula grangei n. sp., with pl. (Marwick), 327.
 — *otamaringaensis* n. sp., with pl. (Marwick), 327.
 — *ruatakiensis* n. sp., with pl. (Marwick), 327.
Nuculana belluloides n. sp., with pl. (Allan), 344.
 — *ellisi* n. sp., with pl. (Marwick), 328.
 — *onairensis* n. sp., with pl. (Marwick), 328.
 — *solenelloides* (Marshall), (Allan), 344.
 Nukumarian beds, range of Volutidae (Marwick), 268-69.
 — stage, in grouping (Grange), 334.
 Nukunuku, Iehu, net-commencement (Rangi Hiroa), 603.
Nyctiphanes australis G. O. Sars, occ. (Chilton), 519.
Nysius anceps F. B. W., life-hist. (Myers), 480.
 — *clavicornis* (Fabr.), life-hist. (Myers), 479.
 — *huttoni* F. B. W., life-hist. (Myers), 479.
- Octochaetus*, in forest-floor (Grimmett), 433.
Odontria, in forest-floor (Grimmett), 435.
 — *calvescens* n. sp. (Brookes), 445.
Oechalia consocialis (Boisd.), life-hist. (Myers), 489.
 — *grisea* (Burm.), egg (Myers), 489.
Oenothera odorata Jacq., Mayor Is. (Allan & D.), 35.
 oil in Onairo beds, Taranaki (Grange), 337.
 Okahu, a crayfish-hole (Rangi Hiroa), 628.
 Okuku Range, geol. (Speight), 360.
Oleandra. See *Pteris (Oleandra)*.
Olearia arborescens Ckn. & R. M. Laing, Peel For. (Allan), 43, 44, 51.
 — *avicenniaefolia* Hook. f., Peel For. (Allan), 42, 43, 46, 47, 49, 51.
 — *fragrantissima* Petrie, Peel For. (Allan), 43.
 — *lineata* Ckn., Peel For. (Allan), 42.
 — *nummularifolia* Hook. f., Peel For. (Allan), 49.
 — *serpentina* Ckn. & Allan, Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
 — *virgata* Hook. f., Peel For. (Allan), 42.
Oligochaeta, in forest-floor (Grimmett), 433, 437.
Olivella, occ., 335.
 — *neozelanica* Hutt., occ., 333, 334.
 Oliver, W. R. B., *Callochiton empleurus*, radula (Mestayer), 583; *Macandrellus oliveri*, radula, 587.
 — report of Great Barrier Reef Committee, 753.
- Omataira, a kehe fishing-ground (Rangi Hiroa), 618.
 omens, regarding pointing at shoal of kahawai (Rangi Hiroa), 622; dreams and warehousing, 625.
 Onairo beds, in grouping (Grange), 334; range of, 337; oil in, 337.
Oncacontias vittatus Fabr., life-hist., with pl. and figs. (Myers), 501, 505.
 Ongley, M., Poverty Bay dist., inter-Notocene unconformity (Thomson), 354.
Onosandrus pallitaris Walker, in forest-floor (Grimmett), 434.
Onithophagus posticus Erickson, in forest-floor (Grimmett), 435.
Onustus prognatus n. sp., with pl. (Finlay), 228.
Ooapterus Guerin, in forest-floor (Grimmett), 435.
 Opepe, *Dactycanthus Taylori* at (Hill), 88.
Ophideres materna (L.), occ. in N.Z. (Philpott), 388.
Ophiura melicerte Drury, occ. in N.Z. (Philpott), 388.
 opihones, in forest-floor (Grimmett), 436, 437.
Optismenus undulatifolius Beauv., Mayor Is. (Allan & D.), 35.
 Opu, Te, ammonites at (Marshall), 132.
 orange, poor man's. See *Citrus grandis*.
 orchids, N.Z., *Petalochilus* (Rogers), 16.
Oribatella, in forest-floor (Grimmett), 436.
Orocrambus caesius n. sp. (Philpott), 390.
Orthoeca nigroceps Dall, with pl. and figs., life hist. (Myers), 482.
 Orthoptera, in forest-floor (Grimmett), 434.
 Oruamariu, a crayfish-hole (Rangi Hiroa), 628.
Osmundites Aucklandicus n. sp., with pls. (Marshall), 210.
 — *Dunlopi* Dunlop and Gibbs, occ. (Marshall), 210.
 — *Gibbiana* Dunlop and Gibbs, occ. (Marshall), 210.
Ostrea, occ., 353.
 — *angasi* Sow., occ., 351, 352, 353.
 — *ingens* Zitt., occ., 333, 334, 352.
 — *subdentata*, occ. (Marwick), 308.
 Otama-rauiru, a kehe fishing-ground (Rangi Hiroa), 618.
 Ototaran beds, range of Volutidae (Marwick), 268-69.
Ourisia Macphersonii Ckn. et Allan sp. nov. (Ckn. & Allan), 30.
 — *macrocarpa* Hook. f., host of *Puccinia pedatissima* (Cunningham), 77.
Owenia fusiformis Delle Chiaje, food of *Dactylopagrus macropterus* (Phillipps), 525; of *Latriodopsis ciliaris*, 526.
Oxalis corniculata L. var., Mayor Is. (Allan & D.), 36.
 — *lactea* Hook., Peel For. (Allan), 47.
 Oxford dictionary on hyphening of words (Andersen), 669.
Oxybeloceras sp., with pl. (Marshall), 156.
Oxyrhina glauca Mueller and Henle, syn., 530.
 oyster-oil, analysis (Malcolm), 657.
- Pachymelon* n. subgen. (Marwick), 281; classifn., 270. See *Waihaia* (*Pachymelon*).
Pachyrhamma acanthocera n. sp. (Milligan), 422.

- Pacific islds., scientific visit to, 752.
 pae mounu, a bait-rest (Rangi Hiroa), 644.
Paesia scaberula Kuhn, Peel For. (Allan), 48.
Pagrosomus auratus (Forster), food of (Phillipps), 528, 534.
Panax arboreum (not Forst.), Cheesem. syn., 4.
 Panikena Kaa, catching of kahawai (Rangi Hiroa), 620.
Panope orbita, occ. (Marwick), 309.
 Pan-Pacific Conference, holding at Auckland, 764.
 — Food Congress, report, 754.
 papanoko. See *Cheimarrichthys forsteri*.
 papauma. See *Cheimarrichthys forsteri*.
Paphia (Ruditapes), occ. 334.
 para, name applied to *Galaxias fasciatus* (Rangi Hiroa), 640.
Paralamyctes validus, in forest-floor (Grimmett), 434.
Paralophogaster glaber Hansen, occ. (Chilton), 521.
Parapachydiscus Hyatt emend Spath, charact. (Marshall), 187.
 — *gollevillensis* D'Orb., genotype (Marshall), 187.
 — *rogeri* n. sp., with pls. (Marshall), 188.
 — *tweenianus* Stol., comp. (Marshall), 188.
 — *witekindii* Sch., comp. (Marshall), 188.
Parapuzosia Novak, charact. (Marshall), 183.
 — *brevicostata* n. sp., with pls. (Marshall), 183.
 — *gudama* Forbes, comp. (Marshall), 183.
 — *ordinaria* n. sp., with pls. (Marshall), 184.
 Pararaki, a kehe fishing-channel (Rangi Hiroa), 619.
Parasyrina finlayi n. sp., with pl. (Allan), 344.
 Paringaere, a fishing-ground mentioned in old saying (Rangi Hiroa), 645.
Parorchesia sylvicola, in forest-floor (Grimmett), 427, 433.
 parrot-fish, banded. See *Pseudolabrus pittensis*.
Parosnia capsularis R. Br., Peel For. (Allan), 49.
 — *heterophylla* A. Cunn., host of *Arocatus rusticus* (Myers), 455, 478.
 — Peel For. (Allan), 41.
Parvacmea Iredale, charact. (Oliver), 575. See also *Notoacmea (Parvacmea)*.
 — *illibrata mellila* Iredale, syn., 563.
Paspalum scrobiculatum L., Mayor Is. (Allan & D.), 35.
Passiflora edulis Sims, infected by *Eurystylus australis* (Myers), 472.
 passion-vine. See *Passiflora edulis*.
 Patagonia, ammonite fauna (Marshall), 206.
Patella alticostata Angas, syn., 551.
 — *axiwerata* Verco, syn., 564.
 — *calamus* Crosse and Fischer, syn., 567.
 — *campbelli* Filhol, syn., 567.
 — *cantharus* Reeve, syn., 570.
 — *costata* (not Sowerby), syn., 551.
 — *fragilis* Chemnitz, syn., 582.
 — *inconspicua* Gray, syn., 565.
 — *insignis* Menke, syn., 560.
 — *jacksoniensis* Reeve, syn., 561.
 — *lanx* Reeve, syn., 555.
 — *latistrigata* Angas, syn., 556.
 — *mixta* Reeve, syn., 560.
 — *rubiginosa* Hutton, syn., 565.
Patella saccharina Linné, type of *Collisellina* (Oliver), 554; syn., 555.
 — *solandri* Colenso, syn., 582.
 — *stella* Lesson, syn., 555.
 — *stellaeformis* Reeve var. *nigrosulcata* Reeve, syn., 550.
 — *stellaris* Bolten, syn., 555.
 — *sturnus* H. & J., syn., 570.
 — *unguis-almae* Lesson, syn., 582.
Patelloida Quoy & Gaimard, charact. and in key (Oliver), 549.
 — *alticostata* (Angas), shell (Oliver), 547, 548, 550.
 — — *antelia* Iredale (Oliver), 551.
 — *antarctica* H. & J., syn., 570.
 — *calamus* (C. & F.), syn., 567.
 — *conodea* Q. & G., syn., 560.
 — *corrodenta* May, syn., 581.
 — *corticata* (Oliver), 551-52.
 — — *corallina* n. subsp. (Oliver), 552.
 — — *pseudocorticata* (Iredale), (Oliver), 554.
 — *elongata* Q. & G., a doubtful species (Oliver), 573.
 — *flammea* (Q. & G.), syn., 558.
 — *fragilis* (Chemnitz), syn., 582.
 — *hamiltonensis* Chapman & Gabriel (Oliver), 554.
 — *mixta* (Reeve), syn., 560.
 — *multiradiata* Chap. & Gabr., syn., 568.
 — *nigrosulcata* (Reeve), (Oliver), 550.
 — *patellavecta* (Verco), syn., 550.
 — *pileopsis* Q. & G., type of *Notoacmea* (Oliver), 568; syn., 569.
 — *punctata* Q. & G., type of *Naccula* (Oliver), 566; syn., 566.
 — *rugosa* Q. & G. (Oliver), 550.
 — *saccharina* (Linné), syn., 555.
 — *septiformis* Q. & G., syn., 572.
 — *stellaris* (Q. & G.), syn., 555.
 — *submarmorata* (Pilsbry), syn., 558.
 — *subundulata* (Angas), syn., 573.
 — (*Collisellina*) *latistrigata* (Angas), with fig. (Oliver), 556.
 — — *submarmorata* (Pilsbry), (Oliver), 558.
 — — *saccharina* (Linné), (Oliver), 554-55.
 — — *stella* (Lesson), (Oliver), 555.
 Patelloididae, classifn. (Oliver), 547.
 pear-slug. See *Eriocampoides lamacina*.
 pebbles, dispersal by marine organisms (Chilton), 523.
Pecopteris grandis Hector, occ. (Marshall), 210.
Pecten craufordii Hutt., occ., 333.
 — *triphooki* Zitt., occ., 333, 334, 352.
Pedilophorus Steffahn in forest-floor (Grimmett), 435.
 Peel Forest, rainfall (Allan), 38; vegetation, 37-51.
Pellaea rotundifolia Hook., Peel For. (Allan), 45, 49.
 Peloridiidae, only one species (Myers), 451; details, 465.
Pennantia corymbosa Forst., Peel For. (Allan), 40, 41, 42.
 Pennell, F. W., restoration of species *Hebe* (Ckn. & Allan), 24.
Pentachondra pumila R. Br., Peel For. (Allan), 51.

- Pentatomidae, eight species (Myers), 451; details, 488-89.
- Peperomia Endlicheri* Miq., Mayor Is. (Allan & D.), 35.
- Periplaneta fortipes*. See *Platyzozeria novae-zelandiae*.
- Perisphinctes brownei* Marshall, occ. (Marshall); 210.
- Perisoptera (Hemichenopus) thomisoni* n. sp., with pl. (Allan), 338.
- Peristernia lineata* Tate. *Streptopelma* based on (Marwick), 321.
— See also *Latirus (Peristernia)*.
- Persectaria composita* (Guen.), food of *Cermatulus nasalis* (Myers), 493.
- Pestalozzia funerea* Desm., on willow (Murray), 70.
- Petalochilus* n. gen. (Rogers), 16.
— *calyciformis* n. sp., with pl. (Rogers), 18.
— *saccatus* n. sp., with pl. (Rogers), 18.
- Petrak, F., *Gnomonia apiculata*, and *G. salicella*, ident. of (Murray), 66; *Gnomonia* and *Cryptodiaporthe*, relationship, 68.
- Petrie, D., Hector award, 1923, 748.
- Phalium grangei* n. sp., with pl. (Marwick), 319.
— comparison with *Euspinacassis pol-lens* (Finlay), 230.
- Phallobata* n. gen., with pl. (Cunningham), 73.
— *alba* n. sp., with pl. (Cunningham), 73.
- Phemus scabratis* Broun, in forest-floor (Grimmett), 435.
- Philobrya trigonopsis* (Hutt.), occ., 353.
- Philoscia pubescens* Dana, in forest-floor (Grimmett), 433.
- Pileum pratense* L., infected by *Stenotus binotatus* (Myers), 471.
- Phoma macrosperma* Karst., identity (Curtis), 57.
- Phormium Colensoi* Hook. f., Peel For. (Allan), 44, 49, 50.
— Mayor Is. (Allan & D.), 35.
— Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
— *tenax* Forst., Peel For. (Allan), 50.
— host of *Orthoea nigriceps* (Myers), 483.
— Mayor Is. (Allan & D.), 35.
— used for nets (Rangi Hiroa), 598.
- Phragmidium albidum* Lagerh., syn., 76.
- Phrynixius astutus*, in forest-floor (Grimmett), 435.
- Phyllachne Colensoi* Berggr., Peel For. (Allan), 51.
- Phyllites* sp. from Kaipara (Edwards), 128.
- Phylloceras bistratum* n. sp., with pls. (Marshall), 138.
— *ellipticum* Koss., comp. (Marshall), 138.
— *exense* Yokoyama, comp. (Marshall), 136, 138.
— *forbesianum* d'Orbigny, with pls. (Marshall), 136; comp., 138.
— *indra* Forbes, comp. (Marshall), 152.
— *kawhia* Marshall, occ. (Marshall), 210.
— *minimum* n. sp., with pls. (Marshall), 131, 137.
— *nea* Forbes, with pls. (Marshall), 134.
— *radiatum* n. sp., with pls. (Marshall), 135.
— *ramosum* Meek, comp. (Marshall), 135.
— *surya* Forbes, comp. (Marshall), 135.
- Phylloceras umzambianse* von Hoepen, comp. (Marshall), 135.
— *velledae* Mich., comp. (Marshall), 134, 135.
— *whiteavesi* Koss., comp. (Marshall), 136.
— *woodsii* van Hoepen, comp. (Marshall), 134.
- Phyllocladus trichomanoides* D. Don, poles used in nets (Rangi Hiroa), 599.
- Physiculus bachus* (Forster), food of (Phillips), 528.
— feeding on whale-feed (Malcolm), 647-48; oil of, 658.
— *rhacivinus* Hutton, syn., 532.
- Phytolacca octandra* Linn., Mayor Is. (Allan & D.), 35.
- Picea excelsa*, host of *Chrysomyxa Rhododendri* (Cunningham), 75.
— *obovata*, host of *Chrysomyxa Rhododendri* (Cunningham), 75.
- Pimelea* sp., Peel For. (Allan), 50.
— *laevigata* Gaert., var. *monticola* var. nov. (Petrie), 11.
— *prostrata* (Forst. f.) Willd. var., Mayor Is. (Allan & D.), 36.
— *Suteri* T. Kirk, in Sounds-Wairau Botan. Dist. (Cockayne & Allan), 19.
— *Urvilleana* Cheesem. non A. Rich., Mayor Is. (Allan & D.), 36.
— *virgata* Vahl., Mayor Is. (Allan & D.), 36.
- pine-forests, floor-fauna (Grimmett), 439.
- Pinus montana*, infected with *Diplodia* (Curtis), 56.
— *muricata*, die-back of (Curtis), 52.
— *Pinaster*, Mayor Is. (Allan & D.), 35.
— *radiata*, die-back of (Curtis), 52.
— *silvestris*, infected with *Diplodia* (Curtis), 56.
- Pirates ephippigera* (White), occ. in N.Z. (Myers), 475.
- Pirimi Tautuhi, Te, maker of haua (Rangi Hiroa), 635.
- pirita*. See *Rhipogonum scandens*.
- Pittosporum* sp., hosts of *Dactylanthus Taylori* (Hill), 89.
— *Colensoi* Hook. f., host of *Zangis amyoti* (Myers), 497.
— Mayor Is. (Allan & D.), 35.
— *crassifolium* A. Cunn., Mayor Is. (Allan & D.), 35.
— *eugenioides* A. Cunn., Peel For. (Allan), 43.
— *pimeleoides* R. Cunn., sex arrangement of flowers (Carse), 85.
— *tenuifolium* Banks & Soland., Peel For. (Allan), 40, 43, 46.
— *umbellatum* Banks and Sol., leaf-variation (Carse), 85.
— Mayor Is. (Allan & D.), 35.
- Plagianthus betulinus* A. Cunn., Peel For. (Allan), 41, 45, 46.
— × *P. divaricatus* (Ckn. & Allan), 30.
— *cymosus* T. Kirk, hybrid nature' (Ckn. & Allan), 31.
— *divaricatus* Forst., host of *Oncacotias vittatus* (Myers), 509.
— × *P. betulinus* (Ckn. & Allan), 30.
- planarians. See *Turbellaria*.
- plasma, use of the term (Broadhead), 721.
- Platyzozeria novae-zelandiae* (Brunner), (= *Periplaneta fortipes* Walker), feeds on *Ctenoneurus hochstetteri* (Myers), 487.

- Placiphora ovata* (Hutton), with pl. (Mestayer), 585.
 — *zigzag* (Hutton), with pl. (Mestayer), 584.
Plejana Bolten, charact. (Marwick), 262.
 — *huttoni* (Suter), syn., 273.
 — — *pseudorarispinia* (Suter), syn., 274.
Pleospora herbarum (Pers.) Rabh., on willow (Murray), 62, 68.
Plesiostromum dennanti Tate, type of genus *Semistromum* (Marwick), 315.
Pleurotoma aegrota Reeve, type of *Antimitra* Iredale (Finlay), 254.
 — *hebes* Hutton, lost type of, recovered (Marwick), 277.
Pleurotomaria tertiaria, occ. (Marwick), 309.
Ploiaria huttoni (Scott), life-hist., with figs. (Myers), 475, 476; S. American affinity, 455.
Ploiariodes rubromaculatus Blackburn, life-hist. (Myers), 476-77.
Poa acicularifolia Buch., on Mineral Belt (Cockayne & Allan), 19.
 — *caespitosa* Forst., Peel For. (Allan), 42, 46.
 — *Kirkii* Buch., Peel For. (Allan), 50.
 — *pratensis* Linn., Peel For. (Allan), 41.
 — — Mayor Is. (Allan & D.), 35.
Podocarpus acutifolius T. Kirk, Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
 — *dacrydioides* A. Rich., host of *Arocatus rusticus* (Myers), 478.
 — — Peel For. (Allan), 40, 41, 42, 50.
 — *spicatus* R. Br., Peel For. (Allan), 40.
 — *totara* D. Don, Peel For. (Allan), 40, 41, 42, 50.
Podococcus Leach, N.Z. species of (Chilton), 513.
 — *brasilensis* Dana, like *P. cristatus* (Chilton), 515.
 — *cristatus* (G. M. Thomson), with figs. (Chilton), 513-15.
 — *danae* from China, &c. (Chilton), 514.
 — *laevis* (Haswell), with figs. (Chilton), 513-14.
Poecilometis gravis (Fabr.), occ. in N.Z. (Myers), 488.
 Poho-o-Whakarara, Te, a crayfish-ground (Rangi Hiroa), 628.
 Pokai-takataka, a kehe fishing-channel (Rangi Hiroa), 619.
Polinices ovuloides Marwick, occ., 333, 334.
 Pologne, La Société Botanique de, added to exch. list, 748.
 Polydesmidae, in forest-floor (Grimmett), 434.
Polypodium dictyopteris Metten., charac. (Carse), 83.
 — *diversifolium* Willd., Peel For. (Allan), 40, 41, 43, 45, 51.
 — *grammitidis* R. Br., Peel For. (Allan), 40.
 — *Hochstetteri* Unger, occ. (Marshall), 210.
 — *punctatum* Thunb., syn., 80.
 — — var. *rugulosum* (Thomson), syn., 80.
 — *rugosulum* Labill., incorrectly *rugulosum* (Carse), 81.
Polystichum vestitum Presl., Mt. Peel (Allan), 37, 40, 41, 42, 43, 45, 46, 47, 49.
Pomaderris phyllocaefolia Lodd., Mayor Is. (Allan & C.), 36.
Ponera castanea Mayr., in forest-floor (Grimmett), 435.
 popular names, N.Z. plants (Andersen), 659.
Poranthera microphylla Brong., in Sounds-Wai-rau Botan. Dist. (Cockayne & Allan), 19.
 Poroporo, Te, a warehou fishing-ground (Rangi Hiroa), 625.
Porrhothele antipodiana Walckenaer, in forest-floor (Grimmett), 427, 435.
Potamacmaea, in key (Oliver), 549.
Potamilla laciniosa, food of *Latridopsis ciliaris* (Phillipps), 526; growth in Palliser Bay, 529.
 Pou, tutelary guardian of fish (Rangi Hiroa), 623.
 pouch-orchid. See *Petalochilus saccatus*.
 pouraka, crayfish-net (Rangi Hiroa), 626; old use of the word, 645.
 Pourere Beach, ammonites (Marshall), 132.
Prasophyllum Colensoi Hook. f., Peel For. (Allan), 50.
Pratia angulata Hook. f., Peel For. (Allan), 40, 43, 50.
Pratulum pulchellum (Gray), occ., 353.
 Precipice Hill, Cordy's Flat, geol. (Jobberns), 223.
Prenolepis longicornis Fabricius, in forest-floor (Grimmett), 435.
 Prenotocene rocks, Ruahine Range (Thomson), 348.
 price-changes, use of index-number as measure of (Condliffe), 724.
 — levels and economic develop. of N.Z. (Condliffe), 722.
 primary industries in N.Z. (Condliffe), 722.
Prionace glauca Jordan and Evermann, syn., 529.
 — *glaucum* (Rondelet), (Phillipps), 529.
Procominula n. subgen. (Finlay), 239; key to species, 243.
 — See also *Cominula*.
 productivity of N.Z. (Condliffe), 723.
Promerelina n. gen., charact. (Powell), 593.
 — *croseaformis* n. sp., with fig. (Powell), 593.
 protective tariff, effect on prices (Condliffe), 727.
 protein in N.Z. wheats (Foster), 740.
Proteodes clarkei n. sp. (Philpott), 396.
Protocardia pulchella (Gray), occ., 308, 334, 335.
 — *sera*, occ. (Marwick), 309.
Prototroctes oxyrhynchus Guenther, Maori method of catching (Rangi Hiroa), 636; a surprise catch in the Waiapu Riv., 640.
 Protozoa in forest-floor (Grimmett), 429.
 proverbial sayings, Maori—
 Haere tou te korero . . . (Rangi Hiroa), 618.
 Tupuhi kaka ki uta . . . (Rangi Hiroa), 619.
 He kahawai ki te moana . . . (Rangi Hiroa), 620.
 E kore taku moe e riro . . . (Rangi Hiroa), 625.
 He rangai maomao ka taka . . . (Rangi Hiroa), 634.
Psammobia lineolata Grey, food of *Latridopsis ciliaris* (Phillipps), 526.
 — — occ. (Marwick), 309.
Pseudaucella n. gen. (Marwick), 305.
Pseudeuphausia latifrons Sars, occ. (Chilton), 520.
Pseudolabrus pittensis Waite, Maori method of catching (Rangi Hiroa), 630.
Pseudopanax crassifolium C. Koch., Peel For. (Allan), 41.

- Pseudopanax crassifolium* var. *unifoliatatum* T. Kirk, Peel For. (Allan), 41, 42, 43, 46.
 ———— × *Nothopanax arboreum* (Ckn. & Allan), 28.
 ———— *Lessonii* (A. Rich.) C. Koch., leaf-variation (Carse), 85.
 ———— Mayor Is. (Allan & D.), 36.
 ———— *macrocarpa*, among *P. Lessonii* (Carse), 86.
Pseudopanax tuberculicostatum White, in forest-floor (Grimmett), 435.
Pseudophyllites Kossmat, charact. (Marshall), 152.
 ———— *indra* Forbes, with pls. (Marshall), 152.
 ———— *whangaroaensis* n. sp., with pls. (Marshall), 153.
 ———— (*Tetragonites*) sp., occ. (Marshall), 130.
 ———— See also *Lytoceras*.
Psilotum triquetrum Swartz, Mayor Is. (Allan & D.), 35.
Pteridium esculentum (Forst. f.), Ckn., Mayor Is. (Allan & D.), 35.
 ———— Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
 ———— Peel For. (Allan), 45, 46, 48, 50.
Pteris comans Forst f., Mayor Is. (Allan & D.), 35.
 ———— *tremula* R. Br., popular name (Andersen), 659.
 ———— (*Oleandra*) *glossopteroides*, of Canada (Edwards), 125.
Pterostichus melanostolus n. sp. (Brookes), 443.
Pterostylis Banksii R. Br., Peel For. (Allan), 40.
 ———— *confertifolia* Allan sp. nov. (Ckn. & Allan), 31.
 pterygo-polymorphism in Heteroptera (Myers), 454.
Pinus maorianus n. sp. (Brookes), 443.
Ptychoceras siphon Forbes (& ors.), comp. (Marshall), 157.
 ———— *zelandicum* n. sp., with pls. (Marshall), 157.
 Puakato, a warehou fishing-ground (Rangi Hiroa), 625.
 pua-te-reinga. See *Dactylanthus Taylori*.
Puccinia Elymi Westnd., infects *Bromus sterilis* (Cunningham), 77.
 ———— *pedatissima* G. H. Cunn., infects *Ourisia macrocarpa* (Cunningham), 77.
Pugilina. See *Galeodes (Pugilina)*.
 Pukeora, fossil locality (Thomson), 347.
 ———— oyster-beds, part of Waipukurau series (Thomson), 350, 352.
 Puketeraki Range, geol. (Speight), 359.
 pumice soils and iron-hunger (Aston), 733.
 Puna, Te, a warehou fishing-ground (Rangi Hiroa), 625.
 purangi, a leading-net (Rangi Hiroa), 638.
Puzosia, in forest-floor (Grimmett), 435.
 puriri, term in netting (Rangi Hiroa), 642.
 Puti, Te, fossils (Marshall), 211 note.
Puzosia Bayle, charact. (Marshall), 175, 180.
 ———— *angusta* n. sp., with pls. (Marshall), 182.
 ———— *compressa* Koss., comp. (Marshall), 182, 183.
 ———— *darwini* Steinmann, comp. (Marshall), 183.
 ———— *indopacifica* Koss., comp. (Marshall), 183.
 ———— *planulata*, comp. (Marshall), 183.
Pyronota inconstans n. sp. (Brookes), 444.
 Pyrrhocoridae, only one species (Myers), 451, 486.
Quedius Stephens, in forest-floor (Grimmett), 435.
 Queensland and N.Z. wheats (Foster), 738-39.
 Quintilian, —, prose-scansion (Broadhead), 719.
 Quoy, and Gaimard, *Patelloida flammea*, description. (Oliver), 558-59.
Radiacmea Iredale, in key (Oliver), 549; charact., 564.
 ———— *calamus* (C. & F.), syn., 567.
 ———— *inconspicua* (Gray), (Oliver), 564.
 ———— *rubiginosa* (Hutton), (Oliver), 565.
 ———— *insignis* (Menke), syn., 560.
 ———— *capilla* Iredale, syn., 560.
 ———— *intermedia* (Suter), (Oliver), 566.
 ———— *macquariensis* Hedley (Oliver), 566.
 rainfall. See meteorology.
 Rakaia Gorge district, geology (Cox), 91-111.
 Rangi Hiroa, Te, fellowship, 763.
Ranunculus Carsei sp. nov. (Petrie), 11.
 ———— *hirtus* Banks et Sol., Mayor Is. (Allan & D.), 35.
 ———— Peel For. (Allan), 50.
 ———— *maculatus* Ckn. et Allan, sp. nov. (Ckn. & Allan), 33.
 ———— *Monroi* var. *dentatus*, Peel For. (Allan), 50.
 ———— *rivularis* Banks et Sol. ex Forst. f., Peel For. (Allan), 50.
 ———— var. *glareosus* Ckn. et Allan var. nov. (Ckn. & Allan), 33.
Raoulia Gibbsii Cheesem., Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
 ———— *grandiflora* Hook. f., Peel For. (Allan), 51.
 ———— *tenuicaulis* Hook. f., host of *Nyctus* (Myers), 481.
 Rayleigh, R. J. S., age of earth (Chapman), 116.
 Reboul, P. See Kilian, W., and Reboul, P.
 Recent beds, range of Volutidae (Marwick), 268-69.
 Reduviidae, less than eight species (Myers), 451; details, 475.
Reduviolus capsiformis Germ., life-hist. (Myers), 475.
 refrigeration and exporting-power (Condliffe), 726.
Regalaceus parkeri Benham, syn., 535.
 Renata Tamepo, notes on warehou-fishing (Rangi Hiroa), 625.
 research grants. See N.Z. Institute: research grants.
Rhabdothermus Solandri A. Cunn., Mayor Is. (Allan & D.), 36.
Rhapiogaster prasinus Linn., recorded from N.Z. (Myers), 498.
Rhipogonum scandens Forst., Mayor Is. (Allan & D.), 35.
 ———— used for net-hoops (Rangi Hiroa), 598.
Rhododendron sp. cult., host of *Chrysomyxa Rhododendri* (Cunningham), 75.
Rhopalimorpha ignota Hutton, not distinct from *R. obscura* (Myers), 505.
 ———— *obscura* White, with pls. and figs., life-hist. (Myers), 502; habitat, 456.
 Rhyncholsphidae, in forest-floor (Grimmett), 436.
 rhythm, classic word-rhythm (Broadhead), 715; r. in language, 715.

- Ricinus* sp., Mayor Is. (Allan & D.), 35.
Ringicula torquata n. sp., with pl. (Marwick), 326.
Riria Turiwhewe, lament by (Rangi Hiroa), 625.
 rock-cod, *Lotella rhacinus* sold as (Phillipps), 533.
Romna capsoides (F. B. W.), occ. 470.
 — *scotti* (F. B. W.), life-hist. (Myers), 470.
Rosa eglantera, Mayor Is. (Allan & D.), 35.
 Rosaceae, infected by *Kuehneola albida* (Cunningham), 76.
 Rosenfeld, G., storing of fat by animals (Marshall), 647.
 Rotokohu Strm., geol. (Grange), 333.
 Rotorna County, soils (Aston), 733.
 Rua, Te, a crayfish-ground (Rangi Hiroa), 628.
 Ruahine Range, period of elevation (Thomson), 348.
 Ruataniwha Plains, geol. (Thomson), 348, 350.
Rubus australis Forst., Peel For. (Allan), 42, 43, 46, 49, 51.
 — *cissoides* A. Cunn., Peel For. (Allan), 46, 49.
 — *fruticosus* L., host of *Kuehneola albida* (Cunningham), 76.
 — — host of *Dictyotus caenosus* (Myers), 501; of *Oechalia consocialis*, 490.
 — — Peel For. (Allan), 41.
 — — Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
 — *schmideloides* A. Cunn., Peel For. (Allan), 40.
 — *subpauperatus* Ckn., Peel For. (Allan), 46, 49.
Rumex Acetosella Ckn., Peel For. (Allan), 46.
 — *obtusifolius* Linn., Mayor Is. (Allan & D.), 35.
 rye, perennial. See *Lolium perenne*.
- Sagephora jocularis* n. sp. (Philpott), 398.
Sagola Sharp, in forest-floor (Grimmett), 435.
 St. Helen's coal-mine, Cordy's Flat, geol. (Jobberns), 221.
 Saldidae (Acanthiidae), less than eight species (Myers), 451, 469.
Salicornia australis Sol., Mayor Is. (Allan & D.), 35.
Salix babylonica Linn., fungous diseases (Murray), 58.
 — *caprae* Linn., fungous infection (Murray), 65.
 — *exigua* Nutt., infected with *Macrophoma Salicis* (Murray), 63.
 — *fragilis* Linn., fungous diseases (Murray), 58.
Salsola Kali L., Mayor Is. (Allan & D.), 35.
 sandstone at Lyttelton Harbour (Speight), 361.
 Sarasin, C., *Desmoceras* and *Puzosia*, classif. (Marshall), 180-81; *Puzosia*, derivation, 175.
Sarcpta solenelloides Marshall, syn., 344.
 Saunders, E., Heteroptera, wing nomenclature (Myers), 449 note.
 saurians, origin of (Chapman), 120.
Scaphella Swainson, type charact. (Marwick), 264.
 — *cognata* n. sp., with pl. (Finlay), 249; syn., 280.
- Scaphella elegantissima* Suter, classed as *Waihaeia* (Marwick), 265; syn., 280.
 — *pretiosa* n. sp., with pl. (Finlay), 250; syn., 280.
 — *tumidiior* n. sp., with pl. (Finlay), 250; syn., 280.
Schefflera digitata Forst., Peel For. (Allan), 40, 41, 42, 43.
Schizeilemá Allami sp. nov. (Petrie), 13.
 — *Hookeri*, Peel For. (Allan), 41.
Schluteria de Grossouvre, charact. (Marshall), 191.
 — *larteti* Seunes, genotype (Marshall), 191.
 — *raravua* n. sp., with pls. (Marshall), 192; occ., 132.
 — (*Desmoceras*) *crassa* van Hoepen, comp. (Marshall), 192.
Schoenus caespitans sp. nov. (Petrie), 9.
 — *pauciflorus* Hook. f., Peel For. (Allan), 43.
Sciocoris helferi Fieber, occ. in N.Z. (Myers), 488.
Scirpus annudatus Poir., Peel For. (Allan), 50.
 — *nodosus* Rottb., Mayor Is. (Allan & D.), 35.
 Scolopendromorpha, in forest-floor (Grimmett), 434.
Scolopostethus F. B. W. See *Taphropeltus putoni*.
Scolypopa australis, food of *Cermatulus nasalis* (Myers), 493.
Scomber gladius Broussonet, syn., 536.
Scorpaena cardinalis, food of *Physiculus bachus* (Phillipps), 528.
Scoparia cinctifactor n. sp. (Philpott), 391.
 — *molifera* n. sp. (Meyrick), 415.
 — *sylvestris* n. sp. (Clarke), 418.
 — *tuicana* n. sp. (Clarke), 418.
Scorpiis violaceus Hutton, Maori method of catching (Rangi Hiroa), 631; brought from Hawaii, 633.
Scurria, form (Oliver), 548; in key, 549.
Scutellaria novae-zelandiae Hook. f., in Sounds-Wairau Botan. Dist. (Cockayne & Allan), 19.
 Scutelleridae, occ. in N.Z. (Myers), 488.
Scutiphora pedicellata Kirby, occ. in N.Z. (Myers), 488.
Scutomyia notoscripta, food of Corixids (Myers), 464.
 sea-mouse. See *Aphrodite*.
 secondary industries of N.Z. (Condliffe), 722.
Seila terebelloides (Hutton), occ., 353.
 seismology. See astronomy and seismology.
Selidosema fluminea n. sp. (Philpott), 389.
Semicassis. See *Cassidea*.
Semitriton revolutum (Finlay), with pl. (Marwick), 315.
Senecio Banksii Hook. f., Mayor Is. (Allan & D.), 36.
 — *bellidioides* Hook. f., Peel For. (Allan), 43, 44, 49, 50.
 — *clacagnifolius* Hook. f., Peel For. (Allan), 43, 51.
 — *Hectori* Buch., Sounds-Nelson Botan. Dist. (Ckn. & Allan), 20.
 — *sciadophtilus* Raoul, Peel For. (Allan), 41, 43.
Serinetha. See *Leptocoris*.
Serirolella brama Guenther, Maori method of fishing (Rangi Hiroa), 623.

- Serpulorbis lornensis* n. sp., with pl. (Marwick), 312.
 — *sipho*, occ. (Marwick), 308.
 Seward, A. C., and Ford, S. O., *Araucaria rulei*, position of veins (Edwards), 127.
 Sexton Creek, name proposed (Grange), 333 ; analysis of spring-water near mouth, 335-36.
 Seymour Isld., ammonite fauna (Marshall), 207.
 Shelford, V. E., forest-floor communities in N. America (Grimmett), 439.
 shells from N.Z. Tertiary beds (Finlay), 227.
Sidyma angulata, in forest-floor (Grimmett), 435.
Sigapatella vertex n. sp., with pl. (Marwick), 314.
Siliquaria senex n. sp., with pl. (Marwick), 313 ; occ., 308.
Simethis chatuvida n. sp. (Clarke), 421.
 — *nivescens* n. sp. (Philpott), 397.
 — *urbana* n. sp. (Clarke), 420.
Siphonalia conoidea, occ. (Marwick), 309.
 Siphonophoridae, in forest-floor (Grimmett), 434.
 Sirén, —, on rhythm (Broadhead), 716.
Sirex juvencus L., on pines (Curtis), 53.
Siriella denticulata (G. M. Thomson), occ. (Chilton), 521.
 — *thompsonii* (H. M.-Edw.), occ. (Chilton), 521.
 Skottsberg, C., *Veronica* and *Hebe* (Ckn. & Allan), 25.
 slaters, in forest-floor (Grimmett), 433.
 slime-fungi. See Mycetozoa.
 Smith, H. Guthrie-, fellowship, 749.
 snails, in forest-floor (Grimmett), 436.
 snapper. See *Pagrosomus auratus*.
 Snob's Hill, Cordy's Flat, geol. (Jobberns), 224.
 soil-survey and classifn. Rotorua County (Aston) 735-36.
 soils of Rotorua County (Aston), 733.
Solanum aviculare Forst. f., Mayor Is. (Allan & D.), 36.
 — *nigrum* Linn., Mayor Is. (Allan & D.), 35.
Solariella egena (Gould), occ., 335.
Somatidia antarctica White, in forest-floor (Grimmett), 435.
 Sommerville, D. V., repres. at Aust. Assoc. Adv. Sc., 751-52.
 songs, Maori (first line)—
 E au kuware kihei rawa i puritia (Rangi Hiroa), 625.
 Hoatu ki te kainga (Rangi Hiroa), 620.
 Kia te keke pohatu (Rangi Hiroa), 620.
 sonic depth-finders. See depth-finders, sonic.
 Sonnenschein, —, accent in Latin (Broadhead), 717.
 Sounds-Wairau Botan. Dist. created (Cockayne & Allan), 19.
 Spath L. F., ammonites in N.Z. (Marshall), 130 ; geol. horizons, 199 ; *Desmoceras*, derivatives from, 182 ; *Kitchinites* genus, 183 ; *Mortonicerus soutoni*, charact., 186.
 Speight, R., Canterbury climate, 47 ; geol. survey of Malvern Hills, 762.
 — pebble drift, Canterbury coast (Chilton), 524.
Speightia n. gen. (Finlay), 252.
Spelaenacca, a section of *Magnatica* (Finlay), 229.
Sphenopteris sp., with fig. (Edwards), 125.
 spiders in forest-floor (Grimmett), 435.
Spinifex hirsutus Labill., Mayor Is. (Allan & D.), 35.
Spinomelon n. gen. (Marwick), 265, 283 ; classifn., 270.
 — *benitens* (Finlay), with pl. (Marwick) 283 ; in synopsis, 283 ; range, 268.
 — *evysi* n. sp., with pl. (Marwick), 283 ; in synopsis, 283 ; range, 268.
 — *mira* n. sp., with pl. (Marwick), 284 ; in synopsis, 283 ; range, 268.
 — *parki* (Suter), with pl. (Marwick), 283 ; in synopsis, 283 ; range, 268.
 — *speighti* n. sp., with pl. (Marwick), 284 ; in synopsis, 283 ; range, 268.
Spinula Dall, ident. with *Zealeda* (Marwick), 328.
Spirobolus marginatus and leaf-mould (Grimmett), 428.
Spissatella n. gen. (Finlay), 256.
 — *accula* n. sp. (Finlay), 257.
 — *clifdenensis* n. sp. (Finlay), 258.
 — *discrepanis* n. sp., with pl. (Finlay), 256.
 — *obesa* (A. Ad.), confusion with *S. trailli* (Finlay), 257.
 — *poroleta* n. sp., with pl. (Finlay), 257.
 — *scopalveus* n. sp., with pl. (Finlay), 258.
 — *scopalveus concisus* n. subsp., with pl. (Finlay), 258.
 — *trailli* (Hutton), with pl. (Finlay), 257.
Spisula aequilateralis Desh., occ., 334.
Splendrilla. See *Melatoma* (*Splendrilla*).
Sporobolus indicus, Mayor Is. (Allan & D.), 35.
 springs at Beckenham Park and Hoonhay (Speight), 367.
 springtails in forest-floor (Grimmett), 434.
 spruce-aphis. See *Myzaphis abietina*.
Squilla armata A. Milne-Ed., food of *Chelidonicichthys kumu* (Phillipps), 527.
Stathmopoda aristodoxa n. sp. (Meyrick), 416.
 — *trimolybdias* n. sp. (Meyrick), 416.
 Stebbing, T. R. R., *Deixicerella* and *Podocerus*, treatment of (Chilton), 513.
Stellaria parviflora Banks & Soland., Peel For. (Allan), 40.
Stenotus binotatus (Fabr.) an introd. species (Myers), 455 ; life-hist., 471.
 Stephensen, K., *Themisto*, divis. of this and other Hyperiidæ (Chilton), 512-13.
 Stewart Isld., control of animal-life, &c., 751, 753.
Stilla n. gen. (Finlay), 254.
 Stockholm, Royal Technical University, added to exch. list, 748.
 strawberry. See *Fragaria vesca*.
Streblites motutaranus Boehm, occ. (Marshall), 211 note.
Streptopelma henckmani n. sp., with pl. (Marwick), 321 ; occ., 337.
Struthiolaria cincta, occ. (Marwick), 309.
 — *fossa* Marwick, occ. (Thomson), 352, 353.
 — *minor* Marshall, occ. (Marwick), 309.
 — *nana* n. sp., with pl. (Marwick), 318.
 — *papulosa* group, charact. features (Marwick), 318.
 — *praenuntia* n. sp., with pl. (Marwick), 318.
 — *prior* n. sp., with pl. (Finlay), 228.
 — *spinosa* Hector, occ., 334.
 — *tuberculata concinna*, occ. (Marwick), 309.

- Stylocheiron abbreviatum* G. O. Sars, occ. (Chilton), 520.
 — *carinatum* Sars, occ. (Chilton), 520.
 — *longicorne* G. O. Sars, occ. (Chilton), 520.
 — *submtii* G. O. Sars, occ. (Chilton), 520.
Subacmea n. subgen. (Oliver), 580.
 supplejack. See *Rhipogonum scandens*.
Surcula oamarutica Suter, type of *Comitas* (Finlay), 251.
 — *pareoraensis* Suter, type of *Insolentia* (Finlay), 252.
 — *serotina* Suter, affin. with *Verconella formosa* (Allan), 340.
 Suter, H., errors in selection of plesiotypes (Marwick), 277; *Galeodes maoriana*, ident., 262-63; identifications unreliable, 310; *Lipparia parki*, generic position, 265; *Plaxiphora ovata*, anatomy (Mestayer), 585; revision of list, 831, Cave Valley, &c. (Marwick), 308; *Voluta corrugata*, ident., 284.
Suttonia australis A. Rich., Mayor Is. (Allan & D.), 36.
 — Peel For. (Allan), 40, 41, 43, 44, 45, 46, 51.
 — *divaricata* Hook. f., Peel For. (Allan), 42, 43, 50.
 — *nummularia* Hook. f., Peel For. (Allan), 50.
 suture-lines, ammonites (Marshall), 192.
 sweet-vernal. See *Anthoxanthum odoratum*.
 swordfish. See *Istiophorus gladius*.
 Symbbranchidae, grouping and spelling of (Phillipps), 534, and note.
 Synbranchoidea, affin. of *Aotea acus* (Phillipps), 534.

Taenia Linn., parasite of *Genypterus blacodes* (Phillipps), 528.
Taeniopteris baileyensis n. sp., with figs. (Edwards), 121, 124.
 Tahua. See Mayor Isld.
 Tahuian, substage name proposed (Allan), 338.
Tainuia n. gen. (Marshall), 185.
 — *aucklandica* n. sp., with pls. (Marshall), 186.
 — *multispinosa* n. sp. (Marshall), 131.
 Taka-koau, a crayfish-ground (Rangi Hiroa), 628.
 Tamahae, his saying regarding pouraka (Rangi Hiroa), 645.
 tanekaha. See *Phyllocladus trichomanoides*.
 tangahanga. See *Pseudolabrus pittensis*.
 Tanganyika, discoveries in (Chapman), 118 note.
 Tangitu, a kehe fishing-channel (Rangi Hiroa), 618.
Taphropeltus putoni (F. B. W.) Bergroth, life-hist. (Myers), 484-85.
 Tapiri, a kehe fishing-channel (Rangi Hiroa), 618.
 tarakihi. See *Chilodactylus macropterus* and *Dactylopagrus macropterus*.
 Taranaki North, new Tertiary Mollusca (Marwick), 317.
 Tara-o-kaikore, a crayfish hole (Rangi Hiroa), 628.
 Taratara-taua, a kehe fishing-channel (Rangi Hiroa), 618.
Targarema stali F. B. W., life-hist. (Myers), 483.
 — in forest-floor (Grimmett), 435.
 tariff, effect on prices (Condliffe), 727.
 tauhinu. See *Cassinia leptophylla*.
 Teall, F. H., hyphening of words (Andersen), 667, 668.
 tea-tree, origin of name (Andersen), 661.
Tectura, charact. of genus (Oliver), 548, in key, 549.
 — *cantharus* (Reeve), syn., 570.
 — *fragilis* (Chemnitz), syn., 582.
 — *jacksoniensis* (Reeve), syn., 561.
 — *pileopsis* (Q. & G.), syn., 569.
 — *septiformis* (not Q. & G.), syn., 574.
 — *scabrilirata* Angas, syn., 573.
 — *subundulata* Angas, syn., 573.
 — *testudinalis*, similar to Aust. shell (Oliver), 548.
Tegulorhynchia nigricans, occ., 351, 352.
Tellina, occ., 333.
 — *eugonia*, occ. (Marwick), 309.
Tenagomys chiltoni Tattersall, occ. (Chilton), 522.
 — *macropsis* Tattersall, occ. (Chilton), 522.
 — *novae-zealandiae* G. M. Thomson, occ. (Chilton), 522.
 — *producta* Tattersall, occ. (Chilton), 522.
 — *robusta* Tattersall, occ. (Chilton), 522.
 — *scotti* Tattersall, occ. (Chilton), 522.
 — *similis* Tattersall, occ. (Chilton), 522.
 — *tenuipes* Tattersall, occ. (Chilton), 522.
 — *thomsoni* Tattersall, occ. (Chilton), 522.
Terebra, occ., 334.
 — *omahuensis* n. sp., with pl. (Marwick), 326.
Terebratella inconspicua, occ., 352.
Teremelon n. subgen. (Marwick), 279; classifi., 270.
 — See also *Waihaia (Teremelon)*.
Teretianax pagoda n. sp. (Powell), 596.
 Tertiary Mollusca from N. Taranaki (Marwick), 317.
Tetragonites epigonus Kossmat, with pls. (Marshall), 149.
 — *glabrus* Jimbo, comp. (Marshall), 149.
 — *kingianum* var. *involutior* Paulcke, comp. (Marshall), 149.
 — *latus* n. sp., with pls. (Marshall), 149.
 — *margaritatus* n. sp., with pls. (Marshall), 151.
 — *nuperus* van Hoepen, comp. (Marshall), 150.
 — *popetensis* Yabe, comp. (Marshall), 151.
 — *simplex* n. sp., with pls. (Marshall), 150.
 — *superstes* van Hoepen, comp. (Marshall), 149.
 — *teres* van Hoepen, comp. (Marshall), 152.
 — *virgulatus* van Hoepen, comp. (Marshall), 152.
 — See also *Lytoceras (Tetragonites)*, and *Pseudophyllites*.
Tetrapterus indicus Waite, syn., 536.
Thalassacmea n. subgen. (Oliver), 579.
Thelymitra longifolia Forst., Peel For. (Allan), 50.
Themisto, Stephensen's treatment of (Chilton) 512-13.
 Thomson, G. M., *Hyale chiltoni*, descrip. (Chilton), 518.
 — pronunciation of names (Andersen), 673.
 — report on Pan-Pacific food-congress, 754.
 threading-needle for fishing (Rangi Hiroa), 613.
Thyasira planata n. sp., with pl. (Marwick), 331.

- Thyrsites atum* (Euphrasen), food of (Phillipps), 528.
- Thysanoessa gregaria* G. O. Sars, occ. (Chilton), 520.
- Thysanopoda obtusifrons* G. O. Sars, occ. (Chilton), 519.
- Tillyard, R. J., fellowship gazetted, 749; corresponding member of Brit. Nat. Comm. Entomol. Nomenclature, ii.
- timothy-grass. See *Phleum pratense*.
- Tinea aetherea* n. sp. (Clarke), 421.
- Tingidae, only one species (Myers), 451, 477.
- toatoa. See *Phyllocladus trichomanoides*.
- Tooker, A. H., credit advances and balance of trade (Condliffe), 723.
- toemi, a net (Rangi Hiroa), 642.
- toetoe. See *Arundo conspicua*.
- Tokatutahu, a crayfish-ground (Rangi Hiroa), 628.
- Tolypospouium littorale* n. sp., with fig. (Cunningham), 77.
- Tongaporutua beds, range of Volutidae (Marwick), 268-69; in grouping (Grange), 334.
- Tongario National Park, planting heather, 751; report of Board, 753.
- Tonica zigzag* Hutton, syn., 584.
- torehe, a net (Rangi Hiroa), 642.
- Torlessia McKayi* Bather, Rakaia Gorge dist. (Cox), 94.
- Tormissus magnulus*, in forest-floor (Grimmett), 435.
- Tortrix cuneata* n. sp. (Clarke), 419.
- Trachypepla eumenopa* n. sp. (Meyrick), 416.
- *lathriopa* Meyr., now *Euchersadaula* (Phillipps), 414.
- Travisia oleus*, food of *Latridopsis ciliaris* (Phillipps), 526.
- Trechmann, C. T., *Aucella* from Kawhia and Waikato (Marwick), 304, 305.
- Triaenonyx cockaynei*, in forest-floor (Grimmett), 436.
- *coriacea*, in forest-floor (Grimmett), 436.
- Trichomiscus phormianus* Chilton, in forest-floor (Grimmett), 433.
- *thomsoni* Chilton, in forest-floor (Grimmett), 433.
- Trifolium pratense* L., host of *Dictyotus caenosus* (Myers), 501; of *Reduviolus capsiformis*, 475.
- *repens*, Mayor Is. (Allan & D.), 35.
- Tripterygion bucknilli* n. sp., with pl. (Griffin), 544.
- Trisetum antarcticum* Trin., Peel For. (Allan), 49, 50.
- Trivia pinguior* n. sp., with pl. (Marwick), 314.
- Trogliphidae, in forest-floor (Grimmett), 436.
- Trophon ambiguus* Phil., occ., 352.
- Tuburcinia Anemones* (Pers.) Liro, replaces *Urocystis Anemones* (Cunningham), 80.
- Tudicula neozelanica* Suter, syn., 341.
- Tugali intermedia* (Reeve), occ., 353.
- *navicula* n. sp., with pl. (Finlay), 227.
- *pliocemca* n. sp., with pl. (Finlay), 227.
- Tukituki sands, part of Waipukurau series (Thomson), 350, 351.
- Valley, Notocene history (Thomson), 353.
- Tunga-o-Harumanu, a crayfish-ground (Rangi Hiroa), 628.
- Tunga-o-Tope, a crayfish-ground (Rangi Hiroa), 628.
- Tupo, a kehe fishing-channel (Rangi Hiroa), 619.
- Tupore, a kehe fishing-channel (Rangi Hiroa), 618.
- Turbellaria, in forest-floor (Grimmett), 432, 437.
- Turbo postulatus* Bart., occ., 334.
- *smaragdus* Martyn, shells used in fishing (Rangi Hiroa), 624.
- Turbonilla finlayi* n. sp., with pl. (Powell), 594.
- *oamarutica* Suter, now *Notacirsa* n. gen. (Finlay), 231.
- *typica* Dall and Bartsch, type of *Turbonilla* (Powell), 594.
- Turner, E. Phillips, *Nothopanax arboreum* × *Pseudopanax crassifolium* var. *unifoliolatum*, 28.
- Turricula curtata* n. sp., with pl. (Marwick), 325.
- *esdailei* n. sp., with pl. (Marwick), 316.
- *waitaraensis* n. sp., with pl. (Marwick), 324.
- Turris, bimarginatus* Suter, syn., 343.
- *complicatus* Suter, syn., 343.
- *duplex* Suter, syn., 343.
- *kaiparaensis* Marsh., occ., 334.
- *nevilis bicarinatus* Suter, type of *Fenestrosyrinx* (Finlay), 254.
- Turritella*, occ., 334.
- *carlottae* Watson, occ., 308, 337.
- *concava* Hutt., occ. (Marwick), 309.
- *fulminata* Hutt., occ., 334.
- *lornensis* n. sp., with pl. (Marwick), 313; occ., 308.
- *rosea* Q. & G., occ., 333, 352, 353.
- *symmetrica* Hutton, occ., 353.
- *tophina* n. sp., with pl. (Marwick), 313.
- *uttata* Hutt., occ., 352, 353.
- Tyndall, J., synthetic production of organic substances (Chapman), 115.
- Typha angustifolia* L., var., Mayor Is. (Allan & D.), 35.
- Uber intracrassus* Finlay, comp. with *U. latus* (Finlay), 229.
- *latus* n. sp., with pl. (Finlay), 229.
- *waipipiensis* Marwick, comp. with *U. latus* (Finlay), 229.
- Uhligites hectori* Spath, occ. (Marshall), 211 note.
- Ulmus campestris* Smith, host of *Otenoneurus hochstetteri* (Myers), 487.
- Umbonum anguilliferum* (Phil.), occ., 334, 353.
- Umupokipiki, a kehe fishing-channel (Rangi Hiroa), 619.
- Uncinia* sp., Mayor Is. (Allan & D.), 35.
- *caespitosa* Boott, Peel For. (Allan), 43, 50.
- *filiformis* Boott, Peel For. (Allan), 43.
- *riparia* R. Br., Peel For. (Allan), 41, 43, 45, 50.
- *uncinata* Kukenth., Peel For. (Allan), 40, 41, 43, 45.
- upokororo. See *Prototroctes oxyrhynchus*.
- Upper Ashley and Upper Waipara Valleys, geol. (Speight), 355.
- Cretaceous ammonites of N.Z. (Marshall), 129.

- Upper Senonian ammonites of N.Z., (Marshall), 130.
 — Waitotara Valley, geol. (Grange), 331.
 Uredinaceae of N.Z., third suppt. (Cunningham), 74.
Uredo Muelleri Schroet., syn., 76.
 — *Rhododendri* DC., syn., 75.
 Urenui beds, range of Volutidae (Marwick), 268-69.
Urocystis Anemones = *Tubercina Anemones* (Cunningham), 80.
Urtica ferox Forst. f., host of *Romna scotti* (Myers), 470.
 Ustilaginaceae of N.Z., third suppt. (Cunningham), 74.
Ustilago Avenae Jens., infects *Avena sativa* (Cunningham), 73.
 — *trichophora* Kunze. See *Farysia endotricha*.
Uxia, charact. (Allan), 342.
 — *marshalli* n. sp., with pl. (Allan), 342.
- Value of landed goods in N.Z. (Condliffe), 723.
 van Hoepen. See Hopen, E. C. N.
 Veliidae, less than eight species (Myers), 451, 474.
Venericardia benhami (Thomson), occ., 308, 310.
 — *difficilis benhami*, occ. (Marwick), 308.
 — *lutea* Hutt., occ., 352, 353.
 — *purpurata* (Desh.), occ., 334, 352, 353.
 — *urutiensis* n. sp., with pl. (Marwick), 330.
 Veneridae, loss of anterior lateral tooth, Marwick (Speight), 362.
Venusia dissimilis Philp., syn., 388.
Verbascum Thapsus Linn., Peel For. (Allan), 46.
Verconella delicatula Marsh. & Murr., syn., 340.
 — *formosa* n. sp., with pl. (Allan), 340.
 — *mandarina* (Duclos), occ., 333.
 — *nodosa* (Martyn), food of *Pagrosomus auratus* (Phillipps), 528.
 — *spiralis* n. sp., with pl. (Allan), 340.
 — *thomsoni* Marwick, occ., 353.
 — *utleyi* n. sp., with pl. (Allan), 340.
Veronatus Sharp, in forest-floor (Grimmett), 435.
Veronica in part replaced by *Hebe* (Ckn. & Allan), 24.
 — *Bishopiana* sp. hyb. nov. (Petrie), 15.
 — *Gibbsii* T. Kirk. See *Hebe*.
 — *linifolia* Hook. f., Peel For. (Allan), 43.
 — *Lyallii* Hook. f., Peel For. (Allan), 43.
 — *Menziesii* Benth. var. *divaricata* Cheesem. See *Hebe divaricata*.
 — *obtusata* Cheesem. × *V. salicifolia* Forst. (Petrie), 15.
 — *rigidula* Cheesem. See *Hebe*.
 — *salicifolia* Forst. × *V. obtusata* Cheesem. (Petrie), 15.
 — *Simmonsii* Ckn. See *Hebe*.
Vertebrites n. gen. (Marshall), 138.
 — *murdochi* n. sp., with pls. (Marshall), 139.
Vesamala chaskanon n. gen. and sp., with pl. (Finlay), 245.
Vexillum ambulacrum n. sp., with pl. (Marwick), 320.
 — *antipodum* n. sp., with pl. (Brookes), 588.
 — *apicicostatum* Suter, syn., 341.
 — *fractum* n. sp., with pl. (Marwick), 321.
Vexillum lornense n. sp., with pl. (Marwick), 314; occ., 308.
 — *parki* n. sp., with pl. (Allan), 341.
Vezithara n. gen. (Finlay), 254.
 vitamin-A content of mutton-bird-oil (Malcolm), 650.
Vitex lucens T. Kirk, Mayor Isld. (Allan & Dalrymple), 36.
Voluta aculeata Hutton, syn., 278.
 — *ancilla* Sol., type charact. (Marwick), 263-64.
 — *attenuata* Hutton, should be rejected (Marwick), 265.
 — *corrugata* Hutton, confusion with *Spinomelon parki* (Marwick), 284.
 — — var. B Hutton, rel. to *Waihaioa rugosa* (Marwick), 279.
 — *elongata* Swains., syn., 294.
 — *junonia* Hwass, type of *Scaphella* (Marwick), 264.
 — *kirki* Hutton, syn., 273.
 — *pacifica* Sol., syn., 260.
 — *rupestris* Gmelin, type of *Fulgoraria* (Marwick), 261.
 — *vesperilio* Linn., type charact. (Marwick), 263-64.
 — — (*Cymbiola*) *lutea* Watson, syn., 282.
 — — (*Lyria*) *corrugata* Hutton, syn., 299.
 Volutidae of N.Z. (Marwick), 259.
Volutilithes philippiana Dall, type of *Miomelon* (Marwick), 265.
Volutocorbis gracilicostata Suter, not a *Volute* (Marwick), 262.
Volutospina (*Athleta*) *huttoni* Suter, syn., 273.
 — — *huttoni pseudorarisipina* Suter, syn., 274.
 Von Ihering. See Ihering, Von.
 Voronesh University added to exch. list, 748.
 vulcanism, Banks Peninsula, date (Speight), 363, 365.
 vulcanological research. See geological and vulcanological research.
- waewae-te-atua. See *Dactylanthus Taylori*.
 Waiarekau tuffs, molluscan fauna (Marwick), 307.
 Waihao greensands, fossil mollusca (Allan), 338.
Waihaioa n. gen. (Marwick), 274; classifn., 270.
 — *aculeata* (Hutton), with pl. (Marwick), 278; in synopsis, 275; range, 268.
 — *allani* n. sp., with pl. (Marwick), 275; in synopsis, 275; range, 268.
 — *bathgatei* (Finlay), with pl. (Marwick), 276; in synopsis, 275; range, 268.
 — *confusa* n. sp., with pl. (Marwick), 276; in synopsis, 275; range, 268.
 — *dyscrita* (Finlay), with pl. (Marwick), 276; in synopsis, 275; range, 268.
 — *phymatias* (Finlay), with pl. (Marwick), 276; in synopsis, 275; range, 268.
 — *regularis* (Finlay), with pl. (Marwick), 275; in synopsis, 275; range, 268.
 — *rugosa* n. sp., with pl. (Marwick), 278; in synopsis, 275; range, 268; related to *Voluta corrugata*, 279.
 — *scitula* n. sp., with pl. (Marwick), 279; in synopsis, 275; range, 268.

- Waihaioa superstes* n. sp., with pl. (Marwick), 278; in synopsis, 275; range, 268.
 — *suteri* n. sp., with pl. (Marwick), 277; in synopsis, 275; range, 268; wrongly figured by Suter, 278.
 — *thomsoni* n. sp., with pl. (Marwick), 277; in synopsis, 275; range, 268.
 — (*Pachymelon*) *amoriaformis* n. sp., with pl. (Marwick), 282; in synopsis, 281; range, 268.
 — *firma* n. sp., with pl. (Marwick), 282; in synopsis, 281; range, 268.
 — *lutea* (Watson), with pl. (Marwick), 282; in synopsis, 281; range, 268.
 — *murdochi* n. sp., with pl. (Marwick), 281; in synopsis, 281; range, 268.
 — *waitakiensis* n. sp., with pl. (Marwick), 281; in synopsis, 281; range, 268.
 — (*Teremelon*) *awamoaensis* n. sp., with pl. (Marwick), 280; in synopsis, 279; range, 268.
 — *cognata* (Finlay), with pl. (Marwick), 280; in synopsis, 279; range, 268.
 — *elegantissima* (Suter), with pl. (Marwick), 280; in synopsis, 279; range, 268.
 — *pretiosa* (Finlay), with pl. (Marwick), 280; in synopsis, 279; range, 268.
 — *tumidiior* (Finlay), with pl. (Marwick), 280; in synopsis, 279; range, 268.
 Waiheke Pūha, finish of torehe net (Rangi Hiroa), 643.
 Waimahuru, a kehe fishing-ground (Rangi Hiroa), 618.
 Waimarino Plains, morainic mounds (Park), 382.
 Waimateian, stage name proposed for Waihao greensand period (Allan), 338.
 Wai-o-rongomai, a kehe fishing-ground (Rangi Hiroa), 618.
 Waipara River, head of S. branch, geol. (Speight), 355.
 Waipawa series, Waipukurau (Thomson), 349; age, 354.
 Waipipi beds, in grouping (Grange), 334, 335.
 Waipukurau, fossil localities, geol. (Thomson), 347; rocks of W. series, 350.
 Waipuna, Te, a kehe fishing-channel (Rangi Hiroa), 619.
 Wairarapa, The Great, a lost river, Hill's theory discounted (Thomson), 348.
 Waitotara Valley, Upper, geol. (Grange), 331.
 Waitotaran beds, range of Volutidae (Marwick), 268-69.
 — stage, division (Grange), 334, 335.
 Wai-whakaata, a kehe fishing-channel (Rangi Hiroa), 618.
 Waiwhero, Te, a kehe fishing-ground (Rangi Hiroa), 618.
 Walcott, C. D., geol. age of mammals (Chapman), 116.
 Wall, A., scientific nomenclature and pronunciation (Andersen), 674.
 Wananga, a kehe fishing-channel (Rangi Hiroa), 618.
 Wangaloan beds, range of Volutidae (Marwick), 268-69.
 warehouse. See *Seriolella brama*.
 water-bugs, rarity in N.Z. (Myers), 452.
 weed-fish, crested. See *Cristiceps aurantiacus*.
 weevils, in forest-floor (Grimmett), 435.
Weinmannia racemosa L., host of *Ctenoneurus hochstetteri* (Myers), 487; *Targarema stali*, 483.
 Weka Pass stone and Amuri limestone, contact (Thomson), 354.
 wells. See artesian wells.
 Wetea, a kehe fishing-channel (Rangi Hiroa), 618.
 whale-feed. See *Munida gregaria*.
 Whangai-kuia, a kopipiro fishing-channel (Rangi Hiroa), 619.
 Whangai-potiki, a kehe fishing-ground (Rangi Hiroa), 618.
 Wharau, Te, a kehe fishing-ground (Rangi Hiroa), 617.
 Wharau-o-Ngati-Porou, Te, a crayfish-hole (Rangi Hiroa), 628.
 Whareponga, a kehe fishing-ground (Rangi Hiroa), 618.
 wheats and flours of N.Z., quality (Foster), 738.
 whiptail. See *Macruronus novae-zelandiae*.
 White, B., *Halimia australis*, occ. in N.Z. (Myers), 510; *Neides wakefieldi*, charact., 485; *Zangis amyoti*, coloration, 497.
 wholesale prices in N.Z. (Condliffe), 727.
 Wilkens, O., ammonites, geol. horizons (Marshall), 198.
 Wild, L. J., and Tankersley, —, soil-survey of Manawatu dist., 763.
 wild-irishman, origin of name (Andersen), 663.
 willow, fungous diseases (Murray), 58.
 wineberry. See *Aristotelia racemosa*.
 Wintera Murray, usage of name for *Drimys* (Oliver), 3.
 — *aromaticum* Murray, S. American species (Oliver), 4.
 — *axillaris* in Forster's list (Oliver), 4.
 — *colorata* (Raoul), Peel For. (Allan), 40, 41, 42, 43, 44, 45, 46, 50.
 — *granatensis* Murray, S. American species (Oliver), 4.
 Wirepa, Dr., methods of kahawai fishing (Rangi Hiroa), 623.
 woodlice, in forest-floor (Grimmett), 433.
 word-rhythm (Broadhead), 715.
 Worley, F. P., research on chemistry of essential oils of N.Z. flowers, 763.
 Wright, A. M., repres. at Aust. Assoc. Adv. Sc., 751-52; research on vitamin contents of meat products, 763.
Xanthorhoe aegrotata (Butl.), with fig., comp. with *X. praefectata* (Philpott), 389.
 — *dissimilis* (Philp.), correct name (Philpott), 388.
 — *ida* n. sp. (Clarke), 417.
 — *praefectata* (Walk.), with fig., relation to *Venusia* (Philpott), 388.
Xenophyses cascus Berg., life-history, with figs. (Myers), 465.
Xeronema, two species (Oliver), 3.
 — *Callistemon* sp. nov., with pl. (Oliver), 1.
Xiphias gladius Linnaeus, with pl. (Phillipps), 535.
Xiphias gladius Sherrin, syn., 535.
Xymene, occ., 353.
 — *expansus* (Hutt.), occ., 334.
 — *oliveri* Marwick, occ., 333.

- Yabe, H., *Gaudryceras tenuiliratum* var. *ornatum*, species included in (Marshall), 140.
- Yokoyama, M., *Havericeras* and *Puzosia* (Marshall), 190.
- Zangis amyoti* (Dallas), with pls. and figs., life-hist. (Myers), 489, 495; confused with *Nezara viridula*, 498-99.
- Zealeda*, ident. with *Spinula* (Marwick), 328.
- *mutabilis* n. sp., with pl. (Marwick), 328.
- Zelandiella* n. gen. (Finlay), 233.
- *fatua* n. sp., with pl. (Finlay), 237.
- Zelandites* n. gen. (Marshall), 147.
- *kaiparaensis* n. sp., with pls. (Marshall), 147; occ. (Marshall), 132.
- Zelanion*, in forest-floor (Grimmett), 434.
- Zelanophilus*, in forest-floor (Grimmett), 434.
- Zemacies* n. gen. (Finlay), 252.
- *elator* n. gen. and sp. (Finlay), 252.
- Zenatia acinaces* (Q. & G.), occ., 334.
- Zephos* n. gen. (Finlay), 239.
- Ziphius gladius* Hector, syn., 535.
- Zittel, K. A., *Desmoceras*, classifn. (Marshall), 181.