

- Gibberella intricans*, 644
 — *lateritium*, 644
 — *macrolopha*, 644
 — *polycocca*, 645
 — *pulicaris*, 644, 645
 — *pulicaris* sub-sp *baccata*, 644
 — *pulicaris* var *minor*, 645
 — *saubinetii*, 645
 — *saubinetii* var *flacca*, 644
 — *zeae*, 645
Ginkgo digitata, 671
Gitanopsis, Key to N.Z., Species, 208
Gloeoaerostroma Rick, 242
Gloeocystidium H & L, 251
Gloeopeniophora H. & L, 251
Gloeopeniophorella Rick, 251
Globus ornatus, 380
Grandmoides Banker, 634
 Grey Glacier, 345
 Greywackes, Structure and Petrography of,
 near Auckland, New Zealand, 465
 Gudex, M. C., 303, 313
Gymnothrax meleagrins, 373
 — *undulatus*, 373

H

- Haast Lowland, 486, 488
 Hackel Peak, 345
Halichoeres margaritaceus, 377
 Hauraki Gulf, 1, 637
 — Ecology, Inter-tidal of, 1
 — Midlittoral Zone of, 20, 29, 42
 — Pollution of, 14
 — Salinity of, 13
 Hawke Bay, 687
 Hodgson, E Amy, 589
Holarchaea n gen, 391
 — *novae seelandiae* (Forster), 391
 Horokiwi Stream, Comments on the Shingle
 Vegetation of, 333
 Hurley, D E., 119, 195, 715
Hymenochaete agathicola Henn., 625
 — *kalchbrenneri* Mass., 625
 — *purpurea* Cke & Morg., 625, 628
 — *umbrina* Berk & Curt., 625
Hyperudea, Key to, Families of, 121
 Check List of N Z Species, 121-123
Hypocrea, 645
 — *apiculatus*, 649
 — *atro-gelatinosa*, 645, 646, 647
 — *berggreni*, 646
 — *carnea*, 646
 — *cerebriformis*, 646, 647
 — *chlorospora*, 647
 — *citrina*, 646, 648, 649
 — *citrina* var *fungicola*, 646
 — *colensoi* 646, 647, 648
 — *contorta*, 648
 — *coprosma*, 646
 — *corticoides*, 656
 — *egmontensis*, 646, 647
 — *farinosa*, 647, 648
 — *fungicola*, 646
 — *gelatinosa*, 647, 657
 — *hunua*, 648
 — *jecorina*, 646, 647

- Hypocrea karsteniana*, 646
 — *lenta*, 648
 — *macrospora*, 648
 — *manuka*, 648
 — *moriformis*, 647
 — *nebulosa*, 647, 648, 650
 — *novae-zealandica*, 648, 649, 650
 — *patella*, 648, 649
 — *pulvinata*, 646, 648
 — *rigens*, 648
 — *rufa*, 646, 648, 649
 — *saccharina*, 646, 648
 — *schweinitzii*, 647, 648
 — *semiorbis*, 646, 648, 649
 — *stereorum*, 646
 — *sub-citrina*, 649
 — *sulphurea*, 646, 649
 — *sulphurella*, 648, 649
 — *tawa*, 649
 — *tomentosa*, 648, 649, 650
 — *toro*, 649
 — *umosa*, 648, 649
 Hypocreales of N.Z. VII, 643
Hypomyces, 649
 — *apiculatus*, 649
 — *armeniacus*, 649
 — *aurantius*, 649
 — *australiensis*, 651
 — *berkeleyanus*, 651
 — *chrysospermus*, 650
 — *fulgens*, 650
 — *haematococca*, 654
 — *novae-zealandiae*, 649, 650
 — *ochraceus*, 649
 — *rosellus*, 650
 — *terrestris*, 649
 — *tomentosus*, 649, 650
Hyponectria berkeleyana, 651

I

- Iais* (Crustacea Isopoda), The N.Z. Species
 of, 715
 — *californica*, 714
 — *neo-zealandica*, 718
 — *pubescens*, 718
 — *pubescens* var. *longistylis*, 714
 — *singaporensis*, 715
Inoceramus australis, 103
 — *bicorrugatus*, 105
 — *concentricus*, 107
 — *pacificus*, 103
 — *porrectus*, 106
Isaria agregata, 655, 656
Isocladus armatus, 718
 Isoclinal fold, 345

J

- Jais pubescens*, 718
Jaera novae-zealandiae, 718

K

- Kakanui Range, 347
 kakanuia, *Chlamys*, 488
 Kekerengu Fault, 94
 Kidnappers, 689
 Coastal type 690

L

- Lake Wakatipu, 580
 Land Planarians of New Zealand. Classification and Reproductive Organs, Part IV, 505
 Larvae, Teleostii, 705, 713
 Lasionectria, 651
 Lepidoptera, New Species of N.Z., 573
Lepidozia, Review of N.Z. Species, 589
Lepidozia calcarata, 617
 — *compacta*, 616
 — *concinna*, 600
 — *corticola*, 608
 — *dispar*, 603
 — *Gibbsiana*, 612
 — *glaucophylla*, 594
 — *Gottscheana*, 609
 — *Herzogii*, 618
 — *hippuroides*, 615
 — *integristipula*, 602
 — *Kirkii*, 593
 — *laevifolia*, 597
 — *leptodictyon*, 608
 — *longiscypha*, 619
 — *Martini*, 602
 — *meridiana*, 611
 — *microphylla*, 598
 — *obtusiloba*, 599
 — *patentissima*, 609
 — *pendulina*, 601
 — *praenitens*, 613
 — *procera*, 598
 — *pulcherrima*, 614
 — *radiata*, 614
 — *remotifolia*, 603
 — *Roseana*, 606
 — *sejuncta*, 618
 — *setigera*, 596
 — *spinosissima*, 612
 — *tetradactyla*, 604
 — *ulothrix*, 593
Linguifolium watakiense Bell n.sp., 670
Lloydella Bres., 621
Lopharia Kalch. & MacOwan, 621
 — *cinerascens* (Schw.) G. H. Cunn., 293, 622, 624
 — *livelloso* Kalch. & MacOwan, 621, 622
 — *mirabilis* (Berk. & Br.) Pat. 622
 — *vinosa* (Berk.) G. H. Cunn., 293, 624, 625

M

- McKellar, I. C., and Campbell, J. D., 695
 McQueen, D. R., 673
mackayi McQueen n.sp. *Sphenopteris*, 677
macnaughti, *Onychites*, 490
Macropathus filifer Walker, Anatomy and Morphology, 405
 Malte Brun Range, 345
 Marwick, J., 489
 Mattiriola, 661
 Maxwell, B. E., 493
Megalonectria, 650, 660
 — *nigrescens*, 651
 — *polytrichia*, 650, 661

- Megalapterous didinus*, Possible Egg of, 224-5
Melampsora euphorbiae, 454
 — *hypericorum*, 456
Melanchnra boldensis n.sp., 573
 — *meridiana* n.sp., 573
 Metamorphic Grade, 477
Milesia lindsayae, 453
 — *histiopteridis*, 454
 Menzies, Robert J., 383
 Mesozoic Plant Fossils of N Z., 663
Microcera aurantiicola, 651
 — *cocophila*, 655
 Miller, David, xxxvi
 Miller, Milton A., 383
 Moa Egg, Green, from Chatto Creek, Central Otago, 223
 Mohaka Coastal Type, 691
 Mohaka River. Rejuvenation of, 687, 691
 Mollusca, Evolution of *Perissodonta* and *Tylospira* (Struthiolariidae), 515
 Mollusca, Trias-Jura, of N Z., 489
 Monocline, Coastal, 484
 Morton, J. E., 515, 721
 Mt. St. Mary, 489
Mucor chrysospermum, 650
 — *dendroides*, 650
Mycobonia Pat. 634
 — *disciformis* G. H. Cunn., 635
 — *flava* (Swartz ex Berk.) Pat. 634
 — *winkleri* Bres., 635

N

- Naylor, Margaret, 295
Nectria, 651
 — *aemulans*, 651
 — *agaricicola*, 651
 — *aglaothele*, 655
 — *alutaceae*, 659
 — *aurantia*, 649
 — *aurantiicola*, 651
 — *aureo-fulva*, 651, 658
 — *balsanae*, 651, 654, 657
 — *berkeleyana*, 651
 — *bicolor*, 659
 — *byssiseda*, 651
 — *cinnabarina*, 651, 654
 — *coccinea*, 652, 658, 660
 — *coccophila*, 651
 — *coprosmae*, 652
 — *curcurbitula*, 657
 — *cyathea*, 651, 652
 — *daldinia*, 658
 — *dealbata*, 655, 656
 — *depauperata*, 656
 — *ditissima*, 652, 658
 — *diversispora*, 654
 — *ecoccophila*, 651, 655
 — *egmontensis*, 653, 658
 — *episphaeria*, 653, 660
 — *episphaeria* var. *coccophila*, 651
 — *episphaeria* var. *kretzschmariae*, 659, 660
 — *ferruginea*, 645
 — *flammea*, 653, 655
 — *flavo-lanata*, 659
 — *flocculenta*, 659

Nectria fragilis, 653
 — *fusco-purpurea*, 652
 — *galligena*, 653
 — *grisea*, 654, 655
 — *haematococca*, 654, 659
 — *hauturu*, 654, 658
 — *illudens*, 654, 656
 — *inventa*, 654
 — *kowhai*, 654, 658
 — *kretzschmariae*, 659
 — *laeticolor*, 653, 655
 — *leucotrichia*, 652
 — *macrostoma*, 654, 655, 656, 660
 — *mammoidea*, 656, 659
 — *manuka*, 656, 657
 — *meholopsicola*, 659, 660
 — *ochroleuca*, 651, 656, 659, 660, 661
 — *ochroleuca* var. *longispora*, 651
 — *ochraceo-pallida*, 643
 — *ochraceo-pallida* var. *corallima*, 643
 — *otagensis*, 643, 647, 656, 657, 660
 — *pallidula*, 656
 — *passeriniana*, 655
 — *peziza*, 657
 — *pineae*, 657
 — *plagianthi*, 657
 — *polythalma*, 644, 657, 661
 — *pseudotrichia*, 661
 — *pulverulenta*, 651, 657
 — *punicea*, 652, 656, 658
 — *purpurea*, 652
 — *quisquilaris*, 653, 655, 658
 — *ralfsii*, 654, 658
 — *rickii*, 659
 — *rubi*, 658, 659
 — *sanguinea*, 653, 659, 660
 — *semenicola*, 651
 — *stenospora*, 656, 659
 — *stigma*, 659
 — *subcoccinea*, 655
 — *subquaternata*, 653
 — *suffulta*, 652
 — *tasmanica*, 658, 659, 660
 — *tawa*, 659
 — *trachylina*, 654, 659
 — *verruculosa*, 658
 — *vitor*, 653, 659, 660
 — *westlandica*, 660
 — *zelandica*, 652, 657, 660
Nectriella microspora, 660
Nectriopsis, 651
 — *berkeleyanus*, 651
Neocyproidea n.g., 199
 — *peninsulae* n.sp., 200
 — *pilgrimi* n.sp., 200
 Nephelinite, Olivine, 357
 Nervous System, 737-742

O

Olivine Nodules, 366
 Onychites, 490
 Otapirian Stage of the Triassic System of
 New Zealand, Part I 695
 Otapirian Stage (Triassic), Definition, 699
 — Faunal Index, 702
 — Type Locality, 700

P

Paparoa Coal Measures, Age of, 675
Pararchaea n.gen., 397
 — *alba* n.sp., 399
 — *binnaburra* n.sp., 401
 — *rubra* (Forster), 402
 Paringa River, 484-7
 Paviour-Smith, K., 525
Peniophora Cke., 251
 — *accedens* B & G, 292
 — *aspera* (Pers.) Sacc, 247, 277
 — *aurantiaca* (Bres.) H. & L., 247, 268
 — *byssoides* (P. ex Fr.) Bres., 249, 277
 — *cerebrosa* G. H. Cunn., 248, 249, 250, 252, 269
 — *cinerea* (Fr.) Cke 247, 249, 252, 257, 258
 — *coprosmae* G. H. Cunn. 249, 251, 252, 264, 265, 268
 — *cremea* (Bres.) Sacc. & Syd. 249, 250, 253, 278, 293
 — *crustosa* Cke. 248, 249, 250, 253, 270
 — *dryina* (B. & C.) R. & J., 247
 — *erucaeforma* G. H. Cunn., 248, 249, 250, 253, 270, 274
 — *filamentosa* (B. & C.) Burt, 248, 249, 250, 253, 278
 — *gladiola* G. H. Cunn., 250, 251, 253, 284, 285
 — *gracillima* Ell & Ev., 247, 249, 250, 253, 289, 292
 — *hamata* Jacks, 250, 292
 — *hastata* G. H. Cunn., 248, 250, 253, 284
 — *incarnata* (P. ex Fr.) Karst., 247, 252, 265, 266, 268, 293
 — *inconstans* G. H. Cunn., 250, 252, 264
 — *longispora* (Pat.) Hoehn, 247, 249, 253, 280
 — *lycii* (Pers.) H. & L., 249, 251, 252, 256, 258, 293
 — *mutata* (Pk.) H. & L., 250, 262
 — *nuda* (Fr.) Bres. 249, 250, 252, 256, 257, 258, 293
 — *pallidula* Bres, 249, 277
 — *papyrina* (Mont) Cke., 293
 — *polonensis* (Bres.) H. & L., 249, 277
 — *quercina* (Pers.) Cke., 247, 252
 — *radicata* (Henn.) H. & L., 248, 279
 — *rimicola* (Karst.) H. & L., 249, 250, 251, 253, 283, 290
 — *sacrata* G. H. Cunn, 248, 249, 250, 253, 270
 — *sambuci* (Pers) Burt, 249, 253, 283
 — *sanguinea* (Fr.) Bres., 247
 — *scintillans* G. H. Cunn, 248, 252, 269, 270, 293
 — *sororia* G. H. Cunn., 249, 253, 281
 — *sparsa* (B.Br.) Cke., 293
 — *subalutacea* (Karst.) H. & L., 253, 290
 — *thermometra* G. H. Cunn, 249, 250, 254, 291
 — *totara* G. H. Cunn., 248, 251, 252, 270, 272
 — *umbracula* G. H. Cunn., 248, 250, 254
 — *utriculosa* G. H. Cunn., 250, 252, 260
 — *velutina* (DC.) Cke., 293

- Peniophora verecunda* G. H. Cunn., 249
250, 251, 252, 261, 263
— *vermicularis* Wakef., 249, 250, 251, 253,
286
— *vermifera* Bourd., 247, 248, 249, 250,
253, 285, 287
— *vesiculosa* G. H. Cunn., 250, 252, 260,
261
— *violaceo-livida* (Somm.) Bres., 256
Perissodonta mirabilis, —
Petroskirtes kallosoma, 378
Phillipsite, 370
Prongia Mountain, Native Bush and Flora,
303-311
Plant Fossils, Black Jacks, 662
Plant Fossils, Lower Mesozoic, of N.Z., 663
Pleonectria, 661
— *pseudotrachia*, 661
Plesiops nigricans, 374
Plunging Cliffs, 689
Pomacentrus nigricans, 375
Prehnite, 475
Presentation of Addresses, Report on, lvii
Presidential Address, xxxvi
Prorocentraceae, 637
Protocrea, 645
Pseudochromis tapinosoma, 374
Pseudomonotis, 488
Pteridophytes and Cycads from New Zea-
land, Leaves of Middle and Upper
Cretaceous, 673
Pterophyllum clarencianum McQueen n.sp.,
684
— *seymouricum* McQueen n.sp. 684
Puccinia anomala, 461
— *antirrhini*, 457
— *caricina*, 461
— *cynodontis*, 458
— *elymi*, 462
— *graminis*, 462
— *hydrocotyles*, 462
— *juncophila*, 462
— *lapsanae*, 462
— *malvacearum*, 462
— *porri*, 458
— *bararua*, 463
Pulsations on Lake Wakatipu, 597
Puti Point, 491

R


- Radulum mirabile* Berk & Br., 622, 625
Raukumara Series, 97
Report of Fuel and Power Sub-committee,
xxvi
— Hon. Editor, xv
— Hon. Librarian, xvi
— Hon. Treasurer, viii
Reports of Hutton Grantees, xxii
Reports of Member Bodies—
— Auckland Institute and Museum, xxx
— Canterbury Branch, xxxi
— Hawke's Bay Branch, xxxiii
— Nelson Institute and Museum, xxx
— Otago Branch, xxxi
— Rotorua Philosophical Society, xxxiii
— Southland Branch, xxxiii

- Reports of Member Bodies—
— Waikato Scientific Association, xxxiv
— Wellington Branch, xxix
Report of Representatives of National Art
Gallery and Dominion Museum Board
of Trustees, xvii
Report of Representative on Carter Observa-
tory Board, xxiv
Report of Representative on Great Barrier
Reef Committee, xvi
Report of Representative on Medical Res.
Council, xxv
Report of Representative on National Parks
Authority, xviii
Report of Representative on N.Z. Oceano-
graphic Committee, xx
Report of Representative on Royal N.Z.
Inst. Horticulture, xix
Report of Standing Committee, iii
Richards, Aola M., 405
Ritchie, J. A., Analysis by, 365
Royal Society of New Zealand—
— Annual Meeting, Minutes 1
— Annual Report of Standing Committee,
iii
— Annual Statement of Accounts, ix
— Awards—
Hamilton Memorial Prize, 749
Hector Medal and Prize, 745
Hutton Memorial Medal, 746
T K Sidey Summer-time Medal and
Prize, 749
— Council, 750
— Fellows, List of, 755
— Grants from Hutton Memorial Fund, 747
— Half-yearly Meeting, Minutes, xlvii
— Honorary Members, List of, 753
— Officers, 751
— Past Presidents, 752
Royal Society's Place in New Zealand
Culture, The, xxxvi
Rust Fungi of N.Z., II, Additions to, 453
Rzehakina epigona, 104

S

- Salarias edentulus*, 378
— *fasciatus*, 379
— *perophthalmus*, 378
— *sinuosus*, 379
Salmon, J. T., 573
Salt Meadow, 525
Scoleconectria, 643
Scorpaenodes guamensis, 380
— *lineagula*, 380
Scour casts, used in finding origin of sedi-
ments, 115
Scymnodalatas n.g., 555, 564
— *sherwoodi*, 564
Seiches on Lake Wakatipu, 597
Selenosporium equiseti, 644
Sepedonium chrysospermum, 650
Seymour River Coal Measures, Age of, 675
seymouricum McQueen n.sp., *Ptilophyllum*,
684
sherwoodi, *Scymnodalatas*, 564
Siberia Hill and Mount Dasher, North
Otago, The Geology of, 347

- Simpson, L. O., 223
sisyphi, *Aulacosphinctoides*, 490
 Snapper, *Chrysophrys auratus* Forster, Development of, 705
 Southern Alps, 345
Sphaeria aurantia, 649
 — *baccata*, 644
 — *cinnabarina*, 651
 — *citrina*, 646
 — *contorta*, 648
 — *cucurbitula*, 657
 — *flacca*, 644
 — *gelatinosa*, 647
 — *ochraceus*, 649
 — *ochraceo-pallida*, 643
 — *ochroleuca*, 656
 — *peziza*, 657
 — *polycocca*, 645
 — *pseudotrichia*, 661
 — *punicea*, 658
 — *rigens*, 648
 — *rufa*, 648
 — *semiorbis*, 648
 — *saubinetii*, 645
 — *sulphurea*, 649
 — *zeae*, 645
Sphaeroma pentodon, 717
 — *quoyana*, 717
Sphaeropsis henriquesii, 658
Sphaerostilbe, 651, 660
 — *auranticola*, 651
 — *cinnabarina*, 660, 661
 — *cocophila*, 651
 — *flammeum*, 655
 — *gracilipes*, 660
 — *henningsii*, 655
 — *hypocreoides*, 655, 656, 660
 — *intermedia*, 655
 — *microspora*, 660, 661
 — *negrescens*, 651, 661
 — *placenta*, 655
 — *pseudotrichia*, 661
 — *variabilis*, 655, 656
Sphenopteris mackayi McQueen n. sp., 677
 Spiders of the Family Archaeidae from Australia and New Zealand, 391
Sporotrichum lateritium, 654
 F Stegocephalidae, Key to N.Z. Genera, 195
Stereum caperatum Lloyd, 622
 — *cinerascens* (Schw.) Mass., 622
 — *purpurascens* Lloyd, 622
 — *subporiferum* Berk., 622
 — *turgidum* Lloyd, 622
 — *umbrinum* Berk. & Curt., 625, 628
Stethojulis axillaris, 377
Stilbum corallinum, 650, 656
 — *flammea*, 655
Stilbocrea, 651, 656
 — *dussii*, 655, 656
 — *hypocreoides*, 655
 — *intermedia*, 655
 — *macrostoma*, 655, 656
 Strombidae, 742
Struthiolaria, The Vascular and Nervous Systems of, 721
 Struthiolariidae, 742
 Sublittoral Fringe, 21, 36, 47
 Sublittoral Zone, 21, 48
 Supralittoral Fringe, 20, 28, 41
 — Zone, 19, 27, 40
- T
- Temperatures—Air, 8
 — Sea, 10, 62
Thalassoma hardwicke, 378
 — *lutescens*, 378
 Thecates, 637
 Thelephoraceae of New Zealand, Part V, 241
 — Part VI, 247
 — Part VII. The genus *Loparia*, 621
 — VIII. The genera *Epthele* and *Mycobona*, 628
Thelephora cinerascens Schw., 622
 — *crassa* Lev., 625
 — *vinosa* Berk., 625, 628
Thinnfeldia odontopteroides, 669
 Thompson, R. H., 637
 Thomson, J. A., 96
Thyronectria, 650, 661
 — *pseudotrichia*, 644, 650, 651, 657, 660, 661.
Thyronectriodea, 661
Thwaitesiella Mass., 621
 Tides, 16
 Transcurrent Faulting, 486
 Transverse Deformation, Coasts of, 692
 Triassic System, Otagirian Stage, 695
Tripterygion hemmela, 378
Tubercularia vulgaris, 651
 Turbidity, 15
Tylospora scutulata, 15
- U
- Uromyces armeriae*, 460
 — *bidentis*, 460
 — *edwardsiae*, 463
 — *scillarum*, 461
 — *striatus*, 463
 — *trifolii*, 463
Uromycladium notabile, 463
- V
- Verticillium agaricium*, 649
 — *lateritium*, 654
- W
- Waikato Heads Plant Beds, Age of, 673
 Waitaki Valley, South Canterbury, Geology of, 662
waitei centroscymnus, 227
 Waterhouse, J. B., 345
 Wave Action, 18
 Wave Orthogonals, Convergence of, 690
 Whangai Shale, 96, 102
 Wharekuri-Otekaika Fault, 663
 Wellington Harbour, Hydrobiological Observations of, 493
 Wellman, H. W., 93
wellmanni McQueen n. sp., *Cladophlebis*, 681
 Westland, Southern, 483
- Z
- Zearchaea* Wilton, 391
 — *fiordensis* n. sp., 395
 Zeolitic Basanite (Analysis), 365
 Zonation Relationships, 62



PUBLICATIONS OF THE ROYAL SOCIETY OF NEW ZEALAND

(FORMERLY THE NEW ZEALAND INSTITUTE)

These publications may be obtained from the Secretary, Royal Society of N.Z., Victoria University College, Wellington (P.O. Box 196), or from the High Commissioner for New Zealand, 415 Strand, London, W.C.2. Where prices are quoted in brackets these are special prices available only to members of the Royal Society.

TRANSACTIONS

Complete sets and partial sets are available at special prices to non-members on application to the Secretary. Vol. 1, second edition, £1 1s; Vols. 2, 3, 4 and 8 are out of print; Vols. 11, 12, 17, 19-37 and 39 at 5s (2s); prices for other volumes on application to the Secretary. Quarterly Parts from Vol. 58, 10s per Part except Part 1 and 2, Vol. 58, which is 15s. From Vol. 80 15s per part.

INDEX TO TRANSACTIONS

Vols. 41-51—Part 1: Authors and Titles of Papers; Part 2: Subject-index. 2s.

Vols. 52-63—Part 1: Authors and Titles of Papers; Part 2: Subject-index. 2s.

REFERENCE LIST of the Scientific Periodicals in the Libraries of New Zealand, 1927.

Compiled by Gilbert Archey, Curator, Auckland Museum. 5s.

MAORI ART. A few sets of the five parts of this work are in hand. For sets of five, bound, £12 12s; for sets of five (unbound), £10 10s. Sets available only to approved libraries or institutions. Parts 3, 4, and 5, each 5s.

MANGAREVA DICTIONARY. By E. TREGGAR. 1899. 1s.

MANUAL OF THE NEW ZEALAND COLEOPTERA. By MAJOR BROWN.

Part 1, 1880; Part 2, 1881; Part 3, 1886; Part 4, 1886; Part 5, 1893; Part 6, 1893; Part 7, 1893. £1 1s.

BULLETIN No. 1. New Genera and Species of Coleoptera. By MAJOR BROWN.

Part 1, 3s 6d (to members, 3s); Part 2, 3s (to members, 2s); Part 3, 5s (to members, 3s 6d); Part 4, 4s (to members, 3s); Part 5, 5s (to members, 3s 6d); Parts 6 and 7, 5s (to members, 3s 6d); Part 8, 5s (to members, 3s 6d).

BULLETIN No. 2. Revision of New Zealand Byrrhidae. By MAJOR BROWN, 2s (to members, 1s 6d).

BULLETIN No. 3. Studies in the Bryology of New Zealand. By H. N. DIXON, M.A., F.L.S.

Part 1, 2s 6d (to members, 2s); Part 2, 2s 6d (to members, 2s); Parts 3, 4, 5, and 6, 4s each (to members, 3s 6d).

BULLETIN No. 4. Address by H.R.H. the Duke of Edinburgh to Scientists in New Zealand. 5s.

BULLETIN No. 5. "Handbook of the N.Z. Mosses," by G. O. K. SAINSBURY. 25/6 (to members 20/6), post free.

INDEX OF NEW ZEALAND BEETLES. (Reprint from *Transactions*, Vol. 54, 2s.)

ROYAL SOCIETY OF NEW ZEALAND SCIENCE CONGRESS

PROCEEDINGS. 6th Congress, 20s. 7th Congress, 21s. 8th Congress, 15s.

PROCEEDINGS OF THE SEVENTH PACIFIC SCIENCE CONGRESS.

Vol. 1, 15s; Vol. 2, 50s; Vol. 3, 30s; Vol. 4, 40s; Vol. 5, 25s; Vol. 6, 20s; Vol. 7, 50s. Complete set, £8 12s 6d.

Published by Canterbury Branch of Royal Society of N.Z.

(FORMERLY PHILOSOPHICAL INSTITUTE OF CANTERBURY)

Canterbury Museum, CHRISTCHURCH.

INDEX FAUNAE NOVAE ZEALANDIAE. Edited by CAPTAIN F. W. HUTTON.

8vo. viii, 372 pp., 1904. 12s 6d.

SUBANTARCTIC ISLANDS OF NEW ZEALAND. Edited by DR. C. CHILTON.

Two vols., 4to. xxxv, 848 pp., illustrations and map, 1909. £2 2s (to members, £1). Copies of Vol. 2, especially of sets sold at reduced prices, are liable to have a few pages affected by the sticking of the glossy surfaces during storage.

NATURAL HISTORY OF CANTERBURY. 8vo. 299 pp., illustrations and maps,

1927. Out of print. (A few reserve copies are held for distribution in special cases at the discretion of the Council of the Canterbury Branch. Price 30s.)