

GENERAL INDEX

A

- Achnanthes*, 733
Aciphylla, 1
 — *auraea*, 15
 — *colensoi*, 16
 — *congesta*, 5
 — *crenulata*, 10
 — *crobysmithii*, 4
 — *dissecta*, 9
 — *divisa*, 8
 — *dobsoni*, 4
 — *ferox*, 17
 — *flexuosa*, 6
 — *glaucescens*, 13
 — *gracilis*, 10
 — *hectori*, 5
 — *hookeri*, 9
 — *horrida*, 17
 — *indurata*, 12
 — *inermis*, 14
 — *intermedia*, 14
 — *kirki*, 5
 — *latibracteata*, 15
 — *leighi*, 4
 — *lyallii*, 9
 — *monroi*, 7
 — *multisecta*, 9
 — *pinatifida*, 7
 — *polita*, 7
 — *scott-thomsonii*, 16
 — *similis*, 8
 — *simplex*, 3
 — *simplicifolia*, 11
 — *spedeni*, 4
 — *squarrosa*, 13
 — *subflabellata*, 12
 — *takahea*, 13
 — *townsoni*, 11
 — *traillii*, 5
 — *traversu*, 15
 — *trifoliolata*, 10
 — *verticillata*, 6
Acropora, 30
Acrostalagmus Cda., 469
Actinastrum, 704
Actinoptychus 731
 Adkin, G. Leslie, 273
 Adventive Flora of New Zealand, 649
Aenictocoris n.g., 393, 395, 404
 — *powelli* n.sp., 395, 405, 427
Aenictopechinae, 391, 394, 395, 396, 402, 410, 416
Aenictopechys, 395, 402, 410
 — *necopinatus*, 392, 395
Aeolosoma kashyapi, 99
 — *niveum*, 98
Agmemellum, 740
Agropyron × *wallii*, 757
Aleurocystis Lloyd, 234
 — *hagallae* (B. & Br.) G. H. Cunn., 234, 235, 236, 237.
Aleurodiscus Rabenh., 237, 240.
 — *aberrans* G. H. Cunn., 238, 239, 240, 241, 257, 258, 259
 — *acerinus* (Pers.) H. & L., 229, 239, 242, 265, 266.
 — *albo-roseus* Bres., 250
 — *amorphus* (Pers.) Rabh., 239, 240, 243
 — *apiculatus* Burt, 250
 — *aurantius* (Pers.) Schroet., 238, 239, 240, 242, 262, 265, 267, 268
 — *berggreni* (Cke.) G. H. Cunn., 230, 238, 239, 240, 241, 254, 255, 257
 — *botryosus* Burt, 252, 238, 239, 242, 259, 262, 263
 — *candidus* (Sw.) Burt, 238, 239, 242, 264, 265.
 — *capensis* Lloyd, 234, 235, 237
 — *cerrusatus* (Bres.) H. & L., 257
 — *coralloides* G. H. Cunn., 238, 239, 241, 259, 260, 261, 262
 — *corneus* Lloyd 234, 235, 237
 — *coronatus* G. H. Cunn., 238, 239, 240, 242, 259, 260, 262, 263, 268
 — *crassus* Lloyd, 264
 — *disciformis* (DC.) Pat., 239
 — *japonicus* Yasuda, 250
 — *javanicus* Henn., 250
 — Key to Species, 241
 — *limonispurus* Reid, 238, 239, 241, 243, 247, 248
 — *mirabilis* (B. & C.) Hoehn., 231, 238, 239, 241, 250, 252
 — *nivosus* (B. & C.) H. & L., 238, 239, 240, 242, 265, 266
 — *oakesii* (B. & C.) Cke., 239, 254
 — *ochraceo-flavus* Lloyd, 238, 239, 241, 248, 249, 250, 251, 254
 — *pallide-roseus* Litsch., 250
 — *parmuliformis* G. H. Cunn., 238, 239, 241, 243, 244, 245
 — *patellaeformis* G. H. Cunn., 238, 239, 241, 242, 243.
 — *pateriformis*, G. H. Cunn., 238, 239, 241, 243, 244
 — *peradeniae* (B & Br) Henn., 250
 — *peteloti* Pat., 250
 — *peziculoides* Wakef., 254, 256, 257
 — *salmoneus* Pat., 250
 — *scopulatus* Lloyd, 250
 — *sinensis* Teng & Ling, 250
 — *sparsus* (Berk.) H. & L., 238, 239, 241, 258, 259, 260
 — *spinulosa* Henn., 250
 — *subgiganteus* (Berk.) Hoehn., 234
 — *usambarensis* Henn., 250
 — *zealandicus* (Cke & Phil.) G. H. Cunn., 238, 239, 241, 250, 253, 254
 Alienatinae, 402
Alloecarpa minuta Brewin, 123

- Allorchestes*, Generic diagnosis, 926
 — *compressus*, 927
 — *novizealandiae*, 927
Amaroucium benhami Brewin, 123
 — *knoxi* Brewin, 125-127
 — *scabellum* Mich., 124-125
 — *siphonum*, n sp., 125
 — *mernooensis*, n.sp., 132-134
 — *cottrelli*, n.sp., 578
Amberdoutus tristis, 615
Ammonites, Some Cretaceous, of New Zealand, 805
Amphicarpa michaelsoni, n.sp., 135
Amphipoda, Studies on N.Z., No. 14—The Genera *Hyale* and *Allorchestes* (Family Talitridae), 903
Amphipodan Fauna, Studies on the New Zealand, 359
Amphithrix, 743
Amphora, 735
Anabaena, 743
Anacystis, 740
Anagaudryceras sp., 805
Ankistrodesmus, 703
 Annual Meeting, I
 Antecedent Valleys at Wellington, 786
Apobolites, 584
Aphanochaete, 707
Aphopeas, 595, 597
Apocystis, 700
 Arrow River Manganiferous Schists, 791-2
Arthrodesmus, 715
Arthrospira, 741
Artocreas poroniaeforme B. & Br., 235
Aschersonia Mont., 471
Ascidians (Chatham Islands and Chatham Rise), 121
Ascidians from North Auckland, 577
 Aspect, Effect on Rainfall, 35
Asterionella, 732
Asterocarpa cerea (Sluit), 123
Asterococcus, 700
Asterocytis, 745
Auricularia butleri Mass., 213
 — *reflexa* (Berk.) Bres., 213
 — *rugosissima* (Lev.) Bres., 215
 — *strigoso-zonata* (Sw.) Bres., 213, 215
Auriculariopsis Maire, 232
 — *flocculenta* (Fr.) Maire, 232
Australasian Cyttariaceae, 19
Awanuiensis Wright n.sp. *Otoscapites*, 807
Awhia Formation, 520, 522
Awhiati Formation, 520, 524
- B**
- Bangiales, 745
 Batham, E. J., 91, 629
Batrachospermum, 745
 Behaviour, Cephalopods, 629
 Bell's Views on Faulting at Wellington, 275
Billardia novae-zealandiae, 818
Binuclearia, 705
 Blocks, Tilted, at Wellington, 777
- Boeckella triarticulata*, 856
 — *hamato*, 860
 — *propinqua* 862
 — *propinqua* Sars, sub sp. *delicata* Percival, 863
 — *dilatata*, 863
 — *ambigua*, a synonym of *B dilatata*, 864
Bostrychia, 746
Botrydium, 729
Botrylloides leachi Sav., 123
Botryococcus, 728
Bresadolina Brinkm., 204
 Brewin, B. I., 121, 577
 Brook, Shirley D., 643
 Brothers, R. N., 549
Bryozoan Genera, Spiroporina and *Haswellina*, Remarks on, 29
 Buchanan, J. G., 103
Bulbochaete, 710
Bumillariopsis, 729
- C**
- Cadulus delicatulus*, 561
 — *teliger*, 562
 — *colubridens*, 564
 Caldera, 556
Calothrix, 744
Campanularia carduella, 819
 — *gelatinosa*, 820
 Campbell, J. D., 45
Campylodiscus, 735
 Carbonised Logs, 551
Carex fascicularis Hook. f., 684
 — *goyenu* Petrie, 581
 — *haasteana* Boeck., 682
 — *maorica* Hamlin, 685
 — *mcmahoni* Petrie, 682
 — *novae-selandiae* Boeck., 687
 — *pseudocyperus* L., 687
 — *raouli* Hook f., 682
 — *testacea* Hook f., 682
 Carices, Studies in N.Z. II and III, 681, 683
Carteria, 698
 Cassie, R. Morrison, 309, 329
 Centrales, 731
Centritractus, 729
Cephaleuros, 708
 Cephalosporium, 689, 693
 Cerambycidae, Immature Stages of Some N.Z. Ceramiales, 611, 746
 Ceratium, 727
Ceratum, 727
Cermatulus nasalis turbotti, 430
 Chaetopeltidaceae, 707
Chaetopeltis, 707
Chaetophora, 707
 Chaetophoraceae, 707
Chaetosphaeridium, 708
 Chamaesiphonales, 740
 Chapman, V. J., Thompson, R. H. and Segar, E. C. M., 694
Chara, spp., 270, 725
 Characeae, 725
 Characiaceae, 702
Characiopsis, 729
Characium, 702

- Charales, 725
 Charaphyta, A Check List of New Zealand, 269
 Check List of Fresh-Water Algae, New Zealand, 694
 Chert, 53, 60, 62-64
 Chlamydomonadaceae, 698
Chlamydomonas, 698
 Chlorangiaceae, 700
Chlorangium, 700
Chlorella, 703
Chlorobotrys, 728
Chlorochybrum, 702
 Chlorococcaceae, 702
Chlorogonium, 699
 Chromosome Numbers, 936
Chromulina, 730
 Chroococcales, 740
Chroomonas, 731
Chrysococcus, 730
 Chrysophyceae, 729
Chrysophrys auratus, 308, 328
Chrysopyxis, 730
Cintractia schoenus, 647
 — *sclerotiformis*, 647
Cladophora, 708, 709
 Cladophoraceae, 708
 Climate, Dunedin, 36
 Closteriae, 713
Closteriopsis, 703
Closterium, 713, 714, 715
Clytia elongata, 822
 — *johnstoni*, 823
Cnemidocarpa bicornuata (Sluit), 123, 132
 — *stewartensis* Mich, 132
 — *nisiotus* (Sluit), 132
 Coastal Features at Wellington, 779
Coccochloris, 740
Coccomyxa, 760
 Coccomyxaceae, 700
Cocconeis, 734
 Cockayne Memorial Fund, iv
Cocles, 395
 — *contemplator*, 392
 Coelastraceae, 702
Coelastrum, 702
Coelohynchus regularis Stinton, n.sp., 515
 — *elevatus* Stinton, n.sp., 515
Colacium, 695
 Coleochaetaceae, 708
Coleochaete, 708
 Copepods, Genus *Boeckella* in N Z
 Conducting System, *Leiolopisma*, 117
Coniophora DC ex Pers 489
 — *arida* (Fr.) Karst 488, 489, 491, 492
 — *atro-cinerea* Karst, 494
 — *betulae* (Schum.) Karst. 482, 488, 489, 491, 492
 — *brunneola* (B & C) Sacc, 494
 — *cookei* Mass, 491
 — *dimitca* G H Cunn, 488, 489, 494, 495
 — *ellisi* (B & C) Sacc, 494
 — *fulvo-olivacea* Mass, 494
 — *fumosa* Karst., 494
 — *furva* Karst., 494
 — *kalmiae* (Pk.) Burt, 492
Coniophora karstenii Mass, 494
 — *luteo-cincta* (Berk.) Sacc, 492
 — *minor* G. H. Cunn., 488, 489, 490, 494, 495
 — *olivacea* (Fr. ex Pers.) Karst., 487, 489, 490, 492, 493
 — *puteana* (Schum. ex Fr.) Karst., 489
 — *sibirica* Burt, 494
 — *suffocata* (Peck) Mass., 492
 — *umbrina* (Fr.) Karst., 494
 — *viridis* (Berk.) Sacc. 482, 488, 489, 490
Coniophorella Karst., 489
 Conjugales, 710
 Connor, H. E., 757
 Co-operation Between Royal Society and Other Scientific Organisations, lviii
Coptocercus rubripes, 615
Corella eumyota Traust, 123
Corticium aridum Fr, 491
 — *brunneolum* B. & C, 492
 — *fusca* Pers. ex Fr, 485
 — *kalmiae* Peck, 492
 — *leucothrix* B. & C, 492
 — *puniceum* (A. & Sw.) Fr., 484
 — *suffocatum* Peck, 492
 — *viride* Berk, 489, 490
 — *acerinum* Pers., 266
 — *aurantium* (Pers.), Sacc., 268
 — *effusum* Overh. 228.
 — *flocculentum* Fr., 232
 — *habgallae* B. & Br., 234, 235, 236
 — *nyssae* B & C, 226
 — *peradeniae* B. & Br., 250
 — *siparium* B. & C., 226
Coscinodiscus, 196-9, 731
 Cosmariae, 715
Cosmarium, 715, 716, 717, 718, 719
 Cotton, C A, 761
Crassus Stinton, n.sp., *Heterenchelys*, 514
 Cretaceous ammonites, 805
 Cruciferae, 497
 Crucigenia, 704
 Crustacea, 883
Cryptochrysis, 731
Cryptoglana, 695
 Cryptonemiales, 746
 Cryptophyceae, 730
 Cunningham, G. H., 201, 479
Cuspicona simplex, 430
 Cycles of Erosion at Wellington, 775, 780, 782, 786-8
Cyclotella, 731
Cydistomyia, 582, 583, 599
Cylindrocapsa, 706
 Cylindrocapsaceae, 706
Cylindrocarpon Wollenw., 471
 — *album* (Sacc.) Wollenw., 473
 — var. *majus* Wollenw., 473
 — *cylindroides* Wollenw., 473
 — var. *tenuis* Wollenw., 473
 — *janthothele* Wollenw.,
 — var. *majus* Wollenw., 473
 — *mali* (Allesch) Wollenw., 473
Cylindrocystis, 711
Cylindrospermum, 743
Cyliosoma, 431, 434

Cymbella, 735
Cynodon dactylon, 644
Cyphella ampla Lev., 232
 — *flocculenta* (Fr.) Bres., 232
 — *zealandica* Cke. & Phil., 254
Cystodinedria, 727
 Cystodiniaceae, 727
Cystodinium, 727
Cystodytes dellachiaiae (D. Valle), 123
Cytidia Quel., 232
 — *cornea* Lloyd, 235
 — *flocculenta* (Fr.) H. & L., 232, 233, 234
 — *habgallae* (B. & Br.) Martin, 235, 237
 — *ruilans* (Pers.) Quel., 232
 — *salicina* (Fr.) Burt, 232
Cyttaria nigra, 26
 — *pallida*, 27
 — *septentrionalis*, 27
 — *gunnii*, 25

D

Dactylococcus, 703
 Darwin Anniversary Expedition Proposals, lvi
Dasybasis, 582, 583, 595
 — Keys to Species, 597, 601
 — *bratrankii*, 598, 607, 608
 — *difficilis*, 608
 — *gravis*, 603
 — *loewi*, 598, 604
 — *nigripes*, 598, 601
 — *opla*, 598, 604
 — *sarpa*, 596, 598, 602
 — *thereviformis*, 598, 599
 — *transversa*, 597, 598
 — *truncata*, 598, 600
 — *viridis*, 598, 600, 605, 608
 Dawbin, W. H., 147
Debarya, 711
 Decapoda, 883
 Dell, R. K., 71, 561
Dendrodochium Bon., 469, 470, 476
Densus Stinton n.sp., *Trachyrhynchus*, 516
Dentalium ecostatium, 566
 — *diarrhox*, 568
 — *nanum*, 570
 — *suteri*, 573
 — *glaucarena*, 574
 — Key, 564
 — *tiuhana*, 564
Denticula, 735
 Desmidiaceae, 712
Desmidium, 719
Desmonema, 744
 Devonian Lamellibranch from Reefton, N.Z., A New, 943
 Devonian, Reefton, 943
Diatoma, 732
Diatomella, 735
 Diatoms in Wellington Harbour in 1953-54, Note on, 197
Dichothrix, 744
 Dictyosphaeraceae, 702
Dictyosphaerium, 702

Didemnum candidum Sav., 123
 — *lithostrotum*, n.sp., 127-129, 132
 — *mortenseni*, Mich., 127, 132
 — *paradoxum* (Nott.), 580
Didymocantha pictor, 617
 — *sublimata*, 617
Dimorphococcus, 703
 Dingley, Joan M., 689
Dinobryon, 730
 Dinococcales, 727
 Dinophyceae, 726
Diplomoceras sp., 806
Disphunctium, 719
Dispora, 700
 Domes, 558
 Downdrag of Porirua-Pukerua Sunkland, 273
 Draparnaldia, 707
 Dumbleton, L. J., 611
Dysmorphococcus, 699

E

Eburilla sericea, 618
Ectenopsis, 582, 583, 584
 — *lutulenta*, 584, 585
 Egg-care, behaviour, 629-631
Elevatus Stinton, n.sp., *Coelorrhynchus*, 515
Enallax, 703
 Endemism in N.Z. Enicocephalidae, 392
 Endosporaceae, 702
 Enicocephalidae of N.Z., 391
 — Key to N.Z. Species, 391, 392, 402, 426
 Enicocephalinae, 392, 395, 396, 402, 407
Enteromorpha, 706
Entophysalis, 740
Entyloma fuscum, 645, 646
 — *parietariae*, 645, 646
Epicyllosoma, 432
Epihemia, 735
 Erectae, 708
Eremosphaera, 703
Eschara gracilis, 30
Euastrum, 719, 720
Eudorina, 699
Euglena, 695
 Euglenaceae, 695
Eunobia, 733
 Eustatic Terraces, 765
 Evaporation, 34, 35
Exiguus Stinton n.sp., *Jordanicus*, 516

F

Farysia caricis-filicinae, 648
 — *olivacea*, 647
 Fault Line, 553
 Fault, Wellington, 763, 770-4
 Faulting at Wellington, 769, 778, 783
 Fellows, Election of, lii
 Finances and Activities of Branches, xlv
 Fish Scales, 329
 Fish, Spawning, 308
 Fish, Growth Rate, 328
Fissidentalium, 565
 — *zelandicum*, 565
Flagellata, 695
 Flagellates, Intestinal from Some N.Z. Insects, 297

- Fleming, C. A., 943
 Flora, Adventive, of New Zealand, 649
 Forest Regeneration, 39
Fragilaria, 732
 Frost Temperatures, 38
Frustulia, 735
Fusarium Link ex Fr., 471
 — *coccophilum* (Desm.) Wollenw. & Reink., 474
 — *solani* (Mart.) App. & Wollenw., 476
 — var. *eumartii* (Carp.) Wollenw., 476
- G
- Gadidarum laevigatum* Stinton, n.sp., 515
 Gahnite, 798-801
 Galls, *Cyttaria*, 21
Gamostolus, 395, 396, 402, 405
 — *subantarcticus*, 392, 395
Gastrosarus nigricollis, 618
Gaudryceras sp., 805
 Geckos of N.Z., Osteology, 341
Genicularia, 712
Glaridapha, 581, 595
 Glenodiniaceae 726
 Glenodmiopsidaceae, 726
Glenodniopsis, 726
Glenodinium, 726
Gleotrichia, 744
Gliocladium Cda., 469
Gloeoecystis, 700
Gloeosoma Bres., 232, 234
 — *capensis* Lloyd, 234, 235
Gloeotila, 705
Glyceria fluitans, 646
Golenkima, 702
Gomphonema, 736
Gonatozygon, 712
 Gonatozygonaceae, 712
Gonium, 699
Gonothyrea loveni, 824
Gonyastomum, 731
Graphium Cda., 471
 Greywacke 52, 59
Grossouvrites sp., 809
 Gymnodiniales, 726
Gymnodinium, 726
Gymnozyga, 720
- H
- Halcrow, Heather M., 51
 Half-yearly Meeting, xli
 Hamlin, B. G., 681, 683
Hantzschia, 736
Hapalosthpon, 745
Haswellia, 29, 30
 — *auriculata*, 29
 — *australiensis*, 29
Haswellina, 29, 30
 — *australiensis*, 30
 Hauraki Gulf, 308, 328
 Hay, Judith A., 640
 Healy, A. J., 649
Hemidinium, 726
Heterenchelys crassus Stinton, n.sp., 514
 Heterocapsaceae, 728
 Heterochloridales, 728
 Heterococcales, 728
 Heterophylly, in *Nothopanax* and *Pseudopanax*, 749, 753-4
 Heterosiphonales, 729
 Heterotrachales, 729
Hexatricha pulvurelenta, 624
Hildenbrandtia, 746
 Holloway, B. A., 431
Hoplodactylus Fitzinger, 34
Hormidium, 705
 Humpback Whales which Pass the New Zealand coast, The Migrations of, 147
 Hurley, D. E., 359, 903
 Hutt Valley, 768
 Hutton, C. Osborne, 791
Hyale, Generic diagnosis, 903
 — Key to N.Z. Species, 903
 — *grandicornis*, 904, 931
 — *grandicornis* f. *novaezealandiae*, 904
 — *grandicornis* f. *thomsoni*, 907
 — *campbellica*, 909
 — *rubra*, 910
 — *pontuca*, 913
 — *maroubrae*, 913
 — *media*, 916
 — *grenfelli*, 919
 — *crassicornis*, 919
 — *hurtpalma*, 922
Hyalodiscus, 731
Hyalotheca, 720, 721
Hybolasius genalis, 625
 Hydrodictyaceae, 702
Hymenochaete archeri (Berk.) Cke. 224
 — *ramealis* Berk., 216
 — *villosa* (Lev.) Bres., 231
 — *allisii* Berk. & Cke., 492
Hyphantoceras cf. *reussianum*, 806
Hypochnus acerinus (Pers.) Pat., 266
 — Fr., 482
 — *chlorinus* Mass., 482
 — *flavo-brunneus* Dearn. & Bisby, 492
 — *fuscus* (Pers.) Fr., 485
 — *olivaceus* Fr., 492
 — *punicus* (A. & Sw.) Sacc., 484
 — *umbrinus* Quel. 487
Hypocrea Fr., Life History Studies in the Genus, 689
 — *berggremi* Cke., 254, 256
 — *rufa*, 689, 690, 691, 692, 693
 — *gelatinosa*, 689
 — *pulvinata*, 689, 693
 — *cutrina*, 698, 693
 — *atrogelatinosa*, 689, 691
 — *coprosma*, 689, 691
 — *schweinitzii*, 689, 690, 692
 — *hunnua*, 690, 691, 692, 693
 — *lactea*, 690, 693
 — *tawa*, 691, 693
 — *mosa*, 691, 693
 — *semiorbis*, 691, 692
 — *sulphurea*, 689, 692, 693
Hypocrella Sacc., 471
- I
- International Science Foundation, Report On, xxvi
Isaria Pers. ex Fr., 469

J

- Jordanicus exiguus* Stinton, n.sp., 516
Juncus planifolius, 647

K

- Kahao Fault and Furrow, 784
 Kaikoura Orogeny, 772, 786
 Kandahar Formation, 520, 525
 Karori-Makara Syncline, 780
 Kauri, Natural Regeneration of, 661
Kirchneriella, 703
Kitchinites ? sp., 808
Kylindotherium, 432

L

- Laevidentalium*, 566
Laevigatum Stinton, n.sp. *Godidarum*, 515
 Laird, M., 297
Lampanyctus serratus Stinton, n.sp., 514
Lamprothamnion, 270, 725
Leiolopisma grande, Heart and Conducting System. Heart and Conducting System, lizard, *Leiolopisma*, 103
Leiopelma Fitzinger, Field Observations, 867
Lepocinclus, 695
Leptoclinides auranticus, n.sp., 134
 — *marmoreus*, n.sp., 129-130
Leptotabanus, 595
Limnaea stagnalis, 73
 — *puccilla* Hutton, 73
 — *alfredi*, 74
 — *alfredi hamiltoni* n subsp., 76
 Lineaments (Landscape), 783-6
Liogramma zealandica, 618
Lloydella beyrichii (Fr.) Bres., 229
 — *illudens* (Berk.) Bres., 224
Lomatia Karst., 232
Lomatina Karst., 232
Lopharia cimerascens (Sw.) G. H. Cunn., 229, 231
 — *vinosa* (Berk.) G. H. Cunn., 231
Lyngbya, 742

M

- Mackerras, I. M., 581
Mallomonas, 730
 Manganiferous Schists, 791, 795
 Manurewa Formation, 520, 521
Maoristolus n.g., 394, 395, 402, 405, 412, 426
 — *parvulus* n.sp., 399, 426
 — *tonnoiri* n. comb., 395, 396, 400, 426.
 Mark, A. F., 33
 Mason, R., 269
Massartia, 726
Mastogloia, 736
Matula Mass., 234
 — *poroniaeformis* (B. & Br.) Mass., 235
 — *rompeli* (Rick) Lloyd, 236
 Maxwell, B. E., 197
Melosira, 731
Meridion, 732
Merulius strigoso-zonatus Schw., 213
Mesotaenium, 711

- Metaboeckella*, a synonym of *Boeckella*, 856
Metridium canum, 91
Michenera rompeli Rick., 236
Microactinium, 704
Microasterias, 721
Microcoleus, 741
 Microplankton, 196-9
Microspora, 706
Microsporaceae, 706
Microthamnion, 708
 Migration of Humpback Whales, 147-196
 Mineralogy of New Zealand, Contributions to, Part IV, 791-803
 Miramar Peninsula, 274
 Mirams, R. V., 661
Mischococcus, 728
 Mollusca, Fresh-water of New Zealand, 71
 Mollusca, Recent Scaphopod of New Zealand, 561
Monocercomonoides melolonthae, 304
Monostroma, 706
 Monostromaceae, 706
Mougeotia, 711
 Mungaroa Limestone, 520, 524, 527
Mystriophis obliquum Stinton, n.sp., 513
Myrionozoum australiense, 29, 30
 Myxophyceae, 739

N

- Natonia*, 883
 National Collections, lix
Nautilinus Gray, Vol. 84, Part 2
Navicula, 736
Navomorphia lineatum, 620
 — *sulcatum*, 621
Nectria Fr., 466-477
 — *aureo-fulva* Cke & Ell., 468, 469
 — *cinnabarina* Tode ex Fr., 471
 — *coprosma* Dingley, 472, 473
 — *cyathea* Dingley, 469, 476
 — *egmontensis* Dingley, 468, 469
 — *fragilis* Dingley, 472, 473
 — *galligena* Cces. ex Strass., 473
 — *haematococca* Berk. & Br., 475, 476
 — *illudens* Berk., 475, 476
 — *kowhai* Dingley, 468, 469
 — *laeticolor* Berk. & Curt., 474, 475
 — *macrostoma* Berk. & Curt., 470, 477
 — *mammoidea*, Phil. & Plowr., 473
 — *ochroleuca* (Schw.) Berk., 468, 469
 — *otagensis* Curr. ex Linds., 470, 471, 477
 — *peziza* (Tode) Fr., 469, 476
 — *pinea* Dingley, 472, 473
 — *plaginathu* Dingley, 475, 476
 — *pulverulenta* Dingley, 475, 476
 — *punicea* (Kze. & Schmidt) Fr., 472, 473
 — *ralfsii* Berk. & Br., 470, 477
 — *stenospora* Berk. & Br., 468, 469
 — *tasmanica* Berk., 472, 473
 — *tawa* Dingley, 472, 474
 — *villior* Starb., 474
 — *westlandica* Dingley, 472, 474
 — *zealandica* Cke., 474, 475
 Nemalionales, 745
Veoleptotabanus, 595

Neonema, 729
 Neoteny in Enicocephalidae, 393, 402, 408,
 409, 410.
 — in *Nothopanax* and *Pseudopanax*, 753-4
Nephrocyttum, 703
Netrium, 711
 Nerve Net, 91
Nezara viridula, Male Reproductive Organs
 of, 139
Nitella spp., 269-278, 725
Nitzschia, 737
Nodularia Peck., 240
 Nostocales, 741
Nostoc, 743
Nothocladus, 746
Nothofagus spp., 19
Nothopanax—see *Pseudopanax* and
Nothopanax anomalum 749, 750, 753
 — *arboreum*, 749, 750, 751, 753, 754
 — *colensoi*, 749, 750, 751, 752, 753, 754
 — *edgerleyi*, 749, 750, 751, 752, 753
 — *laetum*, 749, 750, 751, 753, 754
 — *lineare*, 749, 751, 752, 753, 754
 — *macintyreii*, 749
 — *parvum*, 749
 — *simplex*, 749, 750, 751, 753, 754
 — *sinclairii*, 749, 750, 751, 753, 754
Notothenia tenuis Stinton n.sp., 516
Notothlaspi, 497
Nymphocoris n.g., 392, 393, 396, 401, 402,
 405, 420, 426
 — *maoricus* n.sp., 395, 402, 412, 427

O

Obelia australis, 830
 — *geniculata* 284, 831
 — *geniculata* forma *intermedia* n. forma,
 285
 — *geniculata* forma *subantarctica* n. forma,
 285
 — *geniculata* forma *subtropica* n. forma,
 285
 — *longissima*, 831
 — *nigrocaulus*, 832
 — *nodosa*, 832
 — *pygmaea*, 832
obliquum Stinton, n.sp. ? *Mystriophis*, 513
 Obsidian Selvages, 551
Ochrocyclus huttoni, 621
Ochromonas, 730
Octopus maorum, 636-7
Oechalia schellebergui, 429
 Oedogoniaceae, 709
 Oedogoniales, 709
Oedogonium, 709, 710
Oemona hirta, 622
 Oligochaetes, Aquatic Occurring in Forest
 Litter—I, 97
 Oliver, W R B., 1
Oncacantias vittatus, 429
Onychonema, 721
 Oocystaceae, 703
Oocystis, 703
Opercularella humilis, 846
Ophiocytium, 728

Orchestia, 358
 — *sulensoni*, 387
 — *tucurauna*, 387
 Origin of Domicol Landforms Near Wel-
 lington, 780
Orthopyxis caliculata, 838
 — *crenata*, 838
 — *delicata*, 840
 — *mollis*, 840
 Oscillatoria, 741
 Otapirian Stage of the Triassic System of
 New Zealand, Part II, 45
Otoscaphtes awanuiensis Wright n.sp., 807
Ovatus Stinton, n.sp., "Scopelus," 514

P

Pachycladon crenata n.sp., 497
 — *novae-zelandiae*, 497
Pachydesmoceras sp., 808
Palaemon affinis M.-Edw 1837. (Crustacea,
 Decapoda, Natantia), Studies on Part
 II—Variation in the Form of the
 Rostrum, 883
Palaemon quoianus, 883
Paleodora Fleming, n. gen., 943
 — *reeftonensis* Fleming, n.sp., 943
 Palmellaceae, 700
Palmodiclyon, 700
Pandorina, 699
 Pangoniinae, 582, 584
Papaver somniferum, 646
Paranopsis, 582, 583, 584
Parietaria debilis, 646
Paroctopus zealandicus, 636-7
Paroplites australis, 61
Parorchestia, 359
Paulschulzia, 700
Pediastrum, 702, 703
Pedinomonas, 699
 Pendergrast, J. G., 139
 Peneplain, Terminal, at Wellington, 774-8
Penetrantia irregularis n.sp., 93
 Peniae, 713
Peniophora habgallae (B. & Br.) Cke., 235
Penium, 713
 Pennales, 732
Percidarum uawaensis Stinton n.sp., 516
 Perediniaceae, 727
 Peredinales, 726
Peridinium, 727
 Phacotaceae, 699
Phacotus, 699
Phacus, 695
Phaethamnion, 730
Phialella quadrata, 848
Philapodemus australis, 428
 Philipson, W. R., 497
Phlebia hispida Berk., 213
 — *merismoides* Fr., 230
 — *pileata* Peck, 213
 — *reflexa* Berk., 213
 — *rubiginosa* Berk & Rav., 213
 — *strigoso-zonata* (Sw.) Lloyd, 213
 — *zonata* Berk & Curt., 213
 Phormidium, 742
Phoronis ovalis, 94

- Phthirocorini*, 392, 407, 410
Phthirocoris, 391, 392, 393, 394, 402, 407, 412, 420, 427.
 — *antarcticus*, 407, 408, 409, 410, 412, 413, 416
 — *magnus* n.sp., 392, 412, 413, 427
 — *mirabilis*, 391, 408, 410, 413, 416, 420, 427
Phycopeltis, 708
Phylacteria Pers., 480
Phyllopachyceras sp., 805
Phymatodocis, 721
Physastra, 81
 — *variabilis*, 88
 — *oconnori*, 89
 Phytodiniaceae, 727
Phytodinium, 727
 Pill Millipedes (*Oniscomorpha*, *Sphaerotheridae*), Revision of the New Zealand, 431
Pinnularia 737
 Piripauan Sstn., 520, 521
Pittosporum dallii, Floral Characters, 640
 Plankton, Field Technique, 311
 — Laboratory Technique, 312
Planktosphaeria, 704
Plectonema, 742
 Pleurococcaceae, 708
Pleurococcus, 708
Pleurosigma, 738
Pleurotaenium, 721
Podoscypha Pat., 204
 Point Gordon, Miramar, 275
 Polyblepharidaceae, 699
Polyclinum michaelseni, n.sp., 132
Polyclinum sluiteri, n.sp., 124
Polyedriopsis, 704
Polygonum hydroppiper, 643
Polytomella, 699
 Porinidae, 30
Porina, 29, 30
 Porirua Harbour, 767
Porphyridium, 745
 Port Nicholson, 764, 765
Prasiola, 706
 Prasiolaceae, 706
 Presidential Address, Abstract, xli
 President, the Position of, xlii
Prionoplus reticularis, 612
Pristina taita n.sp., 99
Procyliosoma, 431, 432, 434
 — *delacyi delacyi*, 441
 — *delacyi striolatum*, 442
 — *leiosomum*, 435
 — *tuberculatum tuberculatum*, 436
 — *tuberculatum westlandicum* n.subsp., 439
 Prostratae, 707
Protodasyommia, 582, 583, 595, 597
Protoderma, 707
Pseudopanax chathamicum, 749, 751, 753
 — *crassifolium*, 749, 750, 751, 752, 753
 — *discolor*, 749, 751, 753
 — *ferox*, 749, 750, 751, 753
 — *gilliesii*, 749, 753
 — *lessonii*, 749, 750, 751, 752, 753
Pseudopanax and *Nothopanax*, Comparative Morphology of the New Zealand Species of, 749
Pseudopanax and *Nothopanax*, Ancestral Type of, 753
 — Evolution of N.Z. Species of, 753
 — Floral Characters in, 749
 — Heterophylly in, 749, 753-4
 — Leaf-form in, 749
 — Neoteny in, 753-4
 — Nodal Structure in, 751, 753
 — Phylogenetic Relationships in, 753-4
 — Wood Anatomy in, 750-3
Pseudoscione, 582, 583, 586
Pseudotabanus, 584
Pseudoxybeloceras aff. *quadrinodosum*, 806
Psilopezia mirabilis Berk. & Curt., 250
 Publications, Report on, liii
 Pukemuri Formation, 520, 524
 Pukerua Corridor, 768, 785-6
 Pukerua Scarp, 769, 770
Puzosia sp., 807
Pyura chathamensis, n.sp., 130-131

R

- Raciborskia*, 727
Radiococcus, 704
 Rainfall Evaporation, Effect of Altitude on, 42
 — Estimation of, 33, 35
 Ralph, Patricia M., 279, 811
Ramularia (Ung.) Fr., 471
 Rattenbury, J. A., 936
 Rawlings, G. B., 19
 Recent Scarplet on Point Gordon Spur, 275
 Reefton Devonian, 943
reeftonensis Fleming n.sp., *Paleodora*, 943
regularis Stinton, n.sp., *Coelorrhynchus*, 515
Retortamonas, 296
 — *phyllophagae*, 300
 — *pericoptii*, 302
 Returning Officer, the Office of, li
Rhizoclonium, 709
Rhizosolenia, 196-9
Rhodonite, 793-4
Rhoicosphenia, 734
Rhopalimorpha, 429
 — *lineolaris*, 429
 — *obscura*, 429
Rhopalum carbonicolor, 593, 594, 601
 Right Whales, 149, 153, 154, 156, 158, 159
 Rimutaka Range, 766
Rivularia, 744
 Rostral Variation, 883
 Rotatoria of N.Z., Part VII, 939
 Rotifers from the South Pacific Islands and North Australia, 897
Roya, 711
 Royal Society N.Z., Member Body Reports, xxxiii-xl
 Royal Society Reports—
 Carter Observatory Board Representative, xx
 Chairman Antarctic Research Committee, xxv

Conservation Committee, xxii
 Finance Committee, xxxii
 Fuel and Power Sub-Committee, xxix
 Honorary Editor, xv
 Honorary Librarian, xvii
 Honorary Treasurer, vii
 Hutton Grantees, xviii
 Medical Research Council Representative, xxviii
 National Committee for I.G.Y., xxii
 National Historic Places Trust Representative, xxi
 N.Z. Oceanographic Committee Representative, xx
 Representatives Board Trustees National Art Gallery and Dominion Museum, xix
 Standing Committee, ii
 Transantarctic Expedition (N.Z.) Inc., Representative, xxiv
 Ruahine Range, 787-8
 Russell, C. R., 897, 939

S

- Sagina apetala*, 644
 Sandhoppers of the Genus *Talorchestia*, 359
Scaptia, 582, 583, 586
 — Key to Species, 587
 — *adrel*, 586, 588, 594, 595
 — *brevipalpis*, 588, 592, 594, 595
 — *lerda*, 586, 588, 589, 594, 595
 — *milleri*, 588, 593, 595
 — *montana*, 587, 588, 593, 594, 595
 — *ricardoae*, 588, 591, 595
Scenedesmus, 704, 705
Schizochlamys, 700
 Schizoporellidae, 30
 Scenedesmaceae, 704
Schizothrix, 743
Schroederia, 704
 “*Scopelus*” *ovatus* Stunton n.sp., 514
Scytonema, 744
 Seatoun Fault, 273
 Sei Whales, 162
Selenastrum, 704
Serratus Stinton, n.sp., *Lampanyctus*, 514
 Shell-burrowing Bryozoa *Penetrantia irregularis*, n.sp. *Phoronis ovalis*, 93
 Shutter Ridges, 770
Sigillnaria aurea, n.sp., 580
 Silén, L., 93
Silicularia bilabiata, 285, 842
 — *bilabiata* forma *subtropica* n. forma, 286
 — *bilabiata* forma *intermedia* n. forma, 286
 — *bilabiata* forma *subantarctica* n. forma, 286-287
Simlimnea, 76
Simlimnea tomentosa, 76
Simlimnea tomentosa waikariensis, 80
 Siphonocladales, 708
Sirodotia, 746
 Slump Structures, 531
 Slumping in Cretaceous-Tertiary Beds, N.Z., 519
 Smut Fungi of New Zealand, II, Additions to the, 643
 Snapper (*Chrysophrys auratus*), Age and Growth in Hauraki Gulf, 309
 — Spawning in Hauraki Gulf, 329
 Solenomorphae, 943
Somatidia antarctica, 627
 Soper, Kathleen, 749
Sorastrum, 703
Sorosporium piluliformis, 645, 647
Spermatozopsis, 699
 Spessartite, 792-3
Sphacelotheca paniculeucophaei, 648
 — *reiliana*, 648
 Sphaerella, 699
 Sphaerellaceae, 699
Sphaerellopsis fluviatilis, 699
Sphaerocystis, 700
Sphaerodinium, 727
Sphaeropsis henriquesii Thuem., 470
Sphaerozosma, 721, 722
Sphaleromantis, 730
Spicaria Auctt., 469
 Spinell-gahnite-hercynite Ternary Diagram, 802
Spirogyra, 711, 712
Spiroporina, 29, 30
 — *vertebralis*, 29, 30
Spirotaenia, 711
Spondylosium, 722
Staurastrum, 722, 723, 724
Stauroneis, 738
Stegolaria irregularis, 849
Stegopoma fastigiatum, 850
Stenopotes pallidus, 622
Stereogloeocystidium Rick, 204
Stereum Pers. ex Gray, 201, 204
 — *acerinum* (Pers.) Fr., 229, 266
 — *affine* Lev., 201, 204, 206, 207, 208, 209, 230, 231
 — *amoenum* Kalch. & MacOwan, 215, 216
 — *aotearoa* G. H. Cunn., 202, 204, 211, 212, 213, 230
 — *archeri* Berk., 224, 225
 — *atropurpureum* Lloyd, 213
 — *balsameum* Peck, 210
 — *bicolor* (Pers.) Fr., 231
 — *bombycinum* Lloyd, 208
 — *boryanum* Fr., 218
 — *candidum* (Sw.) Fr., 264
 — *caperatum* (B. & Mont.) Mass., 201
 — *ceriferum* Wakef., 213, 229
 — *cinerascens* (Sw.) Mass., 229
 — *cinereo-badium* Kl., 229
 — *cinericium* Lloyd, 215, 216
 — *complicatum* Fr., 216, 218
 — *concolor* Berk., 218, 220, 229
 — *concolor* (Jungh.) Sacc., 218, 220
 — *confusum* Berk., 230
 — *contrarium* Berk., 213, 230
 — *crispulum* Lloyd, 230
 — *cuneiforme* Lloyd, 207
 — *deceptivum* Lloyd, 213
 — *dubium* Lloyd, 230
 — *elegans* (Meyer) Fr., 204, 206, 208, 209, 230
 — *fasciatum* (Sw.) Fr., 218, 220

- Stereum ferrugineum* (Bull.) Fr., 230
 — *flabellatum* Pat., 209
 — *floriforme* Bres., 208, 209
 — *friesii* Lev., 224
 — *frustulosum* (Pers.) Fr., 230, 256
 — *fulvum* (Lev.) Sacc., 231
 — *granti* Lloyd, 207
 — *hirsutum* (Willd.) Pers., 204, 205, 215, 218, 222, 224, 225, 228
 — *hispidulum* (Berk.) G. H. Cunn., 213, 230
 — *illudens* Berk., 203, 205, 223, 224, 225, 229, 230, 231
 — *incisum* Lloyd, 208
 — *kalchbrenneri* Sacc., 215, 216
 — Key to Species, 204
 — *latissimum* Berk., 230
 — *leichkardtianum* (Lev.) Mass., 218, 220, 230
 — *lobatum* (Kze.) Fr., 201, 205, 218, 220, 229, 230, 231
 — *lugubris* Cke., 213, 230
 — *luteo-badum* Fr., 218
 — *medicum* Currey, 213
 — *membranaceum* Fr., 230
 — *molle* Lev., 230
 — *multifidum* Lloyd, 207
 — *murraii* (B. & C.) Burt, 201, 202, 205, 227, 228
 — *nitens* Lloyd, 224
 — *obliquum* Berk. & Mont., 208, 230
 — *obliquum* Lloyd, 207
 — *ochraceum* Lloyd, 215, 216
 — *ochroleucum* Fr., 229, 230, 254
 — *ostrea* (Blume & Nees) Fr., 231
 — *pannosum* Cke., 224, 229, 231
 — *pergamenum* Berk. & Curt., 201, 204, 206, 209
 — *perlatum* Berk., 218, 220
 — *pictum* Berk., 218
 — *phaeum* Berk., 231
 — *princeps* (Jungh.) Sacc., 203, 213
 — *pubescens* Burt, 232
 — *purpureum* (Pers.) Fr., 202, 203, 205, 226, 227, 228, 229, 234
 — *pusiolum* Berk. & Curt., 201, 203, 204, 205, 206
 — *radicans* (Berk.) Burt, 207
 — *rameale* (Sw.) Burt, 201, 205, 216, 218, 222, 224, 230
 — *ravenelii* Berk. & Curt., 209
 — *rhabarbarinum* Wakef., 203, 226
 — *rufum* Fr., 230
 — *rugosiusculum* Berk. & Curt., 203, 226, 228
 — *rugosum* Pers., 231
 — *sanguinolentum* (A. & Sw.) Fr., 202, 203, 204, 210, 211, 212, 226
 — *schomburgkii* Berk., 229, 231
 — *scutellatum* G. H. Cunn., 202, 203, 204, 210, 211, 212
 — *scytale* Berk., 213
 — *sericeum* (Sw.) Morg., 231
 — *simulans* B. & Br., 479
 — *sowerbeii* Berk., 208, 209, 230
 — *spadiceum* (Pers.) Fr., 210, 231
 — *Stereum sparsum* Berk., 259
 — *spiniferum* Lloyd, 224, 225
 — *sprucei* Berk. & Curt., 218
 — *strigoso-zonatum* (Sw.) G. H. Cunn., 203, 205, 213, 214, 229, 230
 — *styracifluum* Schw., 202
 — *subporiferum* Berk., 231
 — *surinamense* Lev., 201, 203, 208, 231
 — *thozetii* Berk., 203
 — *umbrinum* Berk. & Curt., 231
 — *varicolor* Lloyd, 215, 216
 — *vellereum* Berk., 205, 220, 222, 231
Stephonodiscus, 732
 Stephenson, N. G., and Stephenson, Elsie M., 341
 Stephenson, Elsie M. and Stephenson, N. G., 867
 Stewart Island Minerals, 795
Stichococcus, 705
Stigeoclonium, 707
Stigonema, 745
 Stigonemales, 744
 Stinton, F. C., 513
Stipitococcus, 728
 Stout, J. D., 97
Stylodinium, 727
Surrella, 739
Symbloca, 743
Syncyliosoma, 432, 434
Synedra, 733
Synocum herdman, n.sp., 123-124
Synura, 730
Systelloderes, 392, 393, 402, 412, 417, 426
 — *maclachlani*, 417, 424, 426
 — *notialis* n.sp., 422, 427
 Systelloderini, 409, 417

T

 Tabaninae, 582, 595
 Tabanidae of N.Z., 581
 — Key to Genera, 583
Tabanus, 583
 — *sordidus*, 584
Talorchestia, Genus, 358
 — Key to N.Z. Species of, 359
 — *chathamensis*, 379
 — *cookii*, 365
 — *dentata*, 385
 — *fritzi*, 387
 — *kirki*, 371
 — *quoyana*, 361
 — *spadix*, 383
 — *telluris*, 373
 — *tumida*, 368
 Teleostean, Otoliths from the Tertiary, 513
 Tectonic Features, 761
 Tectonic Relief at Wellington, Date of Origin of, 786
 Tectonics of Southern Wellington, 273
Tenuis Stinton n.sp., *Notothenia*, 516
 Terraces, Marine, 765
Tetmemorus, 713
Tetradinium, 727
Tetraedron, 704
Tetragonidium, 731
Tetraliantos, 705

- Tetraspora*, 700
 Tetrasporaceae, 700
Tetrastrum, 705
Tetrorea calipes, 627
Thalassiosira, 196-9
 Thecate Hydroids, of N.Z., 811
Thelephora acerina Pers., 266
 — *aurantia* Pers., 268
 — *candida* Schw., 264
 — *concolor* Jungh., 218
 — *elegans* Meyer, 208
 — *fasciata* Schw., 218
 — *flocculenta* Fr., 232
 — *fulva* Lev., 231
 — *hirsuta* Willd., 215
 — *lobata* Kze., 218
 — *murrayi* B. & C., 228
 — *ochracea* Schw., 215
 — *purpurea* Pers., 226
 — *rameale* Schw., 216, 218
 — *sanguinolenta* A & Sw., 210
 — *stereoides* Cke & Mass., 213
 — *subzonata* Fr., 215
Thelephora Ehrh. ex Fr., 480
 — *americana* Lloyd, 482
 — *archeri* Berk., 479
 — *arida* Fr., 491
 — *betulae* Schum., 492
 — *caryophyllea* (Schaeff.) Fr., 479
 — *congesta* Berk., 479
 — *crustosa* Lloyd, 480, 481, 482
 — *fusca* (Pers.) Fr., 485
 — *griseo-zonata* Cke., 479, 482
 — *laciniata* Pers., 480, 481
 — *lateritia* Pat., 484
 — *luteo-cincta* Berk., 492
 — *olivacea* (Fr.) Pers., 492
 — *pedicellata*, 482
 — *punicea* Alb. & Schw., 484, 485
 — *terrestris* Ehrh. ex Fr., 479, 480, 481, 482
 — *umbrina* Fr., 492
 — *vaga* Berk., 482
 — *viridis* Berk., 482, 490
 Thelephoraceae of New Zealand, 201
 — Part IX. The Genus *Stereum*, 201
 — Part X. The Genera *Cytidia* and *Aleurocystis*, 232
 — Part XI. The Genus *Aleurodiscus*, 237
 — Part XII, 479
 — Part XIII, 487
Thereviotabanus, 595
Theropectes, 595
Tilletia anthoxanthi, 647
 — *foetida*, 648
 — *kolci*, 648
Tolypothrix, 744
Tomentella (Pers.) Pat., 482
 — *bombycina* (Karst.) G. H. Cunn., 483
 — *caesia* (Pers.) B. & G., 483
 — *castanea* (B. & G.) Donk, 484, 486, 487
 — *cyanea* (Wakef.) B. & G., 483
 — *epiphylla* (Schw.) G. H. Cunn., 483, 485
 — *ferruginea* (Pers.) Pat., 480, 483
 — *fusca* (Pers.) Schroet., 484, 485, 486, 487
 — *granulosa* (Peck) B. & G., 483
 — *punicea* (A. & Sw.) Schroet 483, 484, 485
Trachelomonas, 695
Trachyrhynchus densus Stinton n.sp., 516
 Transverse Deformation, Coast of, 767
 Transcurrent Faulting, 771-2
Trentepohlia, 708
 Trentepohliaceae, 708
 Triassic System, Otapirian Stage, 45
Tribonema, 729
Trichoderma viride, 689, 690, 692, 693
Triploceras, 724
Tubercularia Tode ex Fr., 469, 471
 — *vulgaris* Tode ex Fr., 471
Tulpa diverticulata, 844
 Tunicata, Pelagic, 309
 Types of Faulting in Southern Wellington, 273-4
uawaensis Stinton n.sp., *Pereidarum*, 516
- U
- Ulotrichales, 705
Ulotrix, 705, 706
 Ulvaceae, 706
Urococcus, 700
Urocystis agropyri, 648
Uronema, 706
Ustilago anomala, 643, 645
 — *cynodontis*, 644, 645
 — *duriaeana*, 644, 645
 — *longissima*, 644, 645
 — *nuda*, 648
 — *hypodytes*, 647
 — *striaeformis*, 647
 Uttley, G. H., 29
- V
- Variation in *Obelia geniculata* (Linnaeus, 1758) and *Silicularia bilabiata* (Cough-trey, 1875) (Hydroida, F. Campanulariidae), 279
Vaucheria, 729
 Vegetation and Climate in Dunedin District, 33
 Vegetation Map, Dunedin, 34, 37
 — Stability of, 38
Verticillium Nees ex Wallr., 469, 476
 Volcanic Domes at Mayor Island, New Zealand, 549
 Volvocaceae, 699
Volvox, 699
Volvulina, 699
- W
- Waiariki Lineament, 780-2
 Waiheke Formation, 52-64
 Waiheke Island, Auckland, the Geology of, 51
 Wardle, P., 33

Waterhouse, J. B. and Bradley, J., 519
 Wellington Fault, 274-5
 — Harbour, 274
 — Peninsula, 762
 — Tectonic Features in a Coastal Setting at,
 761-790
Wellmanites Wright n. gen., 808
 — *zelandicus* Wright, n.sp., 808
 Westella, 704
 Whangai Shale, 520, 521
Woloszynskia, 726
 Woodward, T. E., 391
 Wright, C. W., 805

X

Xanthidium, 724

Xanthophyceae, 728
Xenotime, 795-8
Xylotiles griseus, 628

Y

Yaldwyn, J. C., 883

Z

Zorion minutum, 624
 — *guttigerum*, 624
zelandicus, Wright n.sp., *Wellmanites*, 808
Zygnema, 712
 Zygnemataceae, 711