

LIST 5A. CENTRAL. HERBS OCCURRING IN TUSSOCK

Recorded above 5,500ft	Recorded above 5,000ft	Recorded only below 5,000ft
<i>Chionochloa pallens</i> (snow-grass)	<i>Astelia cockaynei</i>	<i>Chionochloa rubra</i> (red tussock)
<i>Celmisia spectabilis</i>	<i>Aciphylla colensoi</i>	<i>Ourisia colensoi</i>
<i>C. incana</i>	<i>Coprosma cheesemanii</i>	<i>Taraxacum magellanicum</i>
<i>Coprosma pumila</i>	<i>Ranunculus insignis</i>	<i>Epilobium pernitens</i>
<i>Gentiana bellidifolia</i>	<i>R. clivalis</i>	<i>Polystichum vestitum</i>
<i>Anisotome aromatica</i>	<i>Chrysobactron hookeri</i>	<i>Viola cunninghamii</i>
<i>Oreomyrrhis colensoi</i>	<i>Epilobium chloraefolium</i>	<i>V. lyallii</i>
<i>Lycopodium fastigiatum</i>	<i>Oxalis lactea</i>	<i>Wahlenbergia pygmaea</i>
		<i>Coprosma depressa</i>
		<i>Phormium colensoi</i>
		<i>Myrsine nummularia</i>
		<i>Aporostylis bifolia</i>
		<i>Blechnum penna-marina</i>
		<i>Forstera bidwillii</i>
		<i>Plantago lanigera</i>
		<i>Aciphylla glaucescens</i>
		<i>Celmisia gracilenta</i>

LIST 5B. CENTRAL. SHRUBS OCCURRING IN TUSSOCK

Recorded above 5,500ft	Recorded above 5,000ft	Recorded only below 5,000ft
<i>Hebe subsimilis</i>	<i>Senecio bidwillii</i>	<i>Dacrydium bidwillii</i>
<i>H. odora</i>	<i>Podocarpus nivalis</i>	<i>Cassinia vauvilliersii</i>
	<i>Hebe venustula</i>	<i>Olearia colensoi</i>
	<i>Dracophyllum recurvum</i>	

LIST 5C. CENTRAL. FELL FIELD

Recorded above 5,500ft	Recorded above 5,000ft	Recorded only below 5,000ft
<i>Phyllachne colensoi</i>	<i>Parahebe spathulata</i>	<i>Gaultheria depressa</i>
<i>Leucogenes leontopodium</i>	<i>P. hookeriana</i> var. <i>olsenii</i>	<i>G. colensoi</i>
<i>Raoulia grandiflora</i>	<i>Ourisia caespitosa</i>	<i>Dacrydium laxifolium</i>
<i>Senecio lagopus</i>	<i>Pentachondra pumila</i>	<i>Euphrasia cuneata</i>
<i>Euphrasia revoluta</i>	<i>Myosotis pygmaea</i>	<i>Wahlenbergia pygmaea</i>
	<i>Euphrasia zelandica</i>	
	<i>Helichrysum bellidiodes</i>	
	<i>Geum parviflorum</i>	

LIST 6. CENTRAL. SCREE

A. On rubble at head of mature scree

<i>Ranunculus insignis</i>	<i>Ourisia caespitosa</i>
<i>Claytonia australasica</i>	<i>Parahebe hookeriana</i> var. <i>olsenii</i>
<i>Myosotis pygmaea</i>	

B. On running shingle

<i>Epilobium pychnostachyum</i>	<i>Parahebe spathulata</i> (rare)
<i>E. glabellum</i>	<i>Senecio glaucophyllus</i> var. <i>raoulii</i> (rare)
<i>Schizolema colensoi</i>	<i>S. glaucophyllus</i> var. <i>discoideus</i> (rare)

C. At foot of stabilizing scree

Hebe truncatula