

- WELLMAN, H. W., 1950. Ohika beds and the post-Hokonui orogeny. *N.Z. Jl Sci. Tech.* B 32: 11-38.
- 1955. A revision of the type Clarentian section at Coverham, Clarence Valley, S 35. *Trans. R. Soc. N.Z.* 83(1): 93-118.
- 1957. Structural outline of New Zealand. *N.Z. Dep. sci. indust. Res. Bull.* 121.
- 1959. Divisions of the New Zealand Cretaceous. *Trans. R. Soc. N.Z.* 87: 99-163.
- 1964. Age of Alpine Fault, New Zealand. *XXII int. geol. Cong. 1964 India, Abstr.* 60.
- WODZICKI, A., 1959. Radioactive boulders in Hawks Crag Breccia. *N.Z. Jl Geol. Geophys.* 2: 385-93.
- WOODS, H., 1917. The Cretaceous faunas of the north-eastern part of the South Island of New Zealand. *N.Z. geol. Surv. paleont. Bull.* 4.
- WRIGHT, C. W., 1957. Some Cretaceous ammonites from New Zealand. *Trans. R. Soc. N.Z.* 84: 805-9.
- YOUNG, D. J., 1968. The Fraser Fault in Central Westland, New Zealand, and its associated rocks. *N.Z. Jl Geol. Geophys.* 11(2): 291-311.
- ZAKLINSKAYA, E. D., 1962. Importance of angiosperm pollen for the stratigraphy of Upper Cretaceous and Lower Paleogene deposits and botanical-geographical provinces at the boundary between the Cretaceous and Tertiary systems. In "Reports of Soviet Palynologists for 1st International Conference on Palynology" (Tucson, U.S.A.): 105-13. *Akad. Nauk. USSR, Moscow*, in Russian.

G. NORRIS AND J. B. WATERHOUSE,  
Department of Geology,  
University of Toronto,  
Canada.