

REFERENCES

- ALLAN, R. S., 1956. Report of the Standing Committee on Datum-Planes in the Geological History of the Pacific Region. *Proc. 8th Pacif. Sci. Congr.* 2: 325-423.
- ARBER, E. A. N., 1917. The Earlier Mesozoic Floras of New Zealand. *N.Z. geol. Surv. pal. Bull.* 6.
- ARKELL, W. J., 1953. Two Jurassic Ammonites from South Island, New Zealand, and a Note on the Pacific Ocean in the Jurassic. *N.Z. J. Sci. Tech., B*, 35(3): 259-64.
- BATHER, F. A., 1905. The Mount Torlesse Annelid. *Geol. Mag.*, dec. 5, 2(12): 532-41.
- BELL, S., HARRINGTON, H. J., MCKELLAR, I. C., 1956. Lower Mesozoic Plant Fossils from Black Jacks, Waitaki River, South Canterbury. *Trans. roy. Soc. N.Z.* 83(4): 663-72.
- BENSON, W. N., 1921. Recent Advances in New Zealand Geology. *Rep. A'sian. Ass. Adv. Sci.* 15: 45-133.
- CAMPBELL, J. D., 1959. The Warepan Stage (Triassic): Definition and Correlation. *N.Z. J. Geol. Geophys.* 2(1): 198-207.
- 1965. New Species of Brachiopoda from the Torlesse Group of Kaiwara Valley, North Canterbury. *Trans. roy. Soc. N.Z., Geol.* 3(7): 95-7, Pl. 1.
- CAMPBELL, J. D., WARREN, G., 1955. A Note on Upper Triassic Limestone from the Okuku Valley, North Canterbury. *N.Z. J. Sci. Tech., B*, 36(5): 531-2.
- COOMBS, D. S., ELLIS, A. J., FYFE, W. S., TAYLOR, A. M., 1959. The Zeolite Facies, with Comments on the Interpretation of Hydrothermal Syntheses. *Geoch. et cosmoch. Acta* 17(1, 2): 53-107.
- COX, P. T., 1926. Geology of the Rakaia Gorge District. *Trans. N.Z. Inst.* 56: 91-111.
- COX, S. H., 1877. Report on Westland District. *N.Z. geol. Surv. Rep. geol. Explor.* 1874-6 [9]: 63-93.
- 1884. On Mount Somers and Malvern Hills District. *N.Z. geol. Surv. Rep. geol. Explor.* 1883-84, 16: 22-43.
- FINLAY, H. J., 1927. New Specific Names for Austral Mollusca. *Trans. N.Z. Inst.* 57: 488-533.
- FLEMING, C. A., 1958. Upper Jurassic Fossils and Hydrocarbon Traces from the Cheviot Hills, North Canterbury. *N.Z. J. Geol. Geophys.* 1(2): 375-94.
- 1962. Two New Genera of Triassic Trigoniidae from New Zealand. *Proc. malac. Soc. Lond.* 35(1): 1-4.
- 1963a. An Ammonite *Aptychus* from the Torlesse Group of Canterbury. *N.Z. J. Geol. Geophys.* 6(5): 706.
- 1963b. A New Genus and Species of Trigoniidae from the Middle Triassic of New Zealand. *N.Z. J. Geol. Geophys.* 6(5): 843-6.
- FLEMING, C. A., KEAR, D., 1960. The Jurassic Sequence at Kawhia Harbour, New Zealand (Kawhia Sheet, N73). *N.Z. geol. Surv. Bull.* 67.
- FLEMING, C. A., MUNDEN, F. W., SUGGATE, R. P., 1954. An Upper Triassic Lamellibranch from the Southern Alps of North Westland, New Zealand. *Trans. roy. Soc. N.Z.* 82(1): 111-4, Pl. 4.
- FYFE, H. E., 1934. Amuri Subdivision. *N.Z. geol. Surv. 28th ann. Rep.*: 4-5.
- GAIR, H. S., 1962. Notes on the Geology of the Blue Mountain District, South Canterbury. *N.Z. J. Geol. Geophys.* 5(1): 178-88.
- 1964. South Canterbury and North Otago. p. 81 in Waterhouse, 1964.
- GAIR, H. S., GREGG, D. R., 1960. Relation of Kakanui Schist to Kaihikuan Sedimentary Rocks at Mt St Mary, North Otago. *N.Z. J. Geol. Geophys.* 3(4): 618-25.
- GAIR, H. S., GREGG, D. R., SPEDEN, I. G., 1962. Triassic Fossils from Corbies Creek, North Otago. *N.Z. J. Geol. Geophys.* 5(1): 92-113.