

## Family PELECANOIDIDAE—Diving petrels

*Pelecanoides urinatrix exsul* (Salvin)—Kerguelen diving petrel*Notiopsylla kerguelensis*

## Order STEGANOPODES (Pelecaniformes)

## Family PHALACROCORACIDAE—Cormorants

*Phalacrocorax carbo novaehollandiae* Stephens—Black shag (Kawau)*Parapsyllus longicornis**(Ceratophyllus gallinae gallinae)*

Mr J. R. Jackson found fleas in cliff-nests at Tokoroa Bay but not in tree-nests at Motukarara.

*Phalacrocorax carunculatus chalconotus* (Gray)—Gray's shag*(Parapsyllus magellanicus)**(Nosopsyllus fasciatus)**Phalacrocorax melanoleucus brevirostris* Gould—White-throated shag (Kawau-paka)

Mr J. R. Jackson found no fleas in tree-nests at Coe's Ford.

*Phalacrocorax punctatus* (Sparrman)—Spotted shag (Parekareka)*Parapsyllus longicornis*

## Order FALCONES (ACCIPITRES)

## Family FALCONIDAE—Falcons, etc.

*Falco novaeseelandiae* Gmelin—New Zealand falcon or Bushhawk (Karearea)

Mr J. R. Jackson found no fleas in a nest at Arthur's Pass.

## Order GRESSORES (Ciconiiformes)

## Family ARDEIDAE—Herons, etc.

*Demigretta sacra* (Gmelin)—Blue heron or Reef heron (Matuku-moana)

Dr C. Wallace found no fleas in two nests on Goat Island.

*Egretta alba modesta* (Gray)—White egret (Kotuku)

Mr J. R. Jackson found no fleas in a nest on South Island.

*Notophoyx novaehollandiae* (Latham)—White-faced heron (Matuku-moana)

Mr J. R. Jackson failed to find fleas in tree-nests at McCormack's Bay.

## Order ANSERES

## Family ANATIDAE—Swans, Geese, Ducks

*Anas superciliosa* Gmelin—Grey duck (Parera)

Mr J. R. Jackson found no fleas in several nests from the neighbourhood of Christchurch, and he also never saw fleas on ducks from Lake Wairarapa when plucking them. Large numbers are shot in the open season (May), but no shooter is known to have observed fleas on the ducks.