

(The larger species of the genera *Placostylus*, *Paryphanta* and *Rhytida* are omitted.) The species considered endemic are indicated by the symbol "E".

- Omphalorissa purchasi* (Pfeiffer)  
*Cytora ampla* Powell E.  
*Cytora hispida* n.sp. E.  
*Cytora septentrionale* (Suter)  
*Cytora tepakiensis* n.sp. E.  
*Liarea aupouria aupouria* Powell E.  
*Liarea aupouria tara* Powell E.  
*Thalassohelix minuta* n.sp. E.  
*Allodiscus adriana* (Hutton)  
*Allodiscus basilirata* n.sp. E.  
*Serpho kivi* (Gray)  
*Serpho matthewsi* Suter  
*Therasiella celinde* (Gray)  
*Therasiella tamora* (Hutton)  
*Phenacohelix tholoides* (Suter)  
*Flammulina perdita* (Hutton)  
*Flammulina costulata* (Hutton)  
*Ptychodon tau* (Pfeiffer)  
*Charopa anguicula* (Reeve)  
*Charopa ochra* (Webster)  
*Egestula charopiformis* n.sp. E.  
*Egestula pandora* n.sp. E.  
*Fectola buccinella* (Reeve)  
*Subfectola caputspinulae* (Reeve)  
*Mocella cogitata* Iredale  
*Phrixgnathus erigone* (Gray)  
*Phrixgnathus mariae* (Gray)  
*Phrixgnathus serratocostata* Webster  
*Phrixgnathus* sp.  
*Paralaoma lateumbilicata* (Suter)  
*Tornatellinops novoseelandica* (Pfeiffer)  
*Delos jeffreysiana* (Pfeiffer)  
*Delouagapia cordelia* (Hutton)  
*Papusuccinea archeyi* (Powell)  
*Athoracophorus bitentaculatus* (Q. and G.)

Suter (1913) recorded some species based on material collected by C. Cooper prior to 1907 and Powell (1947, 1950, 1951, 1954) has described a number of new species.

Two species listed by Suter as occurring near North Cape have not turned up again. They are *Therasia decidua* (Pfeiffer) and *Ptychodon varicosa* (Pfeiffer). If they still exist it must be in a very restricted area as little bush now remains here. *Suteria ide* (Gray), so widespread and numerous in the rest of Northland, was not encountered at all, nor is it known from Three Kings Islands. While *Delos jeffreysiana* (Pfeiffer) has been recorded by Suter in his Manual as occurring at Cape Reinga the actual specimens which are in the Suter Collection were subsequently re-identified by Powell (1952 p. 167) as being *Delouagapia cordelia* (Hutton). *Delos jeffreysiana* does in fact occur, not uncommonly from Cape Reinga through to Unuwhao, at times together with *Delouagapia*.