

TRANSACTIONS  
OF THE  
ROYAL SOCIETY OF NEW ZEALAND  

---

ZOOLOGY

---

VOL. 1

No. 11

October 27, 1961

[Continued from *Transactions of the Royal Society of N.Z.*, Volume 88, Part 4.]

The Heteroptera of New Zealand  
Part III—Coreidae, Berytidae, Tingidae, Cimicidae

By T. E. WOODWARD,  
Department of Entomology, University of Queensland.

[Received by Editor, August 8, 1960.]

*Abstract*

THE fauna comprises an introduced species of Coreidae (with a second introduced species almost certainly now extinct in N.Z.), one endemic species of Berytidae, three species of Tingidae (two endemic, one introduced), and one introduced Cimicid. Synonymic and other references and distributional records are given for these species, and keys to the Coreidae and Tingidae. Newly described or figured are the male and female terminalia, the evaporating areas and the eggs of *Acantholybas brunneus* (Breddin), further structural details of *Neides wakefieldi* Buch. White and *Cyperobia carectorum* Bergroth, including the macropterous male and sub-brachypterous male and female of *C. carectorum*.

ACKNOWLEDGMENTS

I wish to thank Dr. R. A. Falla, Director, and Dr. B. A. Holloway, Entomologist, Dominion Museum, Dr. R. R. Forster, Director, Otago Museum (formerly of the Canterbury Museum), Mr. A. W. Parrott, Nelson, and Mr. E. S. Gourlay, Entomological Research Station, D.S.I.R., Nelson, for the loan of material; Dr. R. A. Cumber, Entomological Research Station, D.S.I.R., Palmerston North, for hospitality and facilities while collecting in the Foxton area and for the loan of material; and Dr. W. E. China, British Museum (N.H.), for the initial identification of *Acantholybas brunneus*.

INTRODUCTION

The Coreidae and Berytidae belong to the Pentatomorpha of Leston, Pendergrast and Southwood (1954) and to the super-families Coreioidea and Lygaeoidea respectively; the Tingidae and Cimicidae to the Cimicomorpha (above reference) and to the Tingoidea and Cimicoidea respectively. All four families are poorly represented in New Zealand and are considered together for convenience. They have been keyed out from the rest of the New Zealand Heteroptera in Part I of this series (Woodward, 1953a: 300). China and Miller (1955 and 1959) have been followed for family and subfamily names and the works of China (1943) and Van Duzee (1917) have been consulted for some of the synonymic references. Material from the Canterbury Museum is listed (C.M.), from the Dominion Museum (D.M.), and from the Entomological Research Station, D.S.I.R. (E.R.S.).