

2. Actaecia ophensis Chilton

* Chilton, 1901: 128–129, pl. 14, fig. 1. Jackson, 1941: 10. Hurley, 1950: 121, fig. 21. 121, fig. 19.
Timaru Beach, under seaweed at highwater mark; Quail Island, Lyttelton Harbour.

Genus SCYPHONISCUS Chilton

1. Scyphoniscus magnus Chilton

Chilton, 1909: 665–666, fig. 18. Jackson, 1941: 10. Hurley, 1950: 121.
Perseverance Harbour, Campbell Island, "abundant on shore about highwater mark"; Ewing Island, Auckland Islands.

2. Scyphoniscus waitatensis Chilton

* Chilton, 1901: 128–129, pl. 14, fig. 1. Jackson, 1941: 10. Hurley, 1950: 121, fig. 21.
Blueskin Bay, Otago, under seaweed at highwater mark; Waitati; Heathcote Estuary; Anita Bay, Milford Sound.

Genus SCYPHAX Dana

1. Scyphax ornatus Dana

Dana, 1853: 734–736, pl. 48, fig. 5. * Chilton, 1901: 123–126, pl. 14, fig. 2; pl. 15, fig. 1. Jackson, 1941: 9. Hurley, 1950: 121, fig. 23.
Sandy shores, North Island; Westport.

Genus DETO Guerin

1. Deto aucklandiae (Thomson)

Thomson, 1879b: 249–250. Chilton, 1901: 126–127, pl. 15, fig. 2. Chilton, 1909: 666–668, fig. 19. * Chilton, 1915: 445–449, pl. 39, figs. 24–30; pl. 40, figs. 31–44. Jackson, 1941: 9. Hurley, 1950: 121, fig. 26.

Ewing Island, Auckland Islands; Amokura Harbour, Auckland Islands, "under stones on shore".

2. Deto bucculenta (Nicolet)

Filhol, 1885: 441–442, pl. 54, figs. 7–8. * Chilton, 1915: 449–452, pl. 40, figs. 45–59. Jackson, 1941: 10. Hurley, 1950: 121.
Wellington; Chatham Island; Stewart Island.

Family ONISCIDAE

Genus ONISCUS Linnaeus

1. Oniscus⁸ cookii Filhol

Filhol, 1885: 442, pl. 54, fig. 6. Chilton, 1901: 136. Jackson, 1941: 13.
West Coast, South Island.

Genus PORCELLIO Latr.

1. Porcellio scaber Latr.

Chilton, 1901: 139–140. * Van Name, 1936: 226–229, figs. 127A, 128, 2, 3. Jackson, 1941: 14. Hurley, 1950: 122, fig. 15.

Throughout New Zealand around buildings, gardens, greenhouses, rarely in native bush. This is the most common of the "common" woodlice or "slaters". Cosmopolitan; introduced into New Zealand.

Genus PORCELLIONIDES Miers

1. Porcellionides pruinosus (Brandt)

Chilton, 1906a: 64–65. Chilton, 1911b: 571. * Van Name, 1936: 238–240, figs. 127B, 133, 134A. Jackson, 1941: 14. Hurley, 1950: 122.

Norfolk Island; Tidal lagoon, Hawke's Bay; Wellington; Sunday Island, Kermadec Islands. This is another of the now cosmopolitan exotic species.

Genus PHALLONISCUS Budde-Lund

1. Phalloniscus armatus Bowley

Bowley, 1935: 56–57, pl. 8, figs. 19–24. Hurley, 1950: 122.
Canterbury.

⁸ This species is probably a *Phalloniscus* (Jackson) and probably *P. kenepurensis* as Chilton suggests.