

## Subtribe PARASELLOIDEA

## Family IANIRIDAE

## Genus IANIRA Leach

1. **Ianira (Iathrippa) longicauda** (Chilton)  
Chilton, 1884: 250–251, pl. 18, fig. 2b–b. Thomson, 1889: 265–266. Tattersall, 1921: 200, pl. 1, fig. 6. \*Nordenstam, 1933: 173–176, figs. 40a–h. Nierstrasz, 1941: 286. Hurley, 1957: 17–18, figs. 92–107.  
Lyttelton: Terra Nova Sta. 96, 7 miles E. of North Cape, 70 fms.; Campbell Island.
2. **Ianira (Ianira) neglecta** Chilton  
Chilton, 1909: 648–649, figs. 13a–b. Stephensen, 1927: 355. Nierstrasz, 1941: 283. Masked I., Carnley Harbour, Auckland Islands; Port Chalmers, Lyall Bay, New Zealand.

Genus IAIS<sup>1</sup> Bovallius

1. **Iais californica** (Richardson)  
Chilton, 1912: 132, 134. Hurley, 1956: 715–718, figs. 1–13.  
On *Sphaeroma quoyana*, Hutt River; Marlborough Sounds; Hawke's Bay.
2. **Iais pubescens** (Dana)  
Chilton, 1892: 266–267. Chilton, 1909: 649–650. Monod, 1931: 11. Nordenstam, 1933: 178–179, figs. 41a–c. Nierstrasz, 1941: 287. \*Menzies & Barnard, 1951: 138–141, pls. 42–43. Hurley, 1956: 718. Naylor, 1961: 15–16, fig. 6.  
Chatham Islands; Campbell Island; Auckland Island; on *Exosphaeroma gigas*; *Isocladus armatus*; *Exosphaeroma lanceolatum*; *Isocladus spiniger*.

## Family JAEROPSIDAE

## Genus JAEROPSIS Koehler

1. **Jaeropsis curvicornis** (Nicolet)  
Stebbing, 1905: 51–52, pl. 11C. Chilton, 1912: 133. Nierstrasz, 1941: 288.  
Akaroa; Taylor's Mistake; Lyall Bay.
2. **Jaeropsis palliseri** Hurley  
Hurley, 1957: 18–19, figs. 67–73, 108–117.  
Cook Strait.

## Family ANTIASIDAE

## Genus ANTIAS Richardson

1. **Antias hispidus** Vanhoeffen  
Stephensen, 1927: 356–357, fig. 24. Nierstrasz, 1941: 385. Menzies and Miller, 1955: 385.  
Carnley Harbour, Auckland Island.
2. **Antias unirameus** Menzies & Miller  
Menzies & Miller, 1955: 385–389, figs. 1–2.  
Island Bay, commensal on holothurian *Stichopus mollis*.

## Family MUNNIDAE

## Genus MUNNA Kröyer

1. **Munna neozelanica** Chilton  
Chilton, 1892: 268–269. \*Chilton, 1892: 2–12, pls. 1–2. Chilton, 1912: 132. Stephensen, 1927: 357–8. Monod, 1931: 14, fig. 8c–e. Nierstrasz, 1941: 289.  
Port Chalmers and Brighton, near Dunedin, "between tidemarks on surface of stones and boulders under mass of decaying *Boltenias* washed upon beach" and in rock pool; Waikawa Bay, Queen Charlotte Sound; Portage, Kenepuru Sound; Masked Island, Carnley Harbour, Port Ross, Auckland Island; Campbell Island.

<sup>1</sup> I have preferred to omit from this list any of the "Species Inquirendae" of Menzies and Barnard, 1951, or Hurley, 1956.