

Family IDOTEIDAE

Genus ZENOBIANA Stebbing

1. *Zenobiana tubicola* (Thomson)
Thomson, 1885: 577. Thomson, 1889: 264–5, pl. 14, figs. 5–8. Chilton, 1890: 203–204. Chilton, 1892a: 265. Nierstrasz, 1941: 265.
Auckland; Waipapa Point.

Genus PARIDOTEA Stebbing

1. *Paridotea ungulata* (Pallas)
Thomson, 1883: 332. Chilton, 1890: 196–198. Stebbing, 1902: 53–55. Nierstrasz, 1917: 113–114, figs. 43–48. Collinge, 1918: 81–82, pl. 8, figs. 24–25. *Hale, 1924: 221, figs. 9e, f. Nierstrasz, 1941: 267.
New Zealand; Chatham Islands; Stewart Island; Auckland; Carnley Harbour, Campbell Island; Otago. "Always green in colour and is found on green seaweed."

Genus CRABYZOS Spence Bate

1. *Crabyzos elongatus* (Miers)
Miers, 1876a: 225. Chilton, 1883c: 517. Chilton, 1890: 198–199. Hale, 1924: 218. Nierstrasz, 1941: 268.
Auckland; Lyttelton; Akaroa; Musgrave Harbour; Port Ross; Carnley Harbour, Auckland Islands; Otago, "brown seaweeds".

Genus EDOTIA Guerin-Meneville

1. *Edotia dilatata*¹¹ Thomson
Thomson, 1884: 235, pl. 12, figs. 9–10. Chilton, 1890: 199. Nierstrasz, 1941: 275. Auckland. (Chilton, 1890, considers this the female of *Crabyzos elongatus*. This seems unlikely.)

Genus EUIDOTEA Collinge

1. *Euidotea peronii* (Milne Edwards)
Chilton, 1890: 199–203 (pt). Chilton, 1906a: 269. Collinge, 1918: 84–85, pl. 8, figs. 32, 33. *Hale, 1924: 214, fig. 4 e–g. Nierstrasz, 1941: 274.
Chatham Islands; Waipapa Point; Moeraki; Otago, rock pools on red seaweed.
2. *Euidotea stricta* (Dana)
Chilton, 1890: 199 (part). Hale, 1924: 214–215, fig. 4 a–d.
Cape Campbell; Lyttelton Harbour.

Genus IDOTEA Fabricius

1. *Idotea festiva* Chilton
Chilton, 1885: 320–321. Chilton, 1890: 192–193. Nierstrasz, 1941: 272.
Sumner, near Christchurch, under surface of a boulder at low tide.
2. *Idotea marina* Miers
Miers, 1881: 25. Chilton, 1890: 191–2. Nierstrasz, 1941: 269. Holthuis, 1949: 174–176.
New Zealand.
3. *Idotea metallica* Bosc
Miers, 1876: 92. Chilton, 1890: 193–4. Nierstrasz, 1941: 272.
New Zealand; Sunday Island; Kermadec Islands.

Genus AUSTRIDOTEA Nicholls

1. *Austridotea annectans* Nicholls
Nicholls, 1937: 118–123, figs. 1–8a. Nierstrasz, 1941: 280.
Stewart Island.
2. *Austridotea benhami* Nicholls
Chilton, 1891: 131–132. Chilton, 1909: 658. Nicholls, 1937: 123–125, figs. 9–10, 132–135.
Otago Peninsula; Waitaki (? = Waitati); Blueskin Bay.